



Numbers of persons accessing HIV-related care

Survey of Prevalent HIV Infections Diagnosed (SOPHID)

Northern Ireland data tables

Northern Ireland tables

Table ExpNI: Diagnosed HIV infection in Northern Ireland by exposure category: 1999-2008

Table EthnNI: Diagnosed HIV infection in Northern Ireland by ethnic group: 1999-2008

Table AgeNI: Diagnosed HIV infection in Northern Ireland by age-group and sex: 1999-2008

Table ARTNI: Diagnosed HIV infection in Northern Ireland by level of antiretroviral therapy and CD4 count: 2000-2008

SOPHID Table ExpNI: Diagnosed HIV infection in Northern Ireland by exposure category.¹

Exposure category ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Sex between men³	57	61	74	78	96	124	136	158	186	186
Injecting drug use	6	5	4	5	6	5	7	6	8	7
Sex between men & women	29	36	45	56	81	98	129	151	174	197
Blood/blood products recipient	2	1	2	1	1	1	1	0	1	1
Mother-to-child transmission	0	1	0	1	3	5	5	5	5	0
Other/not known	0	1	1	2	3	2	2	2	4	5
Total	94	105	126	143	190	235	280	322	378	396

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Including those who also injected drugs.

SOPHID Table EthnNI: Diagnosed HIV infection in Northern Ireland by ethnic group.¹

Ethnic group ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
White	91	97	120	128	161	192	224	259	299	304
Black-Caribbean	0	0	0	0	1	2	1	1	1	1
Black-African	2	5	5	12	21	32	43	46	60	75
Black-other/Black-unspecified	0	0	0	0	0	0	1	1	1	1
Indian/Pakistani/Bangladeshi	0	0	0	0	0	0	0	0	0	0
Other/mixed	1	2	1	2	2	4	6	8	9	6
Other Asian/Oriental ³	0	1	0	0	5	5	5	6	7	9
Not known	0	0	0	1	0	0	0	1	1	0
Total	94	105	126	143	190	235	280	322	378	396

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ This category was not recorded before 2000.

SOPHID Table AgeNI: Diagnosed HIV infection in Northern Ireland by age-group and sex.¹

Age-group ^{2,3}	Year of survey										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
<1	<i>Boys</i>	0	0	0	0	1	0	0	0	0	0
	<i>Girls</i>	0	0	0	0	0	0	0	0	0	0
	Sub total	0	0	0	0	1	0	0	0	0	0
1-14	<i>Boys</i>	0	0	0	0	0	1	1	1	1	0
	<i>Girls</i>	0	1	0	1	2	4	4	4	4	0
	Sub total	0	1	0	1	2	5	5	5	5	0
15-24	<i>Men</i>	0	0	0	3	1	9	11	10	6	12
	<i>Women</i>	0	1	0	1	4	5	7	8	11	12
	Sub total	0	1	0	4	5	14	18	18	17	24
25-29	<i>Men</i>	9	5	5	4	10	10	9	22	30	30
	<i>Women</i>	2	1	3	1	7	9	13	16	17	22
	Sub total	11	6	8	5	17	19	22	38	47	52
30-34	<i>Men</i>	21	21	26	28	25	26	30	23	28	44
	<i>Women</i>	2	2	4	6	6	10	14	12	19	24
	Sub total	23	23	30	34	31	36	44	35	47	68
35-39	<i>Men</i>	19	25	24	24	36	42	44	56	60	44
	<i>Women</i>	6	7	6	6	9	11	14	18	23	22
	Sub total	25	32	30	30	45	53	58	74	83	66
40-44	<i>Men</i>	17	16	24	25	29	28	42	50	51	55
	<i>Women</i>	2	4	4	5	6	11	16	11	14	13
	Sub total	19	20	28	30	35	39	58	61	65	68
45-49	<i>Men</i>	8	10	15	18	19	25	26	26	37	42
	<i>Women</i>	2	2	2	0	6	6	8	11	10	14
	Sub total	10	12	17	18	25	31	34	37	47	56
50-54	<i>Men</i>	3	7	8	11	15	20	17	24	31	32
	<i>Women</i>	0	0	0	2	2	3	3	3	4	3
	Sub total	3	7	8	13	17	23	20	27	35	35
55-59	<i>Men</i>	1	1	2	3	8	10	13	11	14	11
	<i>Women</i>	0	0	0	0	0	0	2	2	4	3
	Sub total	1	1	2	3	8	10	15	13	18	14
60+	<i>Men</i>	2	2	3	5	4	5	6	13	14	13
	<i>Women</i>	0	0	0	0	0	0	0	1	0	0
	Sub total	2	2	3	5	4	5	6	14	14	13
Total	94	105	126	143	190	235	280	322	378	396	

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Totals may include those with sex not reported.

SOPHID Table ARTNI: Diagnosed HIV infection in Northern Ireland by level of antiretroviral therapy and CD4 count.¹

Level of antiretroviral therapy and CD4 count/mm ³	Year of survey								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
No antiretroviral therapy									
0-100	1	1	4	4	0	2	4	1	2
101-200	4	7	5	4	3	4	1	3	1
201-350	9	10	7	16	12	20	22	27	16
351-500	5	9	13	12	16	29	34	40	40
>500	12	15	18	28	40	44	49	58	59
Not reported	2	0	1	0	0	2	2	5	1
Sub total	33	42	48	64	71	101	112	134	119
Mono									
0-100	0	0	0	0	0	0	0	0	0
101-200	0	0	0	0	0	0	0	0	0
201-350	0	0	0	0	0	0	0	1	0
351-500	0	0	0	0	0	0	0	0	1
>500	0	0	0	0	1	0	0	0	0
Not reported	0	0	0	0	0	0	0	0	0
Sub total	0	0	0	0	1	0	0	1	1
Dual									
0-100	0	0	0	0	1	0	0	0	0
101-200	0	0	0	0	0	0	0	0	0
201-350	0	0	0	0	1	0	0	0	1
351-500	0	0	0	0	0	0	0	0	1
>500	0	0	2	1	2	0	0	0	3
Not reported	0	0	0	0	0	0	0	0	0
Sub total	0	0	2	1	4	0	0	0	5
Triple									
0-100	7	8	9	2	10	6	5	4	4
101-200	11	12	14	21	15	12	10	19	11
201-350	17	20	23	34	39	47	43	42	48
351-500	10	15	10	25	36	41	46	59	49
>500	13	21	23	35	41	60	90	108	67
Not reported	1	1	1	3	6	1	4	0	0
Sub total	59	77	80	120	147	167	198	232	179
Quadruple +									
0-100	1	1	2	0	1	2	1	1	4
101-200	2	0	0	0	1	2	2	1	6
201-350	5	2	4	2	2	1	1	1	18
351-500	4	2	1	1	3	4	3	3	25
>500	1	2	5	0	4	3	5	4	38
Not reported	0	0	0	0	0	0	0	0	0
Sub total	13	7	12	3	11	12	12	10	91
Not reported									
0-100	0	0	0	0	0	0	0	0	1
101-200	0	0	0	1	0	0	0	0	0
201-350	0	0	0	0	1	0	0	1	0
351-500	0	0	0	0	0	0	0	0	0
>500	0	0	0	0	0	0	0	0	0
Not reported	0	0	1	1	0	0	0	0	0
Sub total	0	0	1	2	1	0	0	1	1
Total	105	126	143	190	235	280	322	378	396

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.