



Numbers of persons accessing HIV-related care

**Survey of Prevalent HIV Infections Diagnosed
(SOPHID)**

North East London data tables

Table index

<u>Table ExpNELon:</u>	Diagnosed HIV-infected individuals in North East London sector by exposure category: 1999 - 2008
<u>Table EthnNELon:</u>	Diagnosed HIV-infected individuals in North East London sector by ethnic group: 1999 - 2008
<u>Table AgeNELon:</u>	Diagnosed HIV-infected individuals in North East London sector by age and sex: 1999 - 2008
<u>Table ARTNELon:</u>	Diagnosed HIV-infected individuals in North East London sector by level of antiretroviral therapy and CD4 count: 2000 - 2008

SOPHID Table ExpNELon: Diagnosed HIV-infected individuals in North East London sector by exposure category.¹

Exposure category ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Sex between men ³	787	806	1,124	1,264	1,399	1,536	1,675	1,801	1,887	1,968
Injecting drug use	58	49	51	50	58	69	67	62	73	68
Sex between men & women	775	915	1,332	1,607	1,853	2,136	2,372	2,583	2,768	2,953
Blood/blood products recipient	22	17	19	21	20	22	23	22	23	23
Mother-to-child transmission	65	84	101	108	117	132	147	148	154	159
Other/not known	22	10	19	25	52	54	51	76	117	210
Total	1,729	1,881	2,646	3,075	3,499	3,949	4,335	4,692	5,022	5,381

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Including those who also injected drugs.

SOPHID EthnNELon: Diagnosed HIV-infected individuals in North East London sector by ethnic group.¹

Ethnic group ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
White	872	843	1,142	1,256	1,394	1,543	1,657	1,807	1,883	1,933
Black-Caribbean	46	51	88	107	134	144	164	170	188	208
Black-African	692	812	1,168	1,408	1,621	1,845	2,033	2,191	2,339	2,478
Black-other/Black-unspecified	31	39	68	88	117	137	161	167	173	201
Indian/Pakistani/Bangladeshi	25	30	38	42	45	46	52	68	77	93
Other/mixed	53	80	110	129	126	117	173	189	222	271
Other Asian/Oriental ³	1	8	10	18	30	78	49	56	64	73
Not known	9	18	22	27	32	39	46	44	76	124
Total	1,729	1,881	2,646	3,075	3,499	3,949	4,335	4,692	5,022	5,381

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ This category was not recorded before 2000.

SOPHID Table AgeNELon: Diagnosed HIV-infected individuals in North East London sector by age-group and sex.¹

Age-group (yrs) ^{2,3}	Year of survey										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
<1	<i>Girls</i>	1	3	2	0	0	1	3	3	1	2
	<i>Boys</i>	2	0	2	1	3	3	8	1	1	0
	Sub total	3	3	4	1	3	4	11	4	2	2
1-14	<i>Girls</i>	33	44	55	63	58	57	66	64	58	56
	<i>Boys</i>	31	37	41	41	46	55	57	59	60	52
	Sub total	64	81	96	104	104	112	123	123	118	108
15-24	<i>Men</i>	28	24	45	46	56	71	65	73	85	101
	<i>Women</i>	46	49	68	83	96	92	105	113	127	130
	Sub total	74	73	113	129	152	163	170	186	212	231
25-29	<i>Men</i>	135	130	164	174	189	190	174	187	207	220
	<i>Women</i>	100	108	152	175	182	204	213	232	236	226
	Sub total	235	238	316	349	371	394	387	419	443	446
30-34	<i>Men</i>	294	279	368	412	412	412	403	418	379	397
	<i>Women</i>	157	191	247	273	302	327	353	364	366	401
	Sub total	451	470	615	685	714	739	756	782	745	798
35-39	<i>Men</i>	328	338	481	551	606	633	641	636	653	612
	<i>Women</i>	119	138	205	267	317	352	408	429	459	473
	Sub total	447	476	686	818	923	985	1,049	1,065	1,112	1,085
40-44	<i>Men</i>	180	209	308	358	450	571	634	711	756	782
	<i>Women</i>	44	60	90	126	170	226	268	313	338	405
	Sub total	224	269	398	484	620	797	902	1,024	1,094	1,187
45-49	<i>Men</i>	101	119	176	200	220	292	371	412	478	563
	<i>Women</i>	16	22	42	59	80	102	131	166	202	237
	Sub total	117	141	218	259	300	394	502	578	680	800
50-54	<i>Men</i>	52	52	78	97	113	132	150	204	237	268
	<i>Women</i>	6	11	26	31	46	52	62	70	93	109
	Sub total	59	63	104	128	159	184	212	274	330	377
55-59	<i>Men</i>	24	32	40	43	64	74	85	91	100	116
	<i>Women</i>	6	5	15	17	18	24	26	33	42	58
	Sub total	30	37	55	60	82	98	111	124	142	174
60+	<i>Men</i>	17	24	31	45	52	60	84	87	108	131
	<i>Women</i>	6	6	9	13	19	19	28	26	36	42
	Sub total	23	30	40	58	71	79	112	113	144	173
Age not reported	2	0	1	0	0	0	0	0	0	0	
Total	1,729	1,881	2,646	3,075	3,499	3,949	4,335	4,692	5,022	5,381	

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Totals may include those with sex not reported.

SOPHID Table ARTNELon: Diagnosed HIV-infected individuals in North East London sector by level of antiretroviral therapy and CD4 count.¹

Level of antiretroviral therapy and CD4 count/mm ³	Year of survey								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
No antiretroviral therapy									
0-100	26	32	37	32	43	37	51	40	29
101-200	25	39	37	34	43	48	50	37	41
201-350	100	158	191	210	282	290	311	305	205
351-500	106	188	202	257	317	342	371	399	404
>500	161	241	256	370	410	417	476	509	466
Not reported	106	128	100	109	117	122	81	144	175
Sub total	524	786	823	1,012	1,212	1,256	1,340	1,434	1,320
Mono									
0-100	2	1	1	2	0	3	5	2	1
101-200	0	6	3	3	3	5	8	3	4
201-350	1	12	5	12	5	13	15	8	13
351-500	4	11	8	12	5	17	11	5	6
>500	11	25	22	24	13	19	33	11	24
Not reported	1	0	2	6	3	0	0	1	2
Sub total	19	55	41	59	29	57	72	30	50
Dual									
0-100	6	4	3	3	4	7	8	3	6
101-200	4	8	2	11	6	17	19	1	12
201-350	8	14	11	23	10	39	43	21	36
351-500	9	11	11	17	15	46	53	24	37
>500	8	11	11	15	16	59	69	24	100
Not reported	7	7	3	1	1	1	1	3	11
Sub total	42	55	41	70	52	169	193	76	202
Triple									
0-100	72	84	119	108	102	79	47	73	65
101-200	138	173	189	208	223	181	167	164	175
201-350	242	377	424	486	545	510	481	584	625
351-500	174	303	403	435	523	556	571	619	735
>500	196	374	486	583	728	733	827	1,021	1,164
Not reported	147	110	65	77	31	46	48	133	162
Sub total	969	1,421	1,686	1,897	2,152	2,105	2,141	2,594	2,926
Quadruple +									
0-100	25	25	29	20	33	37	44	38	24
101-200	26	48	52	62	58	77	75	59	69
201-350	46	66	101	112	111	196	188	217	206
351-500	26	60	78	87	107	169	224	222	207
>500	25	58	96	94	150	187	288	314	334
Not reported	11	8	10	16	2	7	9	22	41
Sub total	159	265	366	391	461	673	828	872	881
ART - Level not reported									
0-100	0	0	0	0	0	0	0	0	0
101-200	0	0	0	0	0	0	0	0	0
201-350	0	0	0	1	1	0	1	0	1
351-500	0	0	0	1	0	0	0	0	0
>500	0	0	0	2	0	0	0	0	0
Not reported	0	0	1	0	0	0	0	0	0
Sub total	0	0	1	4	1	0	1	0	1
Not reported									
0-100	7	0	4	3	0	4	0	11	0
101-200	14	1	4	2	1	3	5	1	0
201-350	15	7	19	4	2	15	19	0	0
351-500	17	8	37	1	3	23	26	1	0
>500	19	33	37	4	1	18	39	0	0
Not reported	96	15	16	52	35	12	28	3	1
Sub total	168	64	117	66	42	75	117	16	1
Total	1,881	2,646	3,075	3,499	3,949	4,335	4,692	5,022	5,381

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.