



**Numbers of persons accessing HIV-related care**

**Survey of Prevalent HIV Infections Diagnosed  
(SOPHID)**

North West London data tables

## Table index

<b><u>Table ExpNWLon:</u></b>	Diagnosed HIV-infected individuals in North West London sector by exposure category: 1999 - 2008
<b><u>Table EthnNWLon:</u></b>	Diagnosed HIV-infected individuals in North West London sector by ethnic group: 1999 - 2008
<b><u>Table AgeNWLon:</u></b>	Diagnosed HIV-infected individuals in North West London sector by age-group and sex: 1999 - 2008
<b><u>Table ARTNWLon:</u></b>	Diagnosed HIV-infected individuals in North West London sector by level of antiretroviral therapy and CD4 count: 2000 - 2008

**SOPHID Table ExpNWLon: Diagnosed HIV-infected individuals in North West London sector by exposure category.<sup>1</sup>**

Exposure category <sup>2</sup>	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
<b>Sex between men <sup>3</sup></b>	1,586	2,062	2,238	2,350	2,477	2,683	2,823	2,994	3,086	3,180
<b>Injecting drug use</b>	122	160	153	161	166	165	131	144	120	120
<b>Sex between men &amp; women</b>	601	947	1,193	1,428	1,680	1,841	2,117	2,181	2,248	2,328
<b>Blood/blood products recipient</b>	31	34	32	37	36	32	30	33	29	21
<b>Mother-to-child transmission</b>	71	74	83	98	105	114	146	114	107	132
<b>Other/not known</b>	31	36	44	37	41	38	35	93	125	238
<b>Total</b>	<b>2,442</b>	<b>3,313</b>	<b>3,743</b>	<b>4,111</b>	<b>4,505</b>	<b>4,873</b>	<b>5,282</b>	<b>5,559</b>	<b>5,715</b>	<b>6,019</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

<sup>3</sup> Including those who also injected drugs.

**SOPHID Table EthnNWLon: Diagnosed HIV-infected individuals in North West London sector by ethnic group.<sup>1</sup>**

Ethnic group <sup>2</sup>	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
<b>White</b>	1,700	1,985	2,099	2,235	2,533	2,701	2,832	2,972	3,066	3,080
<b>Black-Caribbean</b>	47	65	89	92	117	135	141	176	197	217
<b>Black-African</b>	463	705	919	1,071	1,255	1,339	1,473	1,535	1,472	1,535
<b>Black-other/Black-unspecified</b>	42	63	81	89	62	80	113	97	109	123
<b>Indian/Pakistani/Bangladeshi</b>	64	76	77	91	109	130	155	162	182	212
<b>Other/mixed</b>	92	337	392	422	295	338	414	424	458	574
<b>Other Asian/Oriental <sup>3</sup></b>	5	50	55	68	89	93	94	121	139	157
<b>Not known</b>	29	32	31	43	45	57	60	72	92	121
<b>Total</b>	<b>2,442</b>	<b>3,313</b>	<b>3,743</b>	<b>4,111</b>	<b>4,505</b>	<b>4,873</b>	<b>5,282</b>	<b>5,559</b>	<b>5,715</b>	<b>6,019</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

<sup>3</sup> This category was not recorded before 2000.

**SOPHID AgeNWLon: Diagnosed HIV-infected individuals in North West London sector by age-group and sex.<sup>1</sup>**

Age-group (yrs) <sup>2,3</sup>		Year of survey									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
<1	<i>Boys</i>	1	2	2	3	0	1	7	1	2	0
	<i>Girls</i>	1	0	5	2	2	0	8	0	0	1
	<b>Sub total</b>	<b>2</b>	<b>2</b>	<b>7</b>	<b>5</b>	<b>2</b>	<b>1</b>	<b>15</b>	<b>1</b>	<b>2</b>	<b>1</b>
1-14	<i>Boys</i>	33	32	34	35	43	49	64	43	38	40
	<i>Girls</i>	36	36	39	51	52	54	57	45	42	34
	<b>Sub total</b>	<b>69</b>	<b>68</b>	<b>73</b>	<b>86</b>	<b>95</b>	<b>103</b>	<b>122</b>	<b>88</b>	<b>80</b>	<b>74</b>
15-24	<i>Men</i>	39	44	43	46	55	56	81	92	86	104
	<i>Women</i>	21	30	29	57	63	80	77	96	80	99
	<b>Sub total</b>	<b>60</b>	<b>74</b>	<b>72</b>	<b>103</b>	<b>118</b>	<b>136</b>	<b>158</b>	<b>188</b>	<b>166</b>	<b>203</b>
25-29	<i>Men</i>	178	185	191	175	173	203	205	217	239	262
	<i>Women</i>	65	103	119	154	160	151	159	156	150	140
	<b>Sub total</b>	<b>243</b>	<b>288</b>	<b>310</b>	<b>329</b>	<b>333</b>	<b>354</b>	<b>364</b>	<b>373</b>	<b>389</b>	<b>402</b>
30-34	<i>Men</i>	447	540	527	502	491	467	488	502	483	473
	<i>Women</i>	120	175	216	229	249	248	259	281	263	241
	<b>Sub total</b>	<b>567</b>	<b>715</b>	<b>743</b>	<b>731</b>	<b>740</b>	<b>715</b>	<b>747</b>	<b>783</b>	<b>746</b>	<b>714</b>
35-39	<i>Men</i>	497	655	735	777	825	857	818	789	748	734
	<i>Women</i>	125	195	225	260	301	314	334	321	305	309
	<b>Sub total</b>	<b>622</b>	<b>850</b>	<b>960</b>	<b>1,037</b>	<b>1,126</b>	<b>1,171</b>	<b>1,152</b>	<b>1,110</b>	<b>1,053</b>	<b>1,043</b>
40-44	<i>Men</i>	337	496	576	659	727	837	906	950	970	990
	<i>Women</i>	40	79	108	135	190	229	266	301	315	360
	<b>Sub total</b>	<b>377</b>	<b>575</b>	<b>684</b>	<b>794</b>	<b>917</b>	<b>1,066</b>	<b>1,172</b>	<b>1,251</b>	<b>1,285</b>	<b>1,350</b>
45-49	<i>Men</i>	186	275	329	371	408	476	582	659	736	798
	<i>Women</i>	26	40	54	65	76	90	121	139	169	205
	<b>Sub total</b>	<b>212</b>	<b>315</b>	<b>383</b>	<b>436</b>	<b>484</b>	<b>566</b>	<b>703</b>	<b>798</b>	<b>905</b>	<b>1,003</b>
50-54	<i>Men</i>	150	192	221	247	259	280	304	343	396	457
	<i>Women</i>	8	16	20	28	40	49	54	71	77	80
	<b>Sub total</b>	<b>158</b>	<b>208</b>	<b>241</b>	<b>275</b>	<b>299</b>	<b>329</b>	<b>358</b>	<b>414</b>	<b>473</b>	<b>537</b>
55-59	<i>Men</i>	63	109	124	142	189	215	221	238	255	260
	<i>Women</i>	3	9	14	13	19	24	25	30	36	41
	<b>Sub total</b>	<b>66</b>	<b>118</b>	<b>138</b>	<b>155</b>	<b>208</b>	<b>239</b>	<b>246</b>	<b>268</b>	<b>291</b>	<b>301</b>
60+	<i>Men</i>	56	88	114	139	161	166	208	241	281	342
	<i>Women</i>	8	12	18	18	22	27	37	44	44	49
	<b>Sub total</b>	<b>64</b>	<b>100</b>	<b>132</b>	<b>157</b>	<b>183</b>	<b>193</b>	<b>245</b>	<b>285</b>	<b>325</b>	<b>391</b>
<b>Age not reported</b>		<b>2</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>		<b>2,442</b>	<b>3,313</b>	<b>3,743</b>	<b>4,111</b>	<b>4,505</b>	<b>4,873</b>	<b>5,282</b>	<b>5,559</b>	<b>5,715</b>	<b>6,019</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

<sup>3</sup> Totals may include those with sex not reported.

**SOPHID ARTNWLon: Diagnosed HIV-infected individuals in North West London sector by level of antiretroviral therapy and CD4 count.<sup>1</sup>**

Level of antiretroviral therapy and CD4 count/mm <sup>3</sup>	Year of survey								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
<b>No antiretroviral therapy</b>									
0-100	29	27	19	89	50	44	33	21	22
101-200	36	45	40	72	47	53	32	45	48
201-350	103	195	186	268	302	349	262	315	238
351-500	129	230	198	308	327	328	276	407	386
>500	168	268	229	342	351	417	337	484	456
Not reported	472	285	89	159	169	220	116	167	191
<b>Sub total</b>	<b>937</b>	<b>1,050</b>	<b>761</b>	<b>1,238</b>	<b>1,246</b>	<b>1,411</b>	<b>1,056</b>	<b>1,439</b>	<b>1,341</b>
<b>Mono</b>									
0-100	0	2	1	4	5	5	5	4	4
101-200	0	2	0	2	4	5	6	6	7
201-350	1	5	4	10	4	7	30	11	9
351-500	0	7	5	6	3	13	29	9	14
>500	2	11	5	7	9	9	51	9	26
Not reported	2	3	5	9	1	1	4	3	3
<b>Sub total</b>	<b>5</b>	<b>30</b>	<b>20</b>	<b>38</b>	<b>26</b>	<b>40</b>	<b>125</b>	<b>42</b>	<b>63</b>
<b>Dual</b>									
0-100	3	2	5	2	1	2	4	6	1
101-200	5	6	4	4	5	6	8	3	12
201-350	14	20	14	12	9	11	16	25	23
351-500	13	11	11	8	10	9	19	19	24
>500	13	22	8	7	15	20	46	32	60
Not reported	36	14	6	10	1	3	6	3	12
<b>Sub total</b>	<b>84</b>	<b>75</b>	<b>48</b>	<b>43</b>	<b>41</b>	<b>51</b>	<b>99</b>	<b>88</b>	<b>132</b>
<b>Triple</b>									
0-100	95	145	145	159	139	132	106	67	64
101-200	166	287	308	288	252	224	221	214	176
201-350	263	497	621	675	733	760	715	644	700
351-500	229	416	453	533	608	658	689	733	862
>500	274	544	698	744	926	1,004	1,039	1,187	1,457
Not reported	1,047	460	127	114	70	88	144	177	237
<b>Sub total</b>	<b>2,074</b>	<b>2,349</b>	<b>2,352</b>	<b>2,513</b>	<b>2,728</b>	<b>2,866</b>	<b>2,914</b>	<b>3,022</b>	<b>3,496</b>
<b>Quadruple +</b>									
0-100	13	17	44	55	58	56	53	54	32
101-200	7	27	74	91	97	114	112	123	75
201-350	24	43	164	173	224	268	236	248	194
351-500	20	41	102	132	155	170	218	258	224
>500	27	67	161	168	212	263	319	391	357
Not reported	26	5	10	25	16	31	22	39	100
<b>Sub total</b>	<b>117</b>	<b>200</b>	<b>555</b>	<b>644</b>	<b>762</b>	<b>902</b>	<b>960</b>	<b>1,113</b>	<b>982</b>
<b>ART - Level not reported</b>									
0-100	0	0	1	1	0	0	0	0	0
101-200	0	1	0	0	1	0	1	0	0
201-350	0	0	0	0	1	0	0	0	0
351-500	0	0	0	0	0	0	0	0	0
>500	0	0	0	0	0	0	0	0	0
Not reported	0	1	3	0	2	0	0	0	0
<b>Sub total</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>4</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>
<b>Not reported</b>									
0-100	4	1	17	2	7	0	4	0	0
101-200	3	0	23	0	3	0	21	0	0
201-350	5	4	103	3	13	1	131	0	1
351-500	7	5	95	1	8	0	97	1	0
>500	11	12	110	3	16	3	119	0	0
Not reported	66	15	23	19	19	8	32	10	4
<b>Sub total</b>	<b>96</b>	<b>37</b>	<b>371</b>	<b>28</b>	<b>66</b>	<b>12</b>	<b>404</b>	<b>11</b>	<b>5</b>
<b>Total</b>	<b>3,313</b>	<b>3,743</b>	<b>4,111</b>	<b>4,505</b>	<b>4,873</b>	<b>5,282</b>	<b>5,559</b>	<b>5,715</b>	<b>6,019</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.