



Numbers of persons accessing HIV-related care

**Survey of Prevalent HIV Infections Diagnosed
(SOPHID)**

South East London data tables

Table index

Table ExpSELon: Diagnosed HIV-infected individuals in South East London sector by exposure category: 1999 - 2008

Table EthnSELon: Diagnosed HIV-infected individuals in South East London sector by ethnic group: 1999 - 2008

Table AgeSELon: Diagnosed HIV-infected individuals in South East London sector by age-group and sex: 1999 - 2008

Table ARTSELon: Diagnosed HIV-infected individuals in South East London sector by level of antiretroviral therapy and CD4 count: 2000 - 2008

SOPHID Table ExpSELon: Diagnosed HIV-infected individuals in South East London sector by exposure category.¹

Exposure category ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Sex between men ³	1,416	1,401	1,899	2,064	2,288	2,543	2,857	3,078	3,355	3,577
Injecting drug use	93	62	82	84	107	92	108	114	127	124
Sex between men & women	905	793	1,384	1,801	2,141	2,464	2,705	2,906	3,048	3,237
Blood/blood products recipient	27	18	33	27	24	25	28	31	24	25
Mother-to-child transmission	87	66	86	105	113	127	136	144	150	166
Other/not known	63	26	69	75	68	22	28	70	140	291
Total	2,591	2,366	3,553	4,156	4,741	5,273	5,862	6,343	6,844	7,420

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Including those who also injected drugs.

SOPHID Table EthnSELon: Diagnosed HIV-infected individuals in South East London sector by ethnic group.¹

Ethnic group ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
White	1,503	1,380	1,854	2,034	2,267	2,512	2,795	2,990	3,249	3,487
Black-Caribbean	119	99	205	225	274	295	331	355	397	423
Black-African	798	679	1,183	1,549	1,825	2,053	2,225	2,376	2,472	2,618
Black-other/Black-unspecified	66	62	100	102	107	127	165	206	234	277
Indian/Pakistani/Bangladeshi	14	14	16	17	18	23	27	31	39	52
Other/mixed	81	99	140	154	145	185	233	276	309	375
Other Asian/Oriental ³	0	15	24	29	48	55	56	70	83	88
Not known	10	18	31	46	57	23	30	39	61	100
Total	2,591	2,366	3,553	4,156	4,741	5,273	5,862	6,343	6,844	7,420

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ This category was not recorded before 2000.

SOPHID Table AgeSELon: Diagnosed HIV-infected individuals in South East London sector by age-group and sex.¹

Age-group (yrs) ^{2,3}	Year of survey										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
<1	<i>Boys</i>	9	0	2	0	0	1	1	1	0	0
	<i>Girls</i>	6	3	0	0	2	3	0	3	1	2
	Sub total	15	3	2	0	2	4	1	4	1	2
1-14	<i>Boys</i>	42	35	40	45	46	57	59	62	60	53
	<i>Girls</i>	51	24	37	41	48	49	49	50	48	51
	Sub total	93	59	77	86	94	106	108	112	108	104
15-24	<i>Men</i>	51	42	60	87	83	77	89	102	118	132
	<i>Women</i>	42	40	83	92	98	130	120	121	129	117
	Sub total	93	82	143	179	181	207	209	223	247	249
25-29	<i>Men</i>	209	201	244	233	253	269	313	302	352	367
	<i>Women</i>	138	110	163	233	243	253	283	291	250	217
	Sub total	347	311	407	466	496	522	596	593	602	584
30-34	<i>Men</i>	494	432	576	587	603	580	622	664	631	663
	<i>Women</i>	186	145	252	326	373	394	405	457	457	458
	Sub total	680	577	828	913	976	974	1,027	1,121	1,088	1,121
35-39	<i>Men</i>	538	495	727	831	947	988	1,055	1,043	1,078	1,067
	<i>Women</i>	141	139	240	292	334	383	410	420	472	518
	Sub total	679	634	967	1,123	1,281	1,371	1,465	1,463	1,550	1,585
40-44	<i>Men</i>	310	311	492	564	680	798	929	1,031	1,194	1,280
	<i>Women</i>	56	56	116	151	211	258	310	364	371	424
	Sub total	366	367	608	715	891	1,056	1,239	1,395	1,565	1,704
45-49	<i>Men</i>	141	143	215	278	336	444	513	601	690	840
	<i>Women</i>	18	24	39	58	84	109	140	172	223	269
	Sub total	159	167	254	336	420	553	653	773	913	1,109
50-54	<i>Men</i>	72	81	129	151	167	202	229	264	304	389
	<i>Women</i>	4	9	21	27	37	45	57	72	82	115
	Sub total	76	90	150	178	204	247	286	336	386	504
55-59	<i>Men</i>	45	46	56	72	86	95	118	134	157	186
	<i>Women</i>	3	4	9	12	15	29	29	34	37	43
	Sub total	48	50	65	84	101	124	147	168	194	229
60+	<i>Men</i>	31	23	42	62	79	89	104	117	143	173
	<i>Women</i>	3	3	10	14	16	20	27	38	47	56
	Sub total	34	26	52	76	95	109	131	155	190	229
Age not reported	1	0	0	0	0	0	0	0	0	0	
Total	2,591	2,366	3,553	4,156	4,741	5,273	5,862	6,343	6,844	7,420	

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Totals may include those with sex not reported.

SOPHID Table ARTSELon: Diagnosed HIV-infected individuals in South East London sector by level of antiretroviral therapy and CD4 count.¹

Level of antiretroviral therapy and CD4 count/mm ³	Year of survey								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
No antiretroviral therapy									
0-100	18	16	34	37	42	43	32	35	26
101-200	39	39	62	39	70	89	63	70	41
201-350	104	181	190	253	411	460	432	430	309
351-500	81	194	184	279	416	501	508	555	562
>500	122	262	286	384	463	539	574	611	681
Not reported	179	514	406	439	218	226	143	193	198
Sub total	543	1,206	1,162	1,431	1,620	1,858	1,752	1,894	1,817
Mono									
0-100	0	2	2	0	1	2	2	3	1
101-200	1	5	2	1	0	0	2	3	2
201-350	6	10	5	7	12	8	3	4	9
351-500	4	9	11	6	10	17	18	7	9
>500	5	17	13	10	16	17	29	18	28
Not reported	1	26	46	61	8	4	2	0	6
Sub total	17	69	79	85	47	48	56	35	55
Dual									
0-100	6	1	3	3	2	3	4	5	5
101-200	8	4	3	7	4	12	3	5	4
201-350	17	10	9	10	10	17	20	20	13
351-500	10	13	6	7	10	13	26	11	33
>500	13	18	14	12	15	34	36	26	41
Not reported	13	29	18	22	6	0	3	6	11
Sub total	67	75	53	61	47	79	92	73	107
Triple									
0-100	73	89	89	99	138	140	93	120	125
101-200	136	165	188	218	295	257	233	255	272
201-350	227	329	405	456	722	773	793	833	860
351-500	192	294	341	422	702	757	831	921	1,224
>500	234	425	523	580	868	934	1,040	1,323	1,696
Not reported	378	643	581	723	136	86	146	246	302
Sub total	1,240	1,945	2,127	2,498	2,861	2,947	3,136	3,698	4,479
Quadruple +									
0-100	24	19	24	17	36	55	63	49	25
101-200	20	25	34	40	71	101	119	116	77
201-350	40	37	88	90	151	223	247	243	171
351-500	28	52	79	101	163	221	303	284	209
>500	34	69	111	121	183	293	387	406	377
Not reported	15	18	128	165	18	21	34	43	75
Sub total	161	220	464	534	622	914	1,153	1,141	934
ART - Level not reported									
0-100	0	0	0	0	0	0	1	0	4
101-200	0	0	0	1	0	0	1	0	1
201-350	0	0	0	0	0	1	2	0	1
351-500	0	0	0	0	0	0	1	0	3
>500	0	0	0	0	0	0	0	0	10
Not reported	0	0	1	1	0	0	0	0	3
Sub total	0	0	1	2	0	1	5	0	22
Not reported									
0-100	20	0	7	0	6	0	5	1	1
101-200	23	1	9	0	12	0	3	0	1
201-350	68	0	46	1	13	2	31	0	0
351-500	55	3	52	0	15	0	39	0	1
>500	70	19	89	1	11	6	53	1	3
Not reported	102	15	67	128	19	7	18	1	0
Sub total	338	38	270	130	76	15	149	3	6
Total	2,366	3,553	4,156	4,741	5,273	5,862	6,343	6,844	7,420

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.