



Numbers of persons accessing HIV-related care

**Survey of Prevalent HIV Infections Diagnosed
(SOPHID)**

South West London data tables

Table index

Table ExpSWLon: Diagnosed HIV-infected individuals in South West London sector by exposure category: 1999 - 2008

Table EthnSWLon: Diagnosed HIV-infected individuals in South West London sector by ethnic group: 1999 - 2008

Table AgeSWLon: Diagnosed HIV-infected individuals in South West London sector by age-group and sex: 1999 - 2008

Table ARTSWLon: Diagnosed HIV-infected individuals in South West London sector by level of antiretroviral therapy and CD4 count: 2000 - 2008

SOPHID Table ExpSWLon: Diagnosed HIV-infected individuals in South West London sector by exposure category.¹

Exposure category ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Sex between men ³	623	708	772	804	853	931	998	1,064	1,129	1,196
Injecting drug use	28	38	31	28	35	33	36	45	39	44
Sex between men & women	481	554	815	994	1,087	1,238	1,409	1,527	1,617	1,708
Blood/blood products recipient	15	16	17	15	13	15	15	12	11	10
Mother-to-child transmission	60	50	56	67	75	75	80	89	98	107
Other/not known	19	8	22	20	13	12	15	14	28	60
Total	1,226	1,374	1,713	1,928	2,076	2,304	2,553	2,751	2,922	3,125

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Including those who also injected drugs.

SOPHID Table EthnSWLon: Diagnosed HIV-infected individuals in South West London sector by ethnic group.¹

Ethnic group ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
White	689	742	826	846	919	1,010	1,077	1,157	1,207	1,293
Black-Caribbean	47	51	72	80	100	116	135	152	156	159
Black-African	427	482	699	855	918	1,022	1,146	1,218	1,294	1,355
Black-other/Black-unspecified	17	21	25	26	23	24	33	37	50	65
Indian/Pakistani/Bangladeshi	13	14	15	23	22	31	34	43	47	43
Other/mixed	27	42	46	65	50	60	79	87	99	115
Other Asian/Oriental ³	1	14	20	23	33	33	39	42	45	51
Not known	5	8	10	10	11	8	10	15	24	44
Total	1,226	1,374	1,713	1,928	2,076	2,304	2,553	2,751	2,922	3,125

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ This category was not recorded before 2000.

SOPHID Table AgeSWLon: Diagnosed HIV-infected individuals in South West London sector by age-group and sex.¹

Age-group (yrs) ^{2,3}	Year of survey										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
<1	<i>Boys</i>	3	1	0	1	0	0	1	0	0	0
	<i>Girls</i>	4	1	0	0	0	0	1	0	0	0
	Sub total	7	2	0	1	0	0	2	0	0	0
1-14	<i>Boys</i>	27	24	31	29	33	32	30	30	31	27
	<i>Girls</i>	29	23	25	34	40	36	34	30	34	31
	Sub total	56	47	56	63	73	68	64	60	65	58
15-24	<i>Men</i>	15	10	19	22	35	37	33	44	59	66
	<i>Women</i>	18	19	35	49	49	62	76	75	84	84
	Sub total	33	29	54	71	84	99	109	119	143	150
25-29	<i>Men</i>	66	72	78	75	78	81	92	100	99	111
	<i>Women</i>	48	56	81	88	92	91	101	112	110	107
	Sub total	114	128	159	164	170	172	193	212	209	218
30-34	<i>Men</i>	212	182	179	160	154	177	199	196	174	181
	<i>Women</i>	119	124	166	187	178	180	189	184	184	170
	Sub total	331	306	345	347	332	357	388	380	358	351
35-39	<i>Men</i>	183	245	309	344	341	330	329	308	319	288
	<i>Women</i>	81	112	159	186	212	219	242	258	260	271
	Sub total	264	357	468	530	553	549	571	566	579	559
40-44	<i>Men</i>	143	172	203	217	249	314	346	406	436	448
	<i>Women</i>	29	50	69	99	125	154	185	211	230	260
	Sub total	173	222	272	316	374	468	531	617	666	708
45-49	<i>Men</i>	102	111	130	148	167	190	224	259	288	330
	<i>Women</i>	19	19	35	44	47	54	83	96	123	152
	Sub total	121	130	165	192	214	244	307	355	411	482
50-54	<i>Men</i>	55	68	80	100	109	130	141	154	174	212
	<i>Women</i>	8	6	9	16	21	29	39	46	47	63
	Sub total	63	74	89	116	130	159	180	200	221	275
55-59	<i>Men</i>	26	40	55	59	66	77	73	86	100	123
	<i>Women</i>	1	2	4	9	9	15	18	23	23	35
	Sub total	27	42	59	68	75	92	91	109	123	158
60+	<i>Men</i>	31	32	38	48	62	84	100	114	121	136
	<i>Women</i>	3	5	8	9	9	12	17	19	26	30
	Sub total	34	37	46	57	71	96	117	133	147	166
Age not reported	3	0	0	3	0	0	0	0	0	0	
Total	1,226	1,374	1,713	1,928	2,076	2,304	2,553	2,751	2,922	3,125	

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Totals may include those with sex not reported.

SOPHID Table ARTSWLon: Diagnosed HIV-infected individuals in South West London sector by level of antiretroviral therapy and CD4 count.¹

Level of antiretroviral therapy and CD4 count/mm ³	Year of survey								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
No antiretroviral therapy									
0-100	23	13	20	22	11	19	21	19	10
101-200	25	24	29	37	27	39	28	29	17
201-350	71	88	108	158	159	198	190	149	94
351-500	59	109	106	162	181	194	188	231	208
>500	93	147	112	163	173	188	245	229	258
Not reported	126	131	73	65	51	72	43	64	89
Sub total	397	512	448	607	602	710	715	721	676
Mono									
0-100	0	0	1	2	2	0	0	3	1
101-200	1	2	0	0	2	2	3	1	1
201-350	1	1	1	3	5	8	13	6	6
351-500	6	6	4	2	9	3	3	6	4
>500	2	7	4	6	7	7	17	13	10
Not reported	4	6	8	8	1	2	0	0	3
Sub total	14	22	18	21	26	22	36	29	25
Dual									
0-100	0	0	0	1	0	4	3	1	0
101-200	3	1	0	1	1	8	10	2	2
201-350	7	4	8	7	6	9	13	4	4
351-500	2	8	9	1	4	12	13	11	9
>500	4	10	9	6	7	8	20	16	23
Not reported	12	5	1	1	0	0	0	4	7
Sub total	28	28	27	17	18	41	59	38	45
Triple									
0-100	53	66	74	71	58	49	50	55	37
101-200	81	118	139	138	166	154	117	121	117
201-350	144	220	300	287	388	380	374	426	408
351-500	100	195	221	268	334	342	399	480	504
>500	120	232	261	290	370	389	443	587	786
Not reported	253	150	67	78	32	38	48	61	121
Sub total	751	981	1,062	1,132	1,348	1,352	1,431	1,730	1,973
Quadruple +									
0-100	14	14	17	24	19	24	24	25	17
101-200	18	13	28	24	40	54	39	31	24
201-350	33	26	60	78	76	112	128	84	75
351-500	18	31	53	53	69	105	114	115	105
>500	20	48	57	79	88	118	148	130	145
Not reported	7	5	18	29	6	11	15	19	39
Sub total	110	137	233	287	298	424	468	404	405
ART - Level not reported									
0-100	0	0	0	0	0	0	0	0	0
101-200	1	0	0	0	0	0	0	0	0
201-350	0	0	0	1	0	0	0	0	0
351-500	0	0	0	0	0	1	0	0	0
>500	0	0	0	0	0	0	0	0	0
Not reported	3	0	0	0	0	0	0	0	0
Sub total	4	0	0	1	0	1	0	0	0
Not reported									
0-100	1	5	5	0	0	0	1	0	0
101-200	1	2	5	0	1	0	2	0	0
201-350	6	2	34	0	3	0	14	0	0
351-500	5	3	29	0	1	0	14	0	0
>500	8	10	46	0	1	0	10	0	0
Not reported	49	11	21	11	6	3	1	0	1
Sub total	70	33	140	11	12	3	42	0	1
Total	1,374	1,713	1,928	2,076	2,304	2,553	2,751	2,922	3,125

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.