



Numbers of persons accessing HIV-related care

**Survey of Prevalent HIV Infections Diagnosed
(SOPHID)**

North Central London data tables

Table index

Table ExpNCLon: Diagnosed HIV-infected individuals in North Central London sector by exposure category: 1999 - 2008

Table EthnNCLon: Diagnosed HIV-infected individuals in North Central London sector by ethnic group: 1999 - 2008

Table AgeNCLon: Diagnosed HIV-infected individuals in North Central London sector by age and sex: 1999 - 2008

Table ARTNCLon: Diagnosed HIV-infected individuals in North Central London sector by level of antiretroviral therapy and CD4 count: 2000 - 2008

SOPHID Table ExpNCLon: Diagnosed HIV-infected individuals in North Central London sector by exposure category.¹

Exposure category ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Sex between men ³	1,125	1,407	1,573	1,746	1,912	1,962	2,066	2,231	2,311	2,391
Injecting drug use	119	123	133	127	130	137	143	156	148	149
Sex between men & women	654	881	1,074	1,298	1,519	1,580	1,746	1,848	1,957	2,087
Blood/blood products recipient	36	30	26	28	26	30	29	31	27	26
Mother-to-child transmission	67	76	77	86	99	113	118	102	110	114
Other/not known	25	23	22	39	43	36	38	88	107	188
Total	2,026	2,540	2,905	3,324	3,729	3,858	4,140	4,456	4,660	4,955

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Including those who also injected drugs.

SOPHID Table EthnNCLon: Diagnosed HIV-infected individuals in North Central London sector by ethnic group.¹

Ethnic group ²	Year of survey									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
White	1,290	1,491	1,640	1,780	2,006	2,028	2,089	2,266	2,373	2,446
Black-Caribbean	50	57	86	108	134	151	163	178	200	223
Black-African	539	719	883	1,080	1,261	1,318	1,425	1,493	1,537	1,634
Black-other/Black-unspecified	34	47	47	53	56	60	82	85	104	111
Indian/Pakistani/Bangladeshi	29	26	22	22	23	28	41	46	52	56
Other/mixed	65	144	157	186	156	171	236	249	251	302
Other Asian/Oriental ³	2	35	44	57	62	67	66	65	69	78
Not known	17	21	26	38	31	35	38	74	74	105
Total	2,026	2,540	2,905	3,324	3,729	3,858	4,140	4,456	4,660	4,955

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ This category was not recorded before 2000.

SOPHID Table AgeNCLon: Diagnosed HIV-infected individuals in North Central London sector by age-group and sex.¹

Age-group (yrs) ^{2,3}	Year of survey										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
<1	<i>Boys</i>	4	2	1	0	1	0	0	0	0	0
	<i>Girls</i>	0	0	1	0	0	1	2	0	0	0
	Sub total	4	2	2	0	1	1	2	0	0	0
1-14	<i>Boys</i>	36	47	45	50	52	53	54	39	39	36
	<i>Girls</i>	27	29	31	33	39	40	42	38	39	32
	Sub total	63	76	76	83	91	93	96	77	78	68
15-24	<i>Men</i>	30	33	52	57	48	56	57	80	74	84
	<i>Women</i>	21	25	40	52	67	78	85	81	88	93
	Sub total	51	58	92	109	115	134	142	161	162	177
25-29	<i>Men</i>	164	182	152	163	173	148	163	189	195	209
	<i>Women</i>	87	101	114	128	127	114	141	120	114	114
	Sub total	251	283	266	291	300	262	304	309	309	323
30-34	<i>Men</i>	386	448	487	467	476	450	400	360	357	342
	<i>Women</i>	139	171	213	215	261	239	251	258	250	242
	Sub total	525	619	700	682	737	689	651	618	607	584
35-39	<i>Men</i>	424	532	606	688	729	684	701	697	649	637
	<i>Women</i>	140	176	195	239	266	264	289	310	327	329
	Sub total	564	708	801	927	995	948	990	1,007	976	966
40-44	<i>Men</i>	231	309	380	480	580	649	679	798	846	866
	<i>Women</i>	40	70	97	133	173	215	246	267	273	294
	Sub total	271	379	477	613	753	864	925	1,065	1,119	1,160
45-49	<i>Men</i>	131	170	202	250	297	333	411	492	548	650
	<i>Women</i>	14	30	42	54	67	87	104	117	153	204
	Sub total	145	200	244	304	364	420	515	609	701	854
50-54	<i>Men</i>	69	96	105	138	159	187	204	235	275	314
	<i>Women</i>	5	9	11	23	29	39	51	72	71	81
	Sub total	74	105	116	161	188	226	255	307	346	395
55-59	<i>Men</i>	36	52	62	77	79	91	108	130	158	180
	<i>Women</i>	5	8	7	7	15	21	22	24	32	43
	Sub total	41	60	69	84	94	112	130	154	190	223
60+	<i>Men</i>	31	42	53	59	81	92	111	123	144	166
	<i>Women</i>	6	8	9	11	10	17	19	26	28	39
	Sub total	37	50	62	70	91	109	130	149	172	205
Total	2,026	2,540	2,905	3,324	3,729	3,858	4,140	4,456	4,660	4,955	

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.

² Patients with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

³ Totals may include those with sex not reported.

SOPHID Table ARTNCLon: Diagnosed HIV-infected individuals in North Central London sector by level of antiretroviral therapy and CD4 count.¹

Level of antiretroviral therapy and CD4 count/mm ³	Year of survey								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
No antiretroviral therapy									
0-100	38	35	33	30	35	31	21	24	14
101-200	47	47	44	56	58	44	45	37	30
201-350	120	181	209	251	263	268	268	225	165
351-500	161	223	219	251	303	327	290	298	312
>500	213	267	271	361	363	398	352	427	440
Not reported	253	160	123	158	130	100	136	122	132
Sub total	832	913	899	1,107	1,152	1,168	1,112	1,133	1,093
Mono									
0-100	1	4	0	1	2	0	3	4	4
101-200	2	7	5	4	2	2	2	2	1
201-350	3	17	1	7	4	12	12	5	11
351-500	1	22	1	11	5	9	14	11	10
>500	10	23	8	17	13	17	30	20	15
Not reported	9	5	2	3	0	1	4	3	7
Sub total	26	78	17	43	26	41	65	45	48
Dual									
0-100	4	6	4	3	3	7	5	6	2
101-200	7	9	11	3	5	11	11	7	15
201-350	26	21	11	15	11	23	24	20	25
351-500	12	21	14	7	16	16	37	18	27
>500	15	34	19	13	19	26	33	36	65
Not reported	11	2	6	4	3	3	8	10	15
Sub total	75	93	65	45	57	86	118	97	149
Triple									
0-100	60	67	78	87	89	67	70	72	74
101-200	111	144	172	168	184	183	194	156	123
201-350	233	326	369	437	494	521	512	502	509
351-500	225	291	388	479	572	635	602	664	694
>500	245	415	552	665	821	909	1,031	1,171	1,372
Not reported	258	127	105	170	44	52	138	262	243
Sub total	1,132	1,370	1,664	2,006	2,204	2,367	2,547	2,827	3,015
Quadruple +									
0-100	21	26	29	23	18	23	30	19	23
101-200	49	36	52	60	44	40	41	38	40
201-350	48	82	100	94	92	110	111	114	117
351-500	53	75	97	90	95	109	114	118	136
>500	66	111	150	153	128	138	166	201	249
Not reported	66	14	27	24	7	18	15	48	76
Sub total	303	344	455	444	384	438	477	538	641
ART - level not reported									
0-100	0	0	0	0	0	0	0	0	1
101-200	0	0	0	0	0	0	0	0	0
201-350	0	0	0	0	0	0	0	0	0
351-500	0	0	0	1	0	0	0	0	0
>500	0	0	0	0	0	0	1	0	2
Not reported	0	1	0	0	0	0	0	0	0
Sub total	0	1	0	1	0	0	1	0	3
Not reported									
0-100	10	5	8	2	2	0	1	1	0
101-200	4	6	18	2	1	0	2	0	1
201-350	15	21	50	9	5	1	37	0	0
351-500	22	11	41	15	5	3	26	0	0
>500	25	44	68	28	1	3	37	0	0
Not reported	96	19	39	27	21	33	33	19	5
Sub total	172	106	224	83	35	40	136	20	6
Total	2,540	2,905	3,324	3,729	3,858	4,140	4,456	4,660	4,955

¹ Figures may be different to those released previously due to improvements in the methods used to identify patients seen more than once within the survey year. This method has been applied to all survey years.