



Supplementary Tables of Sexually Transmitted Infections in the United Kingdom

Surveillance update 2003

Data Source

Data in these tables are derived from statistical returns made from GUM clinics on the form KC60 (England, Wales and Northern Ireland), and form ISD(D)5 (Scotland). Scottish Data for 2001 and 2002 were unavailable at the time of going to press

Data Supplied by:

Health Protection Agency

Communicable Disease Surveillance Centre (CDSC Colindale)
CDSC Wales
CDSC Northern Ireland

Regional Information Branch, Department of Health, Social Services and Public Safety (DHSS&PS Northern Ireland)

Scottish ISD(D)5 Collaborative Group

Information and Statistics Division (ISD Scotland), NHS Scotland
Scottish Centre for Infection and Environmental Health (SCIEH)
Medical Society for the Study of Venereal Disease (MSSVD)
Scottish Neisseria Gonorrhoea Reference Laboratory

Further Information

England

Clinic specific data for 2002 and data on selected diagnoses from 1971 to 2002 are available on request from CDSC (tel: +44(0)20 8200 6868; fax +44(0)20 8200 7868; email: ian.simms@hpa.org.uk). Data are on the web at http://www.hpa.org.uk/infections/topics_az/hiv_and_sti/epidemiology/sti_data.htm.

Scotland

Data for 1956 to March 2000 are available from Kenny McIntyre at ISD (tel +44(0)131 551 8544; fax +44(0)131 551 1392; email: kenny.mcintyre@isd.csa.scot.nhs.uk). Further information is available on the web at <http://www.isdscotland.org>.

Wales

Further data are available from Daniel Thomas at CDSC Wales (tel: +44(0)2920 521997; email: daniel.thomas@nphs.wales.nhs.uk)

Northern Ireland

Further data are available from Brian Smyth (tel: +44(0)2890 263765; email: brian.smyth@hpa.org.uk) or Audrey Lynch (tel:+44(0)2890 263765; email: audrey.lynch@hpa.org.uk). Data are also available on the web at http://www.hpa.org.uk/infections/topics_az/hiv_and_sti/epidemiology/sti_data.htm.

United Kingdom

Further information on STI epidemiology in the UK is available on the web at http://www.hpa.org.uk/infections/topics_az/hiv_and_sti/epidemiology/sti_data.htm. A copy of this report can also be downloaded in PDF format from this website.

Supplementary Tables of Sexually Transmitted Infections in the United Kingdom

	Page
Table 1 United Kingdom: total new episodes (diagnoses and workload) in GUM clinics, by sex: 1991-2002	2
Table 2 United Kingdom: new episodes of selected diagnoses and workload in GUM clinics, by sex: 1991-2000	4
Table 3 England: new episodes and workload in GUM clinics, by sex: 1991-2002	10
Table 4 Scotland: new episodes and workload in GUM clinics, by sex: 1991-2002	20
Table 5 Wales: new episodes and workload in GUM clinics, by sex: 1991-2002	34
Table 6 Northern Ireland: new episodes and workload in GUM clinics, by sex: 1991-2002	44
Table 7 United Kingdom: new episodes of selected diagnoses in GUM clinic by sex and region: 1996 - 2002	54
Table 8 Age distribution of selected diagnoses in GUM clinics, by sex and country: England, Wales and N. Ireland, 2002	56

TABLE 1
United Kingdom: total new episodes (diagnoses and workload) in GUM clinics, by sex: 1991-1996

		1991	1992	1993	1994	1995	1996
Total diagnoses	Male (all)	205,158	194,983	188,653	196,566	217,494	224,743
	<i>homosexually acquired</i>	-	-	-	6,306	13,457	14,913
	Female	208,960	211,013	209,715	229,185	251,486	271,236
	Total	414,118	405,996	398,368	425,751	468,980	495,979
Total workload	Male (all)	157,183	172,302	182,233	192,244	223,002	238,695
	<i>homosexually acquired</i>	-	-	-	-	16,563	17,969
	Female	128,999	144,849	157,351	179,198	230,660	262,722
	Total	286,182	317,151	339,584	371,442	453,662	501,417
Total diagnoses and workload	Male (all)	362,341	367,285	370,886	388,810	440,496	463,438
	<i>homosexually acquired</i>	-	-	-	-	30,020	32,882
	Female	337,959	355,862	367,066	408,383	482,146	533,958
	Total	700,300	723,147	737,952	797,193	922,642	997,396

TABLE 1
United Kingdom: total new episodes (diagnoses and workload) in GUM clinics, by sex: 1991-2002

		1997	1998	1999	2000#	2001*	2002*
Total diagnoses	Male (all)	240,886	255,900	270,682	289,230	293,354	311,420
	<i>homosexually acquired</i>	15,252	14,714	15,770	17,556	19,476	20,315
	Female	287,813	302,269	317,514	336,277	347,149	365,835
	Total	528,699	558,169	588,196	625,507	640,503	677,255
Total workload	Male (all)	247,502	268,603	276,794	298,240	338,729	422,730
	<i>homosexually acquired</i>	18,220	19,697	20,268	21,380	24,303	29,193
	Female	279,235	297,218	300,163	319,115	360,055	441,831
	Total	526,737	565,821	576,957	617,355	698,784	864,561
Total diagnoses and workload	Male (all)	488,388	524,503	547,476	587,470	632,083	734,150
	<i>homosexually acquired</i>	33,472	34,411	36,038	38,936	43,779	49,508
	Female	567,048	599,487	617,677	655,392	707,204	807,666
	Total	1,055,436	1,123,990	1,165,153	1,242,862	1,339,287	1,541,816

* Scotland data not available for 2001 and 2002.

There is a small shortfall in data for 2000 due to problems in data collection in a number of health board areas. This particularly affects D and E codes.

- England homosexual data not available.

TABLE 2
United Kingdom: new episodes of selected diagnoses* and workload in GUM clinics, by sex: 1991-1994*

ISD(D)5 code	KC60 code	Condition		1991	1992	1993	1994†
Diagnoses							
A1,A2, A3	A1, A2, A3	Infectious syphilis (primary, secondary & latent)	Male (all)	248	241	239	206
			<i>homosexually acquired</i>	-	-	-	39
			Female	119	114	112	120
			Total	367	355	351	326
A4,A5, A6	A4,A5,A6	Other acquired syphilis	Male (all)	673	619	665	681
			<i>homosexually acquired</i>	-	-	-	-
			Female	336	345	334	386
			Total	1009	964	999	1067
A7,A8	A7,A8	Congenital syphilis, aged under 2; aged 2 or over	Male (all)	13	15	16	39
			<i>homosexually acquired</i>	-	-	-	-
			Female	29	17	13	19
			Total	42	32	29	58
-	A9	Epidemiological treatment of suspected syphilis	Male (all)	11	29	25	19
			<i>homosexually acquired</i>	-	-	-	-
			Female	15	20	15	27
			Total	26	49	40	46
B1.1-B1.3	B1.1-B1.3, B2	Pre-pubertal and post pubertal uncomplicated gonorrhoea	Male (all)	11281	8502	6940	6856
			<i>homosexually acquired</i>	-	-	-	1460
			Female	6400	4702	3567	3360
			Total	17681	13204	10507	10216
-	B4	Epidemiological treatment of suspected gonorrhoea	Male (all)	882	749	757	809
			<i>homosexually acquired</i>	-	-	-	-
			Female	1264	1108	1075	1083
			Total	2146	1857	1832	1892
B1.4, B1.5	B1.4a, B1.4b, B1.5	Other complicated gonorrhoea (excluding PID & epididymitis), Gonococcal only (PID & epididymitis)	Male (all)	141	89	63	72
			<i>homosexually acquired</i>	-	-	-	-
			Female	233	170	132	141
			Total	374	259	195	213
C1,C2, C3	C1,C2, C3	Chancroid/LGV/Donovanosis	Male (all)	53	60	35	45
			<i>homosexually acquired</i>	-	-	-	-
			Female	16	19	18	22
			Total	69	79	53	67
C4.1	C4a, C4c	Post-pubertal uncomplicated chlamydia, pre-pubertal chlamydia	Male (all)	15609	14770	13874	14150
			<i>homosexually acquired</i>	-	-	-	267
			Female	18406	16866	15527	16852
			Total	34015	31636	29401	31002
-	B1.4c, C4b,C4f	Gonococcal and chlamydial complications (PID & epididymitis), Other complicated chlamydia, excluding PID & epididymitis, Chlamydial complications only (PID & epididymitis)	Male (all)	440	349	289	282
			<i>homosexually acquired</i>	-	-	-	-
			Female	904	866	754	835
			Total	1344	1215	1043	1117
-	C4e	Epidemiological treatment of suspected chlamydia	Male (all)	3323	3538	3549	4595
			<i>homosexually acquired</i>	-	-	-	-
			Female	3312	3348	3357	3972
			Total	6635	6886	6906	8567
C4.2	C4h	Non-specific urethritis, excluding PID & epididymitis	Male (all)	54301	48315	44433	48637
			<i>homosexually acquired</i>	-	-	-	-
			Female	-	-	-	-
			Total	54301	48315	44433	48637

TABLE 2

United Kingdom: new episodes of selected diagnoses* and workload in GUM clinics, by sex: 1995-2000§

ISD(D)5 code	KC60 code	Condition		1995	1996	1997	1998	1999	2000
Diagnoses									
A1, A2	A1, A2	Primary and secondary infectious syphilis	Male (all)	109	94	107	90	166	264
			<i>homosexually acquired</i>	36	20	19	23	53	130
			Female	32	43	55	49	57	78
		Total	141	137	162	139	223	342	
A3	A3	Early latent syphilis (first 2 years)	Male (all)	80	94	82	91	127	134
			<i>homosexually acquired</i>	21	16	23	20	31	51
			Female	66	59	57	58	79	93
		Total	146	153	139	149	206	227	
A4,A5, A6	A4,A5, A6	Other acquired syphilis	Male (all)	697	575	625	654	697	806
			<i>homosexually acquired</i>	101	78	89	79	96	94
			Female	367	322	309	381	421	476
		Total	1,064	897	934	1,035	1,118	1,282	
A7	A7	Congenital syphilis, aged under 2	Male (all)	9	1	1	0	1	6
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	8	1	1	2	1	4
		Total	17	2	2	2	2	10	
A8	A8	Congenital syphilis, aged 2 or over	Male (all)	11	14	10	6	7	9
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	16	12	14	11	14	5
		Total	27	26	24	17	21	14	
A9	A9	Epidemiological treatment of suspected syphilis	Male (all)	39	35	50	20	31	27
			<i>homosexually acquired</i>	10	2	7	0	7	6
			Female	42	41	53	36	35	26
		Total	81	76	103	56	66	53	
B11-B14, B2	B1,B2	Uncomplicated gonorrhoea	Male (all)	7,080	8,424	8,935	8,930	11,338	15,252
			<i>homosexually acquired</i>	1,495	1,855	1,953	1,796	1,959	3,140
			Female	3,508	4,156	4,131	4,282	5,139	6,567
		Total	10,588	12,580	13,066	13,212	16,477	21,819	
B4	B4	Epidemiological treatment of suspected gonorrhoea	Male (all)	1,034	1,203	1,417	1,497	1,641	2,284
			<i>homosexually acquired</i>	313	369	490	462	453	647
			Female	1,273	1,431	1,568	1,586	1,907	2,319
		Total	2,307	2,634	2,985	3,083	3,548	4,603	
B15- B16	B5	Gonococcal complications	Male (all)	55	62	72	80	81	85
			<i>homosexually acquired</i>	12	12	13	12	13	9
			Female	175	211	196	192	247	278
		Total	230	273	268	272	328	363	
C1,C2, C3	C1,C2, C3	Chancroid/LGV/Donovanosis	Male (all)	67	65	35	46	34	32
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	35	31	21	27	24	33
		Total	102	96	56	73	58	65	
C41a, C41c	C4a, C4c	Uncomplicated genital chlamydial infection	Male (all)	14,300	15,585	17,919	21,082	24,489	29,897
			<i>homosexually acquired</i>	245	311	386	501	682	1,080
			Female	18,092	20,325	24,804	27,740	32,677	38,636
		Total	32,392	35,910	42,723	48,822	57,166	68,533	
C41b	C4b	Complicated genital chlamydial infection	Male (all)	284	303	365	368	480	571
			<i>homosexually acquired</i>	13	12	51	31	26	25
			Female	946	1,369	1,449	1,680	1,959	2,366
		Total	1,230	1,672	1,814	2,048	2,439	2,937	
C41d	C4e	Epidemiological treatment of suspected genital chlamydial infection	Male (all)	5,459	6,979	8,819	10,305	12,839	15,722
			<i>homosexually acquired</i>	103	164	219	213	276	476
			Female	4,389	5,441	6,744	7,732	9,226	11,203
		Total	9,848	12,420	15,563	18,037	22,065	26,925	
C42a	C4h	Uncomplicated non-gonococcal/non-specific urethritis in males	Male (all)	48,509	50,442	52,692	56,176	58,081	61,063
			<i>homosexually acquired</i>	2,817	3,223	3,163	3,474	3,587	4,065
			Female	-	-	-	-	-	-
		Total	48,509	50,442	52,692	56,176	58,081	61,063	

TABLE 2 CONTINUED

United Kingdom: new episodes of selected diagnoses* and workload in GUM clinics, by sex: 1991-1994*

ISD(D)5 code	KC60 code	Condition		1991	1992	1993	1994†
Diagnoses							
-	C4i	Epidemiological treatment of NSU & related disease	Male (all)	3493	3783	3792	4568
			<i>homosexually acquired</i>	-	-	-	-
			Female	19035	17686	16772	18596
			Total	22528	21469	20564	23164
C5	C5,C4g	Chlamydial infection/NSU with arthritis, non-specific (PID & epididymitis)	Male (all)	1639	1532	1478	1788
			<i>homosexually acquired</i>	-	-	-	-
			Female	4821	5880	5872	7462
			Total	6460	7412	7350	9250
C6	C6a	Trichomoniasis	Male (all)	352	394	329	332
			<i>homosexually acquired</i>	-	-	-	-
			Female	6248	5739	5205	5519
			Total	6600	6133	5534	5851
-	C6b	Anaerobic/bacterial vaginosis & male infection	Male (all)	2133	2049	2024	1742
			<i>homosexually acquired</i>	-	-	-	-
			Female	29584	30905	33189	37193
			Total	31717	32954	35213	38935
C7	C7a	Genital candidosis	Male (all)	11172	10617	10418	11092
			<i>homosexually acquired</i>	-	-	-	-
			Female	54328	55716	54238	60933
			Total	65500	66333	64656	72025
C8,C9	C8,C9	Scabies/pediculosis	Male (all)	5658	4830	4326	4452
			<i>homosexually acquired</i>	-	-	-	-
			Female	2129	1674	1300	1349
			Total	7787	6504	5626	5801
C10a	C10a	Genital herpes simplex – first attack	Male (all)	6684	6672	6746	6905
			<i>homosexually acquired</i>	-	-	-	399
			Female	7643	8460	8986	9947
			Total	14327	15132	15732	16852
C10b	C10b	Genital herpes simplex – recurrence	Male (all)	4954	5758	5648	5963
			<i>homosexually acquired</i>	-	-	-	-
			Female	4126	5091	5728	6125
			Total	9080	10849	11376	12088
C11a	C11a	Genital warts – first attack	Male (all)	32616	31482	30130	30776
			<i>homosexually acquired</i>	-	-	-	1443
			Female	28048	27694	26917	28572
			Total	60664	59176	57047	59348
C11b	C11b	Genital warts - recurrence	Male (all)	22357	24770	25790	27178
			<i>homosexually acquired</i>	-	-	-	-
			Female	11105	12346	14249	15040
			Total	33462	37116	40039	42218
C13a	C13a	Antigen positive viral hepatitis B	Male (all)	545	427	417	414
			<i>homosexually acquired</i>	-	-	-	141
			Female	70	60	74	95
			Total	615	487	491	509
C13b	C13b	Other viral hepatitis	Male (all)	172	162	213	502
			<i>homosexually acquired</i>	-	-	-	99
			Female	16	47	65	209
			Total	188	209	278	711

TABLE 2 CONTINUED

United Kingdom: new episodes of selected diagnoses* and workload in GUM clinics, by sex: 1995-2000§

ISD(D)5 code	KC60 code	Condition		1995	1996	1997	1998	1999	2000
Diagnoses									
C42d	C4i	Epidemiological treatment of NSGI	Male (all)	4,608	4,754	5,297	5,496	6,421	6,506
			<i>homosexually acquired</i>	382	372	506	458	733	646
			Female	17,075	17,557	17,976	19,361	19,888	20,427
			Total	21,683	22,311	23,273	24,857	26,309	26,933
C42b, C44, C5	C5, (C4g)	Complicated non-gonococcal/non-specific infection	Male (all)	2,121	2,456	2,816	2,718	3,388	3,919
			<i>homosexually acquired</i>	136	162	189	159	221	215
			Female	7,497	8,440	9,454	10,295	10,792	11,437
			Total	9,618	10,896	12,270	13,013	14,180	15,356
C6a	C6a	Trichomoniasis	Male (all)	262	260	279	319	670	747
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	5,423	5,557	5,910	6,120	5,640	6,196
			Total	5,685	5,817	6,189	6,439	6,310	6,943
C6b	C6b	Anaerobic/bacterial vaginosis & male infection	Male (all)	1,649	1,672	1,502	1,530	1,521	1,459
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	41,023	45,935	50,090	54,975	59,229	64,837
			Total	42,672	47,607	51,592	56,505	60,750	66,296
C7	C7a	Genital candidosis	Male (all)	10,254	9,565	9,002	8,790	8,360	8,083
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	65,599	67,599	68,612	67,510	68,566	70,215
			Total	75,853	77,164	77,614	76,300	76,926	78,298
C8, C9	C8, C9	Scabies/pediculosis pubis	Male (all)	4,792	4,904	5,178	5,132	5,061	5,263
			<i>homosexually acquired</i>	842	948	899	855	827	948
			Female	1,390	1,546	1,666	1,654	1,452	1,297
			Total	6,182	6,450	6,844	6,786	6,513	6,560
C10ap, C10an	C10a	Genital herpes simplex – first attack	Male (all)	6,479	6,394	6,208	6,688	6,668	6,827
			<i>homosexually acquired</i>	353	422	355	327	371	437
			Female	10,010	10,420	10,409	10,560	10,853	11,015
			Total	16,489	16,814	16,617	17,248	17,521	17,842
C10bp, C10bn	C10b	Genital herpes simplex – recurrence	Male (all)	5,966	6,213	6,029	5,988	6,436	6,598
			<i>homosexually acquired</i>	428	511	418	382	422	463
			Female	6,658	7,268	7,167	7,277	7,745	7,892
			Total	12,624	13,481	13,196	13,265	14,181	14,490
C11a	C11a	Genital warts – first attack	Male (all)	30,872	31,945	35,532	36,523	37,555	37,727
			<i>homosexually acquired</i>	1,474	1,471	1,636	1,668	1,748	1,858
			Female	29,426	32,250	33,371	33,770	34,288	33,711
			Total	60,298	64,195	68,903	70,293	71,843	71,438
C11b	C11b	Genital warts – recurrence	Male (all)	22,613	22,526	23,730	25,464	25,456	25,481
			<i>homosexually acquired</i>	1,178	1,239	1,314	1,324	1,318	1,329
			Female	12,497	12,815	13,497	13,997	13,874	14,058
			Total	35,110	35,341	37,227	39,461	39,330	39,539
C11c	C11c	Genital warts – re-registered cases‡	Male (all)	6,472	7,723	8,572	10,114	10,447	9,988
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	5,017	6,661	7,480	8,393	8,540	8,037
			Total	11,489	14,384	16,052	18,507	18,987	18,025
C12	C12	Molluscum contagiosum	Male (all)	3,126	3,563	4,312	4,711	5,194	5,604
			<i>homosexually acquired</i>	235	327	298	226	238	218
			Female	1,627	1,998	2,415	2,616	2,898	2,957
			Total	4,753	5,561	6,727	7,327	8,092	8,561
C13b1, C13b2	C13	Antigen positive viral hepatitis B	Male (all)	543	480	666	589	565	669
			<i>homosexually acquired</i>	183	121	147	112	108	134
			Female	181	199	193	211	264	238
			Total	724	679	859	800	829	907
C13a, C13c, C13d	C14	Other viral hepatitis	Male (all)	1,187	1,003	1,197	1,200	1,083	1,067
			<i>homosexually acquired</i>	208	129	149	137	86	107
			Female	556	439	501	528	519	485
			Total	1,743	1,442	1,698	1,728	1,602	1,552

TABLE 2 CONTINUED

United Kingdom: new episodes of selected diagnoses* and workload in GUM clinics, by sex: 1991-1994*

ISD(D)5 code	KC60 code	Condition		1991	1992	1993	1994†
Diagnoses							
E1a	E1a	Asymptomatic HIV infection – first presentation	Male (all)	1278	1217	1074	1133
			<i>homosexually acquired</i>	-	-	-	685
			Female	238	270	228	305
			Total	1516	1487	1302	1438
-	E1b	Asymptomatic HIV infection – subsequent presentation	Male (all)	7926	8657	9569	9176
			<i>homosexually acquired</i>	-	-	-	-
			Female	703	1156	1206	1370
			Total	8629	9813	10775	10546
E2a	E2	HIV infection with symptoms, not AIDS – first presentation	Male (all)	2404	1315	1524	1476
			<i>homosexually acquired</i>	-	-	-	958
			Female	178	154	225	221
			Total	2582	1469	1749	1697
E3a	E3	AIDS – first presentation	Male (all)	1959	1054	1028	1135
			<i>homosexually acquired</i>	-	-	-	687
			Female	80	97	121	129
			Total	2039	1151	1149	1264
Workload							
D2	D2	Other conditions requiring treatment	Male (all)	53048	63364	68314	74577
			<i>homosexually acquired</i>	-	-	-	-
			Female	43161	52007	58638	68968
			Total	96209	115371	126952	143545
D3	D3	Other episodes not requiring treatment	Male (all)	98180	102403	106444	113681
			<i>homosexually acquired</i>	-	-	-	-
			Female	78932	85802	90991	103939
			Total	177112	188205	197435	217620
D4	D4	Other conditions referred elsewhere	Male (all)	5955	6535	7475	7652
			<i>homosexually acquired</i>	-	-	-	-
			Female	6905	7040	7722	8871
			Total	12860	13575	15197	16523

TABLE 2 CONTINUED

United Kingdom: new episodes of selected diagnoses* and workload in GUM clinics, by sex: 1995-2000§

ISD(D)5 code	KC60 code	Condition		1995	1996	1997	1998	1999	2000
Diagnoses									
E1a	E1a	Asymptomatic HIV infection – first presentation	Male (all)	1,275	1,216	1,194	1,166	1,125	1,239
			<i>homosexually acquired</i>	737	728	650	581	551	621
			Female	296	335	373	374	589	689
		Total	1,571	1,551	1,567	1,540	1,714	1,928	
E1b	E1b	Asymptomatic HIV infection – subsequent presentation	Male (all)	6,352	6,188	6,592	7,004	7,503	8,071
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	1,296	1,482	1,661	1,966	2,281	2,984
		Total	7,648	7,670	8,253	8,970	9,784	11,055	
E2a	E2a	HIV infection with symptoms, not AIDS – first presentation	Male (all)	1,252	1,170	957	613	548	506
			<i>homosexually acquired</i>	755	738	564	320	294	243
			Female	255	216	237	202	198	209
		Total	1,507	1,386	1,194	815	746	715	
E2b	E2b	HIV infection with symptoms, not AIDS – subsequent presentation	Male (all)	7,153	6,244	7,496	8,591	8,693	9,269
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	833	1,122	1,381	1,903	2,065	2,333
		Total	7,986	7,366	8,877	10,494	10,758	11,602	
E3a	E3a	AIDS – first presentation	Male (all)	912	813	698	448	417	382
			<i>homosexually acquired</i>	566	474	368	196	170	189
			Female	132	159	162	135	112	140
		Total	1,044	972	860	583	529	522	
E3b	E3b	AIDS – subsequent presentation	Male (all)	4,721	4,518	5,025	5,809	6,061	6,516
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	576	677	844	1,201	1,381	1,668
		Total	5,297	5,195	5,869	7,010	7,442	8,184	
Workload									
C45	D2a	Urinary tract infection	Male (all)	3,036	2,042	1,927	2,040	2,142	2,014
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	8,325	8,491	8,966	8,955	9,351	9,647
		Total	11,361	10,533	10,893	10,995	11,493	11,661	
D21- D28	D2b	Other conditions requiring treatment at GUM clinic	Male (all)	47,366	47,826	50,318	55,615	56,523	58,726
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	44,352	48,678	51,532	51,690	51,701	56,341
		Total	91,718	96,504	101,850	107,305	108,224	115,067	
D31, D33- D37	D3	Other episodes not requiring treatment	Male (all)	89,053	94,442	98,643	107,767	111,907	117,788
			<i>homosexually acquired</i>	-	-	-	-	-	-
			Female	91,964	99,907	107,487	115,702	119,731	123,035
		Total	181,017	194,349	206,130	223,469	231,638	240,823	
D32p, D32n	P1a	HIV antibody counselling - with testing	Male (all)	62,455	70,929	72,724	77,415	79,850	90,326
			<i>homosexually acquired</i>	9,269	10,417	11,016	11,812	11,965	13,248
			Female	49,402	57,457	57,681	61,759	63,354	71,838
		Total	111,857	128,386	130,405	139,174	143,204	162,164	
D32z	P1b	HIV antibody counselling - without testing	Male (all)	10,897	12,176	12,320	13,484	13,839	15,225
			<i>homosexually acquired</i>	1,173	1,159	993	1,160	1,484	1,232
			Female	9,964	11,325	11,934	12,481	13,089	14,236
		Total	20,861	23,501	24,254	25,965	26,928	29,461	

* where no comparable ISD(D)5 code appears, the data relate-England, Wales and Northern Ireland only.

† Scottish and Welsh coding systems revised in April 1995, see individual tables for details.

‡ previous diagnosis of C11a or C11b treated for more than 3 months

- data not available/applicable

§ UK tables not shown for 2001 and 2002 as no Scottish data are available for these years.

TABLE 3
England: new episodes and workload in GUM clinics, by sex: 1991-1994

KC60 code	Condition		1991	1992	1993	1994
Diagnoses						
A1,A2,A3	Infectious syphilis (primary, secondary & latent)	Male (all)	238	228	229	194
		<i>homosexually acquired</i>	-	-	-	39
		Female	110	110	108	110
		Total	348	338	337	304
A4,A5,A6	Other acquired syphilis	Male (all)	627	576	626	635
		<i>homosexually acquired</i>	-	-	-	-
		Female	313	319	321	360
		Total	940	895	947	995
A7	Congenital syphilis, aged under 2	Male (all)	1	1	1	27
		<i>homosexually acquired</i>	-	-	-	-
		Female	3	0	1	7
		Total	4	1	2	34
A8	Congenital syphilis, aged 2 or over	Male (all)	10	14	12	9
		<i>homosexually acquired</i>	-	-	-	-
		Female	25	15	11	9
		Total	35	29	23	18
A9	Epidemiological treatment of suspected syphilis	Male (all)	9	29	24	18
		<i>homosexually acquired</i>	-	-	-	-
		Female	13	20	14	24
		Total	22	49	38	42
B1.1-B1.3	Post pubertal uncomplicated gonorrhoea	Male (all)	10,484	7,961	6,534	6,431
		<i>homosexually acquired</i>	-	-	-	1,350
		Female	5,984	4,401	3,377	3,201
		Total	16,468	12,362	9,911	9,632
B1.4a, B1.5	Other complicated gonorrhoea, (excluding PID & epididymitis)	Male (all)	60	46	32	43
		<i>homosexually acquired</i>	-	-	-	-
		Female	49	53	42	41
		Total	109	99	74	84
B2	Pre-pubertal gonorrhoea	Male (all)	3	4	8	8
		<i>homosexually acquired</i>	-	-	-	-
		Female	12	3	7	4
		Total	15	7	15	12
B3	Gonococcal ophthalmia neonatorum	Male (all)	6	6	3	6
		<i>homosexually acquired</i>	-	-	-	-
		Female	9	1	2	2
		Total	15	7	5	8
B4	Epidemiological treatment of suspected gonorrhoea	Male (all)	846	727	741	785
		<i>homosexually acquired</i>	-	-	-	-
		Female	1,230	1,081	1,057	1,053
		Total	2,076	1,808	1,798	1,838
C1,C2, C3	Chancroid/LGV/Donov anosis	Male (all)	53	57	28	40
		<i>homosexually acquired</i>	-	-	-	-
		Female	16	18	12	22
		Total	69	75	40	62
C4a	Post-pubertal uncomplicated chlamydia	Male (all)	13,694	13,089	12,168	12,449
		<i>homosexually acquired</i>	-	-	-	249
		Female	16,630	15,309	14,053	15,125
		Total	30,324	28,398	26,221	27,574

TABLE 3
England: new episodes and workload in GUM clinics, by sex: 1995-2002

KC60 code	Condition		1995	1996	1997	1998	1999	2000	2001	2002
Diagnoses										
A1, A2	Primary and secondary infectious syphilis	Male (all)	102	84	98	87	156	247	618	1,062
		<i>homosexually acquired</i>	35	20	18	23	52	119	351	616
		Female	30	32	49	44	55	75	99	137
		Total	132	116	147	131	211	322	717	1,199
A3	Early latent syphilis (first 2 years)	Male (all)	80	88	77	87	122	126	268	331
		<i>homosexually acquired</i>	21	16	21	18	30	48	114	177
		Female	66	57	55	58	75	93	99	121
		Total	146	145	132	145	197	219	367	452
A4,A5, A6	Other acquired syphilis	Male (all)	663	555	596	625	671	778	847	871
		<i>homosexually acquired</i>	96	76	84	75	93	87	122	132
		Female	354	314	300	370	405	470	638	751
		Total	1,017	869	896	995	1,076	1,248	1,485	1,622
A7	Congenital syphilis, aged under 2	Male (all)	9	1	1	0	1	5	2	2
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	8	1	0	2	1	4	0	5
		Total	17	2	1	2	2	9	2	7
A8	Congenital syphilis, aged 2 or over	Male (all)	10	12	10	6	5	9	3	5
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	13	11	13	10	12	4	6	9
		Total	23	23	23	16	17	13	9	14
A9	Epidemiological treatment of suspected syphilis	Male (all)	37	35	50	19	24	26	61	157
		<i>homosexually acquired</i>	10	2	7		7	6	23	81
		Female	41	40	53	36	34	26	30	49
		Total	78	75	103	55	58	52	91	206
B1, B2	Uncomplicated gonorrhoea	Male (all)	6,625	7,911	8,418	8,446	10,677	14,290	15,666	16,980
		<i>homosexually acquired</i>	1,344	1,683	1,779	1,677	1,812	2,867	3,454	3,302
		Female	3,327	3,977	3,981	4,089	4,880	6,225	6,747	7,417
		Total	9,952	11,888	12,399	12,535	15,557	20,515	22,413	24,397
B3	Gonococcal ophthalmia neonatorum	Male (all)	5	2	2	3	5	7	7	8
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	4	3	6	5	7	6	9	9
		Total	9	5	8	8	12	13	16	17
B4	Epidemiological treatment of suspected gonorrhoea	Male (all)	982	1,126	1,348	1,421	1,557	2,114	2,592	3,016
		<i>homosexually acquired</i>	300	344	458	441	429	597	815	880
		Female	1,205	1,349	1,494	1,519	1,789	2,189	2,565	2,943
		Total	2,187	2,475	2,842	2,940	3,346	4,303	5,157	5,959
B5	Gonococcal complications	Male (all)	48	58	68	78	74	79	96	106
		<i>homosexually acquired</i>	12	11	13	11	12	8	14	25
		Female	168	202	192	183	237	260	274	273
		Total	216	260	260	261	311	339	370	379
C1, C2, C3	Chancroid/LGV/Donovanosis	Male (all)	63	53	32	43	28	30	29	34
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	31	27	18	24	23	31	34	37
		Total	94	80	50	67	51	61	63	71
C4a, C4c	Uncomplicated genital chlamydial infection	Male (all)	12,746	13,946	16,180	18,937	21,808	26,632	29,602	34,341
		<i>homosexually acquired</i>	225	275	353	454	621	962	1,366	1,424
		Female	16,498	18,526	22,659	24,975	29,196	34,815	38,644	43,796
		Total	29,244	32,472	38,839	43,912	51,004	61,447	68,246	78,137

TABLE 3 CONTINUED
England: new episodes and workload in GUM clinics, by sex: 1991-1994

KC60 code	Condition		1991	1992	1993	1994
Diagnoses						
C4b	Other complicated chlamydia, excluding PID & epididymitis	Male (all)	120	119	122	132
		<i>homosexually acquired</i>	-	-	-	-
		Female	115	104	100	101
		Total	235	223	222	233
C4c	Pre-pubertal chlamydia	Male (all)	60	51	72	46
		<i>homosexually acquired</i>	-	-	-	-
		Female	120	105	88	78
		Total	180	156	160	124
C4d	Chlamydial ophthalmia neonatorum	Male (all)	19	28	15	17
		<i>homosexually acquired</i>	-	-	-	-
		Female	41	24	10	13
		Total	60	52	25	30
C4e	Epidemiological treatment of suspected chlamydia	Male (all)	3,060	3,374	3,408	4,333
		<i>homosexually acquired</i>	-	-	-	-
		Female	3,108	3,205	3,231	3,803
		Total	6,168	6,579	6,639	8,136
B1.4b	Gonococcal complications only (PID & epididymitis)	Male (all)	66	39	27	23
		<i>homosexually acquired</i>	-	-	-	-
		Female	156	104	75	89
		Total	222	143	102	112
C4f	Chlamydial complications only (PID & epididymitis)	Male (all)	263	204	146	118
		<i>homosexually acquired</i>	-	-	-	-
		Female	606	659	558	575
		Total	869	863	704	693
B1.4c	Gonococcal and Chlamydial (PID & epididymitis)	Male (all)	39	10	14	17
		<i>homosexually acquired</i>	-	-	-	-
		Female	134	44	50	77
		Total	173	54	64	94
C4g	Non-specific (PID & epididymitis)	Male (all)	1,205	1,085	1,127	1,366
		<i>homosexually acquired</i>	-	-	-	-
		Female	4,632	5,630	5,612	6,949
		Total	5,837	6,715	6,739	8,315
C4h	Non-specific urethritis, excluding PID & epididymitis	Male (all)	49,940	44,413	40,651	43,974
		<i>homosexually acquired</i>	-	-	-	-
		Female	-	-	-	-
		Total	49,940	44,413	40,651	43,974
C4i	Epidemiological treatment of NSU & related disease	Male (all)	3,408	3,631	3,580	4,415
		<i>homosexually acquired</i>	-	-	-	-
		Female	18,227	16,886	15,879	17,585
		Total	21,635	20,517	19,459	22,000
C5	Chlamydial infection/NSU with arthritis	Male (all)	327	330	241	309
		<i>homosexually acquired</i>	-	-	-	-
		Female	57	67	33	125
		Total	384	397	274	434
C6a	Trichomoniasis	Male (all)	334	371	301	323
		<i>homosexually acquired</i>	-	-	-	-
		Female	5,929	5,472	4,967	5,236
		Total	6,263	5,843	5,268	5,559
C6b	Anaerobic/bacterial vaginosis & male infection	Male (all)	1,913	1,889	1,898	1,618
		<i>homosexually acquired</i>	-	-	-	-
		Female	28,112	29,542	31,741	35,322
		Total	30,025	31,431	33,639	36,940
C6c	Other vaginosis/vaginitis/balanitis	Male (all)	8,020	8,490	8,989	10,542
		<i>homosexually acquired</i>	-	-	-	-
		Female	4,711	5,247	4,913	6,412
		Total	12,731	13,737	13,902	16,954

TABLE 3 CONTINUED
England: new episodes and workload in GUM clinics, by sex: 1995-2002

KC60 code	Condition		1995	1996	1997	1998	1999	2000	2001	2002
Diagnoses										
C4b	Complicated genital chlamydial infection	Male (all)	263	278	339	331	432	530	544	569
		<i>homosexually acquired</i>	12	11	51	31	25	23	35	32
		Female	852	1,171	1,286	1,521	1,763	2,115	2,078	2,136
		Total	1,115	1,449	1,625	1,852	2,195	2,645	2,622	2,705
C4d	Chlamydial ophthalmia neonatorum	Male (all)	23	13	18	15	15	19	15	15
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	14	23	14	15	12	23	28	25
		Total	37	36	32	30	27	42	43	40
C4e	Epidemiological treatment of suspected genital chlamydial infection	Male (all)	4,980	6,321	7,967	9,086	11,306	14,045	17,368	21,487
		<i>homosexually acquired</i>	81	138	191	189	243	405	620	1,031
		Female	4,039	4,883	6,195	6,907	8,245	10,119	12,100	14,200
		Total	9,019	11,204	14,162	15,993	19,551	24,164	29,468	35,687
C4h	Uncomplicated non-gonococcal/non-specific urethritis in males	Male (all)	44,767	46,781	48,677	51,951	53,333	56,147	59,677	62,068
		<i>homosexually acquired</i>	2,704	3,087	3,021	3,339	3,375	3,847	4,568	4,470
		Female	-	-	-	-	-	-	-	-
		Total	44,767	46,781	48,677	51,951	53,333	56,147	59,677	62,068
C4i	Epidemiological treatment of NSGI	Male (all)	4,355	4,458	4,892	5,168	6,060	6,150	5915	5916
		<i>homosexually acquired</i>	373	359	494	442	720	608	674	606
		Female	16,030	16,442	16,764	18,133	18,512	18,789	19616	18566
		Total	20,385	20,900	21,656	23,301	24,572	24,939	25,531	24,482
C5	Complicated non-gonococcal/non-specific infection	Male (all)	1,930	2,212	2,523	2,431	3,052	3,551	3,747	3,890
		<i>homosexually acquired</i>	128	154	173	153	206	198	237	216
		Female	7,089	7,986	8,989	9,858	10,229	10,805	10,960	11,323
		Total	9,019	10,198	11,512	12,289	13,281	14,356	14,707	15,213
C6a	Trichomoniasis	Male (all)	250	242	255	298	641	731	733	571
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	5,200	5,360	5,713	5,877	5,448	6,036	6,282	6639
		Total	5,450	5,602	5,968	6,175	6,089	6,767	7,015	7,210
C6b	Anaerobic/bacterial vaginosis & male infection	Male (all)	1,588	1,562	1,387	1,403	1,397	1,318	1,399	1,362
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	38,394	42,752	46,711	51,381	55,536	60,694	64,955	70,892
		Total	39,982	44,314	48,098	52,784	56,933	62,012	66,354	72,254
C6c	Other vaginosis/vaginitis/balanitis	Male (all)	11,548	11,801	11,884	12,324	12,048	12,101	12,023	11,696
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	7,307	7,661	7,652	8,713	7,657	7,099	6,762	5,730
		Total	18,855	19,462	19,536	21,037	19,705	19,200	18,785	17,426

TABLE 3 CONTINUED
England: new episodes and workload in GUM clinics, by sex: 1991-1994

KC60 code	Condition		1991	1992	1993	1994
Diagnoses						
C7a	Genital candidosis	Male (all)	9,541	9,104	8,858	9,248
		<i>homosexually acquired</i>	-	-	-	-
		Female	50,094	51,618	50,044	55,539
	Total	59,635	60,722	58,902	64,787	
C7b	Epidemiological treatment of C6 & C7	Male (all)	3,983	3,640	3,352	3,423
		<i>homosexually acquired</i>	-	-	-	-
		Female	3,669	4,086	4,437	4,823
	Total	7,652	7,726	7,789	8,246	
C8,C9	Scabies/pediculosis	Male (all)	4,990	4,248	3,788	3,848
		<i>homosexually acquired</i>	-	-	-	-
		Female	1,925	1,497	1,156	1,203
	Total	6,915	5,745	4,944	5,051	
C10a	Genital herpes simplex – first attack	Male (all)	6,152	6,140	6,247	6,255
		<i>homosexually acquired</i>	-	-	-	375
		Female	7,122	7,877	8,374	9,092
	Total	13,274	14,017	14,621	15,347	
C10b	Genital herpes simplex – recurrence	Male (all)	4,671	5,462	5,390	5,651
		<i>homosexually acquired</i>	-	-	-	-
		Female	3,894	4,872	5,491	5,807
	Total	8,565	10,334	10,881	11,458	
C11a	Genital warts – first attack	Male (all)	28,235	27,169	25,859	25,467
		<i>homosexually acquired</i>	-	-	-	1,273
		Female	24,439	23,955	23,034	23,585
	Total	52,674	51,124	48,893	49,052	
C11b	Genital warts - recurrence	Male (all)	19,990	22,281	23,113	24,227
		<i>homosexually acquired</i>	-	-	-	-
		Female	9,954	11,195	12,714	13,446
	Total	29,944	33,476	35,827	37,673	
C13a	Antigen positive viral hepatitis B	Male (all)	524	399	400	383
		<i>homosexually acquired</i>	-	-	-	134
		Female	66	56	71	88
	Total	590	455	471	471	
C13b	Other viral hepatitis	Male (all)	123	129	158	427
		<i>homosexually acquired</i>	-	-	-	90
		Female	13	41	53	186
	Total	136	170	211	613	
E1a	Asymptomatic HIV infection – first presentation	Male (all)	1,218	1,168	1,001	1,055
		<i>homosexually acquired</i>	-	-	-	654
		Female	231	255	219	288
	Total	1,449	1,423	1,220	1,343	
E1b	Asymptomatic HIV infection – subsequent presentation	Male (all)	7,880	8,240	8,945	8,549
		<i>homosexually acquired</i>	-	-	-	-
		Female	694	1,102	1,109	1,302
	Total	8,574	9,342	10,054	9,851	
E2	HIV infection with symptoms, not AIDS – first presentation	Male (all)	2,360	1,284	1,411	1,366
		<i>homosexually acquired</i>	-	-	-	915
		Female	171	149	206	202
	Total	2,531	1,433	1,617	1,568	

TABLE 3 CONTINUED
England: new episodes and workload in GUM clinics, by sex: 1995-2002

KC60 code	Condition		1995	1996	1997	1998	1999	2000	2001	2002	
Diagnoses											
C7a	Genital candidosis	Male (all)	8,712	8,153	7,709	7,523	7,244	6,985	7,189	6,859	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	-
		Female	60,880	62,845	63,953	63,016	64,209	65,700	69,984	70,408	
	Total	69,592	70,998	71,662	70,539	71,453	72,685	77,173	77,267		
C7b	Epidemiological treatment of C6 & C7	Male (all)	4,148	3,919	3,958	3,630	3,623	3,362	3,737	4,184	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	-
		Female	7,076	7,079	6,831	6,250	6,395	5,775	6,682	6,677	
	Total	11,224	10,998	10,789	9,880	10,018	9,137	10,419	10,861		
C8, C9	Scabies/pediculosis pubis	Male (all)	4,242	4,316	4,618	4,565	4,507	4,648	4,198	3,604	
		<i>homosexually acquired</i>	772	845	806	762	741	826	806	709	
		Female	1,233	1,368	1,489	1,505	1,320	1,151	953	712	
	Total	5,475	5,684	6,107	6,070	5,827	5,799	5,151	4,316		
C10a	Genital herpes simplex – first attack	Male (all)	5,896	5,755	5,597	6,140	6,039	6,190	6,507	6,526	
		<i>homosexually acquired</i>	322	384	334	301	338	384	399	478	
		Female	9,128	9,453	9,482	9,675	9,852	9,976	10,575	10,990	
	Total	15,024	15,208	15,079	15,815	15,891	16,166	17,082	17,516		
C10b	Genital herpes simplex – recurrence	Male (all)	5,658	5,837	5,642	5,560	5,991	6,103	6,214	6,397	
		<i>homosexually acquired</i>	419	491	389	356	396	442	397	390	
		Female	6,368	6,811	6,741	6,798	7,227	7,347	8,051	8,139	
	Total	12,026	12,648	12,383	12,358	13,218	13,450	14,265	14,536		
C11a	Genital warts – first attack	Male (all)	26,227	27,113	30,239	30,782	31,908	32,067	32,819	34,006	
		<i>homosexually acquired</i>	1,327	1,290	1,472	1,501	1,565	1,673	1,772	1,964	
		Female	25,026	27,583	28,472	28,899	29,322	28,711	29,777	29,992	
	Total	51,253	54,696	58,711	59,681	61,230	60,778	62,596	63,998		
C11b	Genital warts – recurrence	Male (all)	20,230	20,004	21,180	21,847	22,191	22,287	22,635	22,093	
		<i>homosexually acquired</i>	1,118	1,165	1,227	1,228	1,211	1,213	1,377	1,389	
		Female	11,267	11,415	12,048	12,448	12,296	12,423	12,185	12,147	
	Total	31,497	31,419	33,228	34,295	34,487	34,710	34,820	34,240		
C11c	Genital warts – re-registered cases†	Male (all)	5,980	6,997	7,767	8,942	9,314	9,047	8,988	8,486	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	
		Female	4,537	6,006	6,776	7,408	7,597	7,219	7,154	6,542	
	Total	10,517	13,003	14,543	16,350	16,911	16,266	16,142	15,028		
C12	Molluscum contagiosum	Male (all)	2,945	3,286	3,985	4,363	4,770	5,110	5,587	6,189	
		<i>homosexually acquired</i>	225	310	281	209	215	206	225	210	
		Female	1,508	1,833	2,212	2,373	2,638	2,693	3,006	3,253	
	Total	4,453	5,119	6,197	6,736	7,408	7,803	8,593	9,442		
C13	Antigen positive viral hepatitis B	Male (all)	520	446	618	551	527	635	704	931	
		<i>homosexually acquired</i>	173	116	139	106	102	128	155	195	
		Female	177	194	179	203	249	230	352	468	
	Total	697	640	797	754	776	865	1,056	1,399		
C14	Other viral hepatitis	Male (all)	1,123	889	1,084	1,033	918	929	921	1,046	
		<i>homosexually acquired</i>	204	124	141	129	83	103	104	140	
		Female	511	360	420	431	425	422	380	488	
	Total	1,634	1,249	1,504	1,464	1,343	1,351	1,301	1,534		
E1a	Asymptomatic HIV infection – first presentation	Male (all)	1,212	1,149	1,131	1,104	1,063	1,184	1,656	2,307	
		<i>homosexually acquired</i>	708	701	622	546	518	590	741	738	
		Female	282	322	357	351	573	670	1,109	1,978	
	Total	1,494	1,471	1,488	1,455	1,636	1,854	2,765	4,285		
E1b	Asymptomatic HIV infection – subsequent presentation	Male (all)	5,743	5,453	5,791	6,165	6,505	7,588	8,375	10,127	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	
		Female	1,211	1,346	1,514	1,785	2,096	2,860	3,792	5,550	
	Total	6,954	6,799	7,305	7,950	8,601	10,448	12,167	15,677		
E2a	HIV infection with symptoms, not AIDS – first presentation	Male (all)	1,169	1,099	888	567	514	470	641	747	
		<i>homosexually acquired</i>	719	712	532	285	278	222	300	246	
		Female	242	204	226	191	195	198	326	445	
	Total	1,411	1,303	1,114	758	709	668	967	1,192		

TABLE 3 CONTINUED

England: new episodes and workload in GUM clinics, by sex: 1991-1994

KC60 code	Condition		1991	1992	1993	1994
Diagnoses						
E3	AIDS – first presentation	Male (all)	1,933	1,028	1,001	1,089
		<i>homosexually acquired</i>	-	-	-	664
		Female	79	96	116	126
		Total	2,012	1,124	1,117	1,215
Total diagnoses						
		Male (all)	186,405	177,064	170,520	178,866
		<i>homosexually acquired</i>	-	-	-	5,743
		Female	192,693	195,218	193,286	212,010
		Total	379,098	372,282	363,806	390,876
Workload						
D2	Other conditions requiring treatment	Male (all)	47,921	57,590	59,825	66,154
		<i>homosexually acquired</i>	-	-	-	-
		Female	39,861	48,559	53,480	63,374
		Total	87,782	106,149	113,305	129,528
D3	Other episodes not requiring treatment	Male (all)	90,496	94,696	96,389	101,873
		<i>homosexually acquired</i>	-	-	-	-
		Female	74,266	80,939	84,194	95,554
		Total	164,762	175,635	180,583	197,427

TABLE 3 CONTINUED
England: new episodes and workload in GUM clinics, by sex: 1995-2002

KC60 code	Condition		1995	1996	1997	1998	1999	2000	2001	2002	
Diagnoses											
E2b	HIV infection with symptoms, not AIDS – subsequent presentation	Male (all)	6,720	5,583	6,633	7,744	7,788	8,880	9,139	9,355	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	-
		Female	779	1,030	1,215	1,694	1,854	2,230	2,623	3,321	
	Total	7,499	6,613	7,848	9,438	9,642	11,110	11,762	12,676		
E3a	AIDS – first presentation	Male (all)	869	779	663	427	377	360	431	437	
		<i>homosexually acquired</i>	548	464	351	188	151	178	168	155	
		Female	125	155	154	127	110	139	214	228	
	Total	994	934	817	554	487	499	645	665		
E3b	AIDS – subsequent presentation	Male (all)	4,475	4,148	4,591	5,261	5,396	6,119	6,683	7,630	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	-
		Female	547	617	763	1,071	1,229	1,551	2,001	2,592	
	Total	5,022	4,765	5,354	6,332	6,625	7,670	8,684	10,222		
Total diagnoses		Male (all)	196,943	202,465	216,916	228,963	242,087	260,899	277,636	295,411	
		<i>homosexually acquired</i>	11,876	12,778	12,957	12,464	13,223	15,740	18,837	19,606	
		Female	231,567	249,438	264,976	277,945	291,703	309,173	331,090	348,988	
		Total	428,510	451,903	481,892	506,908	533,790	570,072	608,726	644,399	
Workload											
D2a	Urinary tract infection	Male (all)	2,955	1,968	1,836	1,927	2,044	1,914	1,992	2,531	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	
		Female	8,198	8,315	8,757	8,711	9,069	9,356	9,443	9,156	
	Total	11,153	10,283	10,593	10,638	11,113	11,270	11,435	11,687		
D2b	Other conditions requiring treatment at GUM clinic	Male (all)	42,874	43,872	44,724	50,924	52,448	54,732	54,937	57,621	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	
		Female	41,149	45,589	46,209	48,031	48,794	53,563	54,410	54,826	
	Total	84,023	89,461	90,933	98,955	101,242	108,295	109,347	112,447		
D3	Other episodes not requiring treatment	Male (all)	79,565	85,280	89,765	97,722	101,005	106,914	125,462	142,107	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	
		Female	84,615	92,300	99,557	107,328	110,307	113,968	131,557	147,039	
	Total	164,180	177,580	189,322	205,050	211,312	220,882	257,019	289,146		
P1a	HIV antibody counselling - with testing	Male (all)	59,060	65,771	67,602	71,699	73,658	83,936	109,961	145,720	
		<i>homosexually acquired</i>	8,828	9,534	10,144	10,917	10,869	12,125	15,984	18,263	
		Female	47,071	53,596	54,018	57,599	59,053	67,575	92,989	130,020	
	Total	106,131	119,367	121,620	129,298	132,711	151,511	202,950	275,740		
P1b	HIV antibody counselling - without testing	Male (all)	10,179	11,311	11,496	12,582	12,975	14,331	19,282	42,246	
		<i>homosexually acquired</i>	1,120	1,085	956	1,089	1,396	1,137	1,644	3,104	
		Female	9,413	10,642	11,275	11,775	12,432	13,612	19,132	47,320	
	Total	19,592	21,953	22,771	24,357	25,407	27,943	38,414	89,566		
P2	Hepatitis B vaccination	Male (all)	8,662	9,221	9,301	9,847	9,990	10,908	11,859	13,334	
		<i>homosexually acquired</i>	4,796	4,870	4,659	4,835	4,707	5,218	5,850	6,610	
		Female	1,790	2,272	2,317	2,597	2,491	2,630	3,142	3,896	
	Total	10,452	11,493	11,618	12,444	12,481	13,538	15,001	17,230		
P3	Family Planning	Male (all)	855	1,445	1,704	1,607	1,787	2,472	3,104	2,706	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	
		Female	10,794	19,659	25,902	31,801	30,263	32,771	33,646	31,515	
	Total	11,649	21,104	27,606	33,408	32,050	35,243	36,750	34,221		
P4a	Cervical cytology - minor abnormality	Male (all)	-	-	-	-	-	-	-	-	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	
		Female	11,097	11,885	10,827	9,387	7,583	6,214	4,750	3,663	
	Total	11,097	11,885	10,827	9,387	7,583	6,214	4,750	3,663		
P4b	Cervical cytology - major abnormality	Male (all)	-	-	-	-	-	-	-	-	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	
		Female	1,797	1,825	1,660	1,346	1,184	1,120	1,023	748	
	Total	1,797	1,825	1,660	1,346	1,184	1,120	1,023	748		

TABLE 3 CONTINUED

England: new episodes and workload in GUM clinics, by sex: 1991-1994

KC60 code	Condition		1991	1992	1993	1994
Workload						
D4	Other conditions referred elsewhere	Male (all)	5,307	5,846	6,616	6,767
		<i>homosexually acquired</i>	-	-	-	-
		Female	6,063	6,332	7,005	7,818
		Total	11,370	12,178	13,621	14,585
Total workload						
		Male (all)	143,724	158,132	162,830	174,794
		<i>homosexually acquired</i>	-	-	-	-
		Female	120,190	135,830	144,679	166,746
		Total	263,914	293,962	307,509	341,540
Total diagnoses and workload						
		Male (all)	330,129	335,196	333,350	353,660
		<i>homosexually acquired</i>	-	-	-	5,743
		Female	312,883	331,048	337,965	378,756
		Total	643,012	666,244	671,315	732,416

TABLE 3 CONTINUED
England: new episodes and workload in GUM clinics, by sex: 1995-2002

KC60 code	Condition	1995	1996	1997	1998	1999	2000	2001	2002
Workload									
Total workload	Male (all)	204,150	218,868	226,428	246,308	253,907	275,207	326,597	406,265
	<i>homosexually acquired</i>	14,744	15,489	15,759	16,841	16,972	18,480	23,478	27,977
	Female	215,924	246,083	260,522	278,575	281,176	300,809	350,092	428,183
	Total	420,074	464,951	486,950	524,883	535,083	576,016	676,689	834,448
Total diagnoses and workload	Male (all)	401,093	421,333	443,344	475,271	495,994	536,106	604,233	701,676
	<i>homosexually acquired</i>	26,620	28,267	28,716	29,305	30,195	34,220	42,315	47,583
	Female	447,491	495,521	525,498	556,520	572,879	609,982	681,182	777,171
	Total	848,584	916,854	968,842	1,031,791	1,068,873	1,146,088	1,285,415	1,478,847

Source: CDSC (Colindale)

* previous diagnosis of C11a or C11b treated for more than 3 months

- data not available/applicable

TABLE 4
Scotland: new episodes and workload in GUM clinics, by sex: 1991-1994

ISD(D)5 Code	Condition		1991	1992	1993	1994
Diagnoses						
A1,A2,A3	Infectious syphilis (primary, secondary & latent)	Male (all)	7	11	4	3
		<i>homosexually acquired</i>	1	5	1	0
		Female	3	1	3	3
		Total	10	12	7	6
A4,A5,A6	Other acquired syphilis	Male (all)	17	20	11	6
		<i>homosexually acquired</i>	3	7	2	1
		Female	5	9	5	7
		Total	22	29	16	13
A7,A8	Congenital syphilis	Male (all)	1	0	0	1
		<i>homosexually acquired</i>	-	-	-	-
		Female	0	0	1	1
		Total	1	0	1	2
B1.1-B1.3	Uncomplicated gonorrhoea	Male (all)	541	388	299	196
		<i>homosexually acquired</i>	117	93	74	63
		Female	277	203	135	67
		Total	818	591	434	263

TABLE 4
Scotland: new episodes and workload in GUM clinics, by sex: 1995†-2000*

ISD(D)5 Code	Condition		1995†	1996	1997	1998	1999	2000*
Diagnoses								
A1	Primary syphilis	Male (all)	1	5	4	1	3	7
		<i>homosexually acquired</i>	0	0	0	0	1	4
		Female	1	5	4	5	2	2
		Total	2	10	8	6	5	9
A2	Secondary syphilis	Male (all)	1	2	2	1	3	5
		<i>homosexually acquired</i>	0	0	0	0	0	3
		Female	0	3	1	0	0	1
		Total	1	5	3	1	3	6
A3	Early latent syphilis (first 2 years of infection)	Male (all)	0	4	3	1	2	7
		<i>homosexually acquired</i>	0	0	1	1	1	2
		Female	0	2	1	0	2	0
		Total	0	6	4	1	4	7
A4	Cardiovascular syphilis	Male (all)	0	0	0	0	0	1
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	0	0	0	0	0
		Total	0	0	0	0	0	1
A5	Neurosyphilis	Male (all)	1	0	1	0	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	1	0	1	1	0
		Total	1	1	1	1	1	0
A6	All other late and latent syphilis	Male (all)	7	7	12	14	8	10
		<i>homosexually acquired</i>	3	1	4	3	1	2
		Female	2	2	7	4	7	2
		Total	9	9	19	18	15	12
A7	Congenital syphilis, aged under 2	Male (all)	0	0	0	0	0	1
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	0	1	0	0	0
		Total	0	0	1	0	0	1
A8	Congenital syphilis, aged 2 or over	Male (all)	0	1	0	0	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	1	1	1	2	1
		Total	0	2	1	1	2	1
A9	Epidemiological treatment of suspected syphilis	Male (all)	1	0	0	0	1	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	0	0	0	1	0
		Total	1	0	0	0	2	0
A10	Previously treated syphilis	Male (all)	23	15	14	30	47	40
		<i>homosexually acquired</i>	12	10	5	13	27	20
		Female	0	3	3	4	1	10
		Total	23	18	17	34	48	50
A11	Non-treponemal reactive syphilis serology	Male (all)	5	3	1	6	2	4
		<i>homosexually acquired</i>	1	2	0	0	0	0
		Female	2	0	3	6	1	2
		Total	7	3	4	12	3	6
B11	Gonorrhoea, lower genital tract infection	Male (all)	157	258	268	234	309	455
		<i>homosexually acquired</i>	54	82	90	57	70	135
		Female	77	92	72	91	120	146
		Total	234	350	340	325	429	601
B12	Chancroid/LGV/Donovanosis	Male (all)	29	45	29	20	22	31
		<i>homosexually acquired</i>	24	38	26	16	15	27
		Female	6	7	1	2	9	4
		Total	35	52	30	22	31	35
B13	Gonorrhoea, eye infection	Male (all)	0	2	0	0	0	0
		<i>homosexually acquired</i>	0	1	0	0	0	0
		Female	0	0	0	0	0	0
		Total	0	2	0	0	0	0

TABLE 4 CONTINUED

Scotland: new episodes and workload in GUM clinics, by sex: 1991-1994

ISD(D)5 Code	Condition		1991	1992	1993	1994
Diagnoses						
B1.4	Gonorrhoea, upper genital tract complications	Male (all)	9	3	1	0
		<i>homosexually acquired</i>	4	2	0	0
		Female	24	8	6	9
		Total	33	11	7	9
B1.5	Gonorrhoea, systemic complications	Male (all)	2	0	0	0
		<i>homosexually acquired</i>	0	0	0	0
		Female	2	1	1	0
		Total	4	1	1	0
B3	Gonococcal conjunctivitis of newborn	Male (all)	0	1	0	0
		<i>homosexually acquired</i>	-	-	-	-
		Female	1	0	0	0
		Total	1	1	0	0
C1	Chancroid	Male (all)	0	0	2	1
		<i>homosexually acquired</i>	0	0	0	0
		Female	0	0	0	0
		Total	0	0	2	1
C2	Lymphogranuloma venereum	Male (all)	0	1	0	1
		<i>homosexually acquired</i>	0	0	0	0
		Female	0	1	0	0
		Total	0	2	0	1
C3	Granuloma inguinale	Male (all)	0	0	4	1
		<i>homosexually acquired</i>	0	0	0	0
		Female	0	0	6	0
		Total	0	0	10	1
C4.1	Chlamydia	Male (all)	987	882	929	852
		<i>homosexually acquired</i>	16	10	12	9
		Female	953	863	807	880
		Total	1,940	1,745	1,736	1,732
C4.2	Non-specific genital infection	Male (all)	2,354	1,976	1,681	1,761
		<i>homosexually acquired</i>	69	68	77	65
		Female	0	0	0	0
		Total	2,354	1,976	1,681	1,761
C4.3	Other non-specific genital infection	Male (all)	138	135	159	130
		<i>homosexually acquired</i>	2	1	4	1
		Female	935	908	891	978
		Total	1,073	1,043	1,050	1,108

TABLE 4 CONTINUED
Scotland: new episodes and workload in GUM clinics, by sex: 1995#-2000*

ISD(D)5 Code	Condition		1995†	1996	1997	1998	1999	2000*
Diagnoses								
B14	Gonorrhoea, rectal infection	Male (all)	25	33	36	27	35	41
		<i>homosexually acquired</i>	22	29	33	25	32	39
		Female	8	5	4	9	8	11
		Total	33	38	40	36	43	52
B15	Gonorrhoea, upper genital tract complications	Male (all)	1	1	0	1	3	2
		<i>homosexually acquired</i>	0	1	0	1	1	1
		Female	3	5	1	5	4	5
		Total	4	6	1	6	7	7
B16	Gonorrhoea, systemic complications	Male (all)	0	1	1	0	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	1	0	0	0	0
		Total	0	2	1	0	0	0
B2	Prepubertal gonorrhoea	Male (all)	1	0	0	0	3	0
		<i>homosexually acquired</i>	0	0	0	0	1	0
		Female	0	0	0	0	7	2
		Total	1	0	0	0	10	2
B3	Gonococcal ophthalmia neonatorum	Male (all)	0	0	0	0	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	1	0	0	0	0
		Total	0	1	0	0	0	0
B4	Epidemiological treatment of suspected gonorrhoea	Male (all)	23	39	39	31	34	85
		<i>homosexually acquired</i>	8	18	21	15	15	36
		Female	28	35	31	17	34	43
		Total	51	74	70	48	68	128
C1	Chancroid	Male (all)	2	0	0	0	0	1
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	0	0	0	0	0
		Total	2	0	0	0	0	1
C2	Lymphogranuloma venereum	Male (all)	0	2	1	2	2	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	1	2	2	1	1
		Total	0	3	3	4	3	1
C3	Granuloma inguinale	Male (all)	1	4	1	0	0	1
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	1	3	1	1	0	1
		Total	2	7	2	1	0	2
C41a	Chlamydial infection - lower genital tract	Male (all)	595	814	914	1,162	1,484	1,741
		<i>homosexually acquired</i>	10	29	27	31	30	67
		Female	558	881	1,156	1,397	1,754	1,836
		Total	1,153	1,695	2,070	2,559	3,238	3,577
C41b	Chlamydial infection - upper genital tract	Male (all)	12	10	9	14	16	23
		<i>homosexually acquired</i>	0	1	0	0	1	2
		Female	51	58	44	77	97	96
		Total	63	68	53	91	113	119
C41c	Chlamydial infection - other sites	Male (all)	5	4	11	10	27	33
		<i>homosexually acquired</i>	0	0	2	4	18	21
		Female	3	7	6	7	5	4
		Total	8	11	17	17	32	37
C41d	Epidemiological treatment of suspected chlamydial infection	Male (all)	204	321	475	593	740	836
		<i>homosexually acquired</i>	4	5	4	6	9	18
		Female	160	236	234	299	373	419
		Total	364	557	709	892	1,113	1,255
C42a	NSGI (non-chlamydial) - lower genital tract	Male (all)	1,270	1,630	1,748	1,525	1,642	1,438
		<i>homosexually acquired</i>	71	108	100	70	130	104
		Female	105	169	184	175	198	160
		Total	1,375	1,799	1,932	1,700	1,840	1,598

TABLE 4 CONTINUED

Scotland: new episodes and workload in GUM clinics, by sex: 1991-1994

ISD(D)5 Code	Condition		1991	1992	1993	1994
Diagnoses						
C5	Non-specific genital infection with arthritis	Male (all)	21	32	21	11
		<i>homosexually acquired</i>	0	0	2	0
		Female	0	5	2	2
		Total	21	37	23	13
C6	Trichomoniasis	Male (all)	14	14	20	5
		<i>homosexually acquired</i>	0	0	0	0
		Female	209	142	124	97
		Total	223	156	144	102
C7	Genital candidosis	Male (all)	531	500	483	439
		<i>homosexually acquired</i>	13	15	21	19
		Female	2,108	1,938	1,743	1,832
		Total	2,639	2,438	2,226	2,271
C8	Genital scabies	Male (all)	84	95	96	86
		<i>homosexually acquired</i>	14	33	15	14
		Female	11	3	13	8
		Total	95	98	109	94
C9	Pubic lice (pthirus pubis)	Male (all)	320	233	184	185
		<i>homosexually acquired</i>	24	29	27	32
		Female	97	71	62	38
		Total	417	304	246	223
C10a	Genital herpes simplex - first occurrence	Male (all)	289	303	275	295
		<i>homosexually acquired</i>	18	16	13	10
		Female	287	299	317	382
		Total	576	602	592	677

TABLE 4 CONTINUED
Scotland: new episodes and workload in GUM clinics, by sex: 1995#-2000*

ISD(D)5 Code	Condition		1995†	1996	1997	1998	1999	2000*
Diagnoses								
C42b	NSGI (non-chlamydial) - upper genital tract	Male (all)	68	92	100	96	116	155
		<i>homosexually acquired</i>	6	7	11	4	5	12
		Female	127	137	118	132	164	150
		Total	195	229	218	228	280	305
C42c	Non-specific proctitis	Male (all)	3	6	3	5	8	11
		<i>homosexually acquired</i>	1	4	1	3	6	10
		Female	0	1	0	1	0	0
		Total	3	7	3	6	8	11
C42d	Epidemiological treatment for suspected NSGI	Male (all)	82	105	141	120	125	135
		<i>homosexually acquired</i>	3	10	8	9	10	29
		Female	309	371	364	298	260	200
		Total	391	476	505	418	385	335
C43	Balinitis	Male (all)	659	848	950	985	1,035	970
		<i>homosexually acquired</i>	38	62	46	47	51	33
		Female	6	11	13	1	3	4
		Total	665	859	963	986	1,038	974
C44	Prostatitis	Male (all)	19	23	35	38	34	33
		<i>homosexually acquired</i>	0	1	3	2	6	3
		Female	0	0	0	0	0	0
		Total	19	23	35	38	34	33
C45	Urinary tract infection (culture positive)	Male (all)	34	41	60	54	41	30
		<i>homosexually acquired</i>	7	8	9	8	6	3
		Female	58	89	110	129	119	106
		Total	92	130	170	183	160	136
C5	Seronegative reactive arthritis	Male (all)	23	18	21	20	17	19
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	0	2	1	1	1	1
		Total	23	20	22	21	18	20
C6a	Trichomoniasis	Male (all)	8	14	13	14	15	14
		<i>homosexually acquired</i>	0	0	1	0	0	0
		Female	70	88	92	94	76	58
		Total	78	102	105	108	91	72
C6b	Bacterial vaginosis	Male (all)	-	-	-	-	-	-
		<i>homosexually acquired</i>	-	-	-	-	-	-
		Female	833	1,075	1,249	1,342	1,383	1,501
		Total	833	1,075	1,249	1,342	1,383	1,501
C7	Genital candidosis	Male (all)	295	320	191	176	170	211
		<i>homosexually acquired</i>	18	25	7	8	9	13
		Female	1,411	1,719	1,550	1,551	1,574	1,611
		Total	1,706	2,039	1,741	1,727	1,744	1,822
C8	Genital scabies	Male (all)	84	124	118	121	124	148
		<i>homosexually acquired</i>	23	47	32	30	26	44
		Female	8	11	18	16	10	10
		Total	92	135	136	137	134	158
C9	Pubic lice	Male (all)	111	182	172	187	178	165
		<i>homosexually acquired</i>	25	42	49	47	42	40
		Female	47	71	53	55	45	38
		Total	158	253	225	242	223	203
C10ap	Genital herpes, first occurrence (culture positive)	Male (all)	147	204	184	177	227	214
		<i>homosexually acquired</i>	9	9	9	15	17	17
		Female	251	332	282	293	355	364
		Total	398	536	466	470	582	578
C10an	Genital herpes, first occurrence (no culture confirmation)	Male (all)	110	152	154	155	139	140
		<i>homosexually acquired</i>	5	20	9	9	10	20
		Female	149	211	231	202	219	180
		Total	259	363	385	357	358	320

TABLE 4 CONTINUED

Scotland: new episodes and workload in GUM clinics, by sex: 1991-1994

ISD(D)5 Code	Condition		1991	1992	1993	1994
Diagnoses						
C10b	Genital herpes simplex - recurrence	Male (all)	111	121	124	104
		<i>homosexually acquired</i>	1	1	12	3
		Female	84	81	88	101
		Total	195	202	212	205
C11a	Genital warts - first occurrence	Male (all)	2,513	2,476	2,364	2,441
		<i>homosexually acquired</i>	73	62	97	100
		Female	2,077	2,191	2,167	2,259
		<i>Cervical cytology -normal</i>	776	826	826	678
		<i>Cervical cytology -abnormal</i>	352	330	277	293
		<i>Cervical cytology -not available</i>	949	1,035	1,064	1,288
	Total	4,590	4,667	4,531	4,700	
C11b	Anogenital warts - recurrence	Male (all)	1,214	1,168	1,210	1,164
		<i>homosexually acquired</i>	52	52	66	51
		Female	555	530	572	617
		<i>Cervical cytology -normal</i>	147	135	178	161
		<i>Cervical cytology -abnormal</i>	107	89	66	57
		<i>Cervical cytology -not available</i>	301	306	328	399
	Total	1,769	1,698	1,782	1,781	
C12	Molluscum contagiosum	Male (all)	103	104	103	119
		<i>homosexually acquired</i>	10	7	9	6
		Female	65	58	64	74
	Total	168	162	167	193	
C13a	HBsAg positive viral hepatitis - first diagnosis	Male (all)	11	11	10	13
		<i>homosexually acquired</i>	5	2	2	4
		Female	2	2	3	4
	Total	13	13	13	17	
C13b	Other viral hepatitis	Male (all)	49	31	47	36
		<i>homosexually acquired</i>	29	14	9	7
		Female	3	6	9	14
		Total	52	37	56	50

TABLE 4 CONTINUED
Scotland: new episodes and workload in GUM clinics, by sex: 1995#-2000*

ISD(D)5 Code	Condition		1995†	1996	1997	1998	1999	2000*
Diagnoses								
C10bp	Genital herpes, recurrence (culture positive)	Male (all)	47	36	30	51	43	28
		<i>homosexually acquired</i>	2	4	6	3	6	0
		Female	29	59	61	60	67	64
		Total	76	95	91	111	110	92
C10bn	Genital herpes, recurrence (no culture confirmation)	Male (all)	87	174	191	222	223	278
		<i>homosexually acquired</i>	4	14	22	17	14	15
		Female	104	203	199	236	255	259
		Total	191	377	390	458	478	537
C10cp	Oral labial herpes (culture positive)	Male (all)	4	5	4	3	3	3
		<i>homosexually acquired</i>	2	3	1	0	1	1
		Female	4	2	0	2	0	0
		Total	8	7	4	5	3	3
C10cn	Oral labial herpes (no culture confirmation)	Male (all)	5	8	13	9	5	12
		<i>homosexually acquired</i>	2	4	5	2	2	1
		Female	5	9	5	0	3	1
		Total	10	17	18	9	8	13
C11a	Genital warts, first occurrence	Male (all)	1,694	2,526	2,853	2,853	2,839	2,880
		<i>homosexually acquired</i>	80	143	137	124	140	129
		Female	1,655	2,453	2,496	2,515	2,565	2,414
		Total	3,349	4,979	5,349	5,368	5,404	5,294
C11b	Genital warts, recurrence	Male (all)	848	1,221	1,276	1,443	1,489	1,526
		<i>homosexually acquired</i>	35	64	78	70	71	84
		Female	447	697	716	844	862	913
		Total	1,295	1,918	1,992	2,287	2,351	2,439
C11c	Genital warts, reregistered cases	Male (all)	391	501	520	752	640	507
		<i>homosexually acquired</i>	29	32	34	55	49	38
		Female	382	434	496	623	573	437
		Total	773	935	1,016	1,375	1,213	944
C12	Molluscum contagiosum	Male (all)	105	181	187	192	244	266
		<i>homosexually acquired</i>	8	16	15	16	19	11
		Female	61	85	100	145	136	123
		Total	166	266	287	337	380	389
C13a	Hepatitis A	Male (all)	1	4	4	1	1	1
		<i>homosexually acquired</i>	0	1	3	0	0	0
		Female	0	1	0	0	0	1
		Total	1	5	4	1	1	2
C13b1	Acute hepatitis B	Male (all)	4	4	9	7	14	7
		<i>homosexually acquired</i>	4	0	4	4	4	3
		Female	0	0	0	2	6	2
		Total	4	4	9	9	20	9
C13b2	Chronic hepatitis (HepBsAg positive > 6 months) - first diagnosis	Male (all)	8	12	16	17	13	8
		<i>homosexually acquired</i>	5	2	1	1	2	1
		Female	1	2	2	3	6	4
		Total	9	14	18	20	19	12
C13c	Hepatitis C	Male (all)	31	78	74	128	123	86
		<i>homosexually acquired</i>	1	3	4	5	2	1
		Female	24	67	70	72	65	39
		Total	55	145	144	200	188	125
C13d	Other viral hepatitis	Male (all)	0	1	0	2	2	0
		<i>homosexually acquired</i>	0	0	0	0	1	0
		Female	3	0	0	0	0	0
		Total	3	1	0	2	2	0

TABLE 4 CONTINUED

Scotland: new episodes and workload in GUM clinics, by sex: 1991-1994

ISD(D)5 Code	Condition		1991	1992	1993	1994
Diagnoses						
E1	Asymptomatic HIV infection - first presentation	Male (all)	26	21	35	31
		<i>homosexually acquired</i>	12	9	22	14
		Female	5	12	4	7
		Total	31	33	39	38
E2	HIV with symptoms (not AIDS) - first presentation	Male (all)	23	20	29	39
		<i>homosexually acquired</i>	9	16	13	19
		Female	6	5	3	6
		Total	29	25	32	45
E3	AIDS - first presentation	Male (all)	4	3	2	8
		<i>homosexually acquired</i>	2	2	1	7
		Female	0	0	2	0
		Total	4	3	4	8
Total diagnoses		Male (all)	9,369	8,549	8,093	7,928
		<i>homosexually acquired</i>	474	444	479	425
		Female	7,709	7,337	7,028	7,386
		Total	17,078	15,886	15,121	15,314
Workload						
D1	Other treponemal diseases	Male (all)	0	0	0	5
		<i>homosexually acquired</i>	0	0	0	0
		Female	1	0	0	8
		Total	1	0	0	13
D2	Other conditions requiring treatment	Male (all)	4,110	4,212	4,248	4,276
		<i>homosexually acquired</i>	629	731	810	951
		Female	2,427	2,673	2,495	2,682
		Total	6,537	6,885	6,743	6,958

TABLE 4 CONTINUED
Scotland: new episodes and workload in GUM clinics, by sex: 1995#-2000*

ISD(D)5 Code	Condition		1995†	1996	1997	1998	1999	2000*
Diagnoses								
C14	Enteric infections/infestations	Male (all)	10	4	11	6	4	1
		<i>homosexually acquired</i>	7	3	9	4	3	1
		Female	1	5	0	1	0	1
		Total	11	9	11	7	4	2
E1a	Asymptomatic HIV infection – first presentation	Male (all)	18	33	31	39	40	23
		<i>homosexually acquired</i>	9	18	17	25	18	10
		Female	5	10	6	14	11	4
		Total	23	43	37	53	51	27
E1b	Asymptomatic HIV infection – subsequent presentation	Male (all)	318	518	565	601	740	206
		<i>homosexually acquired</i>	237	402	420	466	538	119
		Female	35	102	114	131	147	72
		Total	353	620	679	732	887	278
E2a	HIV infection with symptoms, not AIDS – first presentation	Male (all)	15	17	25	25	19	1
		<i>homosexually acquired</i>	10	8	19	22	12	1
		Female	0	6	6	9	2	1
		Total	15	23	31	34	21	2
E2b	HIV infection with symptoms, not AIDS – subsequent presentation	Male (all)	384	583	771	689	726	148
		<i>homosexually acquired</i>	275	418	569	505	516	101
		Female	38	77	148	169	169	51
		Total	422	660	919	858	895	199
E3a	AIDS – first presentation	Male (all)	11	8	18	5	18	6
		<i>homosexually acquired</i>	6	4	8	2	10	3
		Female	0	3	2	4	1	0
		Total	11	11	20	9	19	6
E3b	AIDS – subsequent presentation	Male (all)	211	316	372	354	418	116
		<i>homosexually acquired</i>	180	236	239	247	292	87
		Female	20	39	64	85	77	37
		Total	231	355	436	439	495	153
Total diagnoses		Male (all)	8,199	11,560	12,681	13,219	14,216	13,110
		<i>homosexually acquired</i>	1,240	1,935	2,089	1,992	2,240	1,311
		Female	7,088	9,890	10,323	11,133	11,781	11,392
		Total	15,287	21,450	23,004	24,352	25,997	24,502
Workload								
D1	Other treponemal diseases	Male (all)	0	3	2	0	0	1
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	1	2	0	2	0	0
		Total	1	5	2	2	0	1
D21	Other conditions requiring treatment - dermatological	Male (all)	636	847	894	998	905	922
		<i>homosexually acquired</i>	86	113	119	139	137	144
		Female	292	472	463	433	417	436
		Total	928	1,319	1,357	1,431	1,322	1,358
D22	Other conditions requiring treatment - gynaecological	Male (all)	2	3	1	0	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	134	207	192	160	70	73
		Total	136	210	193	160	70	73
D23	Other conditions requiring treatment - contraception	Male (all)	24	160	136	154	158	121
		<i>homosexually acquired</i>	2	2	0	3	5	2
		Female	103	267	344	384	497	376
		Total	127	427	480	538	655	497
D24	Other conditions requiring treatment - trauma/foreign body	Male (all)	12	11	16	21	24	21
		<i>homosexually acquired</i>	0	1	2	2	5	3
		Female	10	11	13	21	18	18
		Total	22	22	29	42	42	39

TABLE 4 CONTINUED

Scotland: new episodes and workload in GUM clinics, by sex: 1991-1994

ISD(D)5 Code	Condition	1991	1992	1993	1994
Workload					
D3	Other conditions not requiring treatment				
	Male (all)	4,020	3,964	3,963	4,298
	<i>homosexually acquired</i>	313	381	407	395
	Female	2,303	2,388	2,561	2,688
	Total	6,323	6,352	6,524	6,986

TABLE 4 CONTINUED
Scotland: new episodes and workload in GUM clinics, by sex: 1995#-2000*

ISD(D)5 Code	Condition		1995†	1996	1997	1998	1999	2000*
Workload								
D25	Other conditions requiring treatment - minor surgery/excision biopsy	Male (all)	24	36	20	31	36	24
		<i>homosexually acquired</i>	3	3	2	7	5	5
		Female	16	19	11	23	43	36
		Total	40	55	31	54	79	60
D26	Other conditions requiring treatment - colposcopy (treatment required)	Male (all)	0	0	1	0	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	43	29	22	39	19	19
		Total	43	29	23	39	19	19
D27	Other conditions requiring treatment - vaccination	Male (all)	570	891	771	978	1,026	778
		<i>homosexually acquired</i>	430	700	595	760	738	529
		Female	122	229	133	204	294	162
		Total	692	1,120	904	1,182	1,320	940
D28	Other conditions requiring treatment - other conditions	Male (all)	284	329	406	527	456	431
		<i>homosexually acquired</i>	33	31	56	58	58	61
		Female	235	314	295	506	492	411
		Total	519	643	701	1,033	948	842
D31	STD screen negative	Male (all)	2,401	3,363	3,664	4,295	4,620	4,725
		<i>homosexually acquired</i>	201	429	492	471	614	508
		Female	1,645	2,319	2,734	2,899	3,550	3,346
		Total	4,046	5,682	6,398	7,194	8,170	8,071
D32p	HIV counselling - result positive	Male (all)	13	34	32	35	50	17
		<i>homosexually acquired</i>	6	17	16	25	25	7
		Female	6	12	8	19	15	16
		Total	19	46	40	54	65	33
D32n	HIV counselling - result negative	Male (all)	2,110	3,255	3,197	3,455	3,834	3,877
		<i>homosexually acquired</i>	344	680	697	669	824	766
		Female	1,329	2,388	2,148	2,349	2,599	2,464
		Total	3,439	5,643	5,345	5,804	6,433	6,341
D32z	HIV counselling - test not done	Male (all)	336	381	415	439	449	433
		<i>homosexually acquired</i>	23	45	30	38	64	42
		Female	256	297	294	313	344	289
		Total	592	678	709	752	793	722
D33	Psychosexual counselling	Male (all)	40	39	69	120	154	131
		<i>homosexually acquired</i>	3	2	12	32	34	32
		Female	22	30	41	42	42	33
		Total	62	69	110	162	196	164
D34	Sexual assault support	Male (all)	12	13	16	16	19	13
		<i>homosexually acquired</i>	6	5	7	10	6	3
		Female	58	135	146	90	102	58
		Total	70	148	162	106	121	71
D34a	Sexual assault support - recent	Male (all)	-	-	2	9	11	24
		<i>homosexually acquired</i>	-	-	2	6	4	12
		Female	-	-	46	101	109	119
		Total	0	0	48	110	120	143
D34b	Sexual assault support - history of	Male (all)	-	-	5	40	34	8
		<i>homosexually acquired</i>	-	-	3	37	27	4
		Female	-	-	23	66	104	43
		Total	0	0	28	106	138	51
D35	Other counselling	Male (all)	242	227	292	569	694	658
		<i>homosexually acquired</i>	13	20	40	74	88	73
		Female	279	317	385	529	720	645
		Total	521	544	677	1,098	1,414	1,303
D36	Colposcopy (no treatment required)	Male (all)	0	0	1	0	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	60	87	41	29	11	15
		Total	60	87	42	29	11	15

TABLE 4 CONTINUED

Scotland: new episodes and workload in GUM clinics, by sex: 1991-1994

ISD(D)5 Code	Condition		1991	1992	1993	1994
Workload						
D4	Other conditions referred elsewhere	Male (all)	527	505	577	505
		<i>homosexually acquired</i>	48	43	61	50
		Female	543	476	449	612
		Total	1,070	981	1,026	1,117

Total workload	Male (all)	8,657	8,681	8,788	9,084
	<i>homosexually acquired</i>	990	1,155	1,278	1,396
	Female	5,274	5,537	5,505	5,990
	Total	13,931	14,218	14,293	15,074

Total diagnoses and workload	Male (all)	18,026	17,230	16,881	17,012
	<i>homosexually acquired</i>	1,464	1,599	1,757	1,821
	Female	12,983	12,874	12,533	13,376
	Total	31,009	30,104	29,414	30,388

TABLE 4 CONTINUED
Scotland: new episodes and workload in GUM clinics, by sex: 1995†-2000*

ISD(D)5 Code	Condition		1995†	1996	1997	1998	1999	2000*
Workload								
D37	Other conditions	Male (all)	297	495	536	596	793	523
		<i>homosexually acquired</i>	27	48	62	84	153	94
		Female	389	611	681	833	1,022	708
		Total	686	1,106	1,217	1,429	1,815	1,231
D41	Referral-dermatology	Male (all)	16	32	19	34	37	34
		<i>homosexually acquired</i>	1	3	2	3	4	2
		Female	19	16	24	19	30	23
		Total	35	48	43	53	67	57
D42	Referral-gynaecology	Male (all)	3	4	0	0	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	100	124	119	149	157	138
		Total	103	128	119	149	157	138
D43	Referral-termination of pregnancy	Male (all)	1	3	0	1	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	12	15	19	20	33	27
		Total	13	18	19	21	33	27
D44	Referral-psychology/psychiatry	Male (all)	23	25	22	34	23	29
		<i>homosexually acquired</i>	5	9	10	12	6	11
		Female	10	12	16	8	6	13
		Total	33	37	38	42	29	42
D45	Referral-surgery (including urology)	Male (all)	184	223	227	248	243	212
		<i>homosexually acquired</i>	27	22	28	35	26	20
		Female	18	25	27	27	34	24
		Total	202	248	254	275	277	236
D46	Referral for genital carcinoma	Male (all)	2	4	0	2	0	2
		<i>homosexually acquired</i>	0	0	0	0	0	1
		Female	0	0	2	0	1	2
		Total	2	4	2	2	1	4
D47	Referral for colposcopy	Male (all)	2	2	1	0	0	0
		<i>homosexually acquired</i>	0	0	0	0	0	0
		Female	91	123	109	102	102	72
		Total	93	125	110	102	102	72
D48	Referral for other conditions	Male (all)	100	86	101	145	120	106
		<i>homosexually acquired</i>	15	18	21	25	17	9
		Female	66	75	92	132	123	63
		Total	166	161	193	277	243	169
Total workload		Male (all)	7,334	10,466	10,846	12,747	13,686	13,090
		<i>homosexually acquired</i>	1,225	2,148	2,196	2,490	2,840	2,328
		Female	5,316	8,136	8,428	9,499	10,954	9,629
		Total	12,650	18,602	19,274	22,246	24,640	22,719
Total diagnoses and workload		Male (all)	15,533	22,026	23,527	25,966	27,902	26,200
		<i>homosexually acquired</i>	2,465	4,083	4,285	4,482	5,080	3,639
		Female	12,404	18,026	18,751	20,632	22,735	21,021
		Total	27,937	40,052	42,278	46,598	50,637	47,221

Source: Information & Statistics Division (Scotland)

* There is a small shortfall in data for 2000 due-problems in data collection in a number of health board areas. This particularly affects D and E codes.

† due-revision of coding system, data for 01.01.1995-01.04.1995 not included

- data not available/applicable

TABLE 5
Wales: new episodes and workload in GUM clinics, by sex: 1991-1994*†

KC60 code	Condition		1991	1992	1993	1994
Diagnoses						
A1,A2,A3	Infectious syphilis (primary, secondary & latent)	Male (all)	2	2	3	5
		<i>homosexually acquired</i>	0	0	0	0
		Female	5	3	1	5
		Total	7	5	4	10
A4,A5,A6	Other acquired syphilis	Male (all)	26	16	22	27
		<i>homosexually acquired</i>	5	2	3	2
		Female	15	13	6	14
		Total	41	29	28	41
A7	Congenital syphilis, aged under 2	Male (all)	0	0	0	0
		<i>homosexually acquired</i>	-	-	-	-
		Female	0	0	0	0
Total	0	0	0	0		
A8	Congenital syphilis, aged 2 or over	Male (all)	0	0	1	0
		<i>homosexually acquired</i>	-	-	-	-
		Female	0	0	0	0
Total	0	0	1	0		
A9	Epidemiological treatment of suspected syphilis	Male (all)	1	0	0	0
		<i>homosexually acquired</i>	0	0	0	0
		Female	0	0	0	2
Total	1	0	0	2		
B1.1-3	Post-pubertal uncomplicated gonorrhoea	Male (all)	211	117	83	90
		<i>homosexually acquired</i>	20	7	8	8
		Female	111	80	42	49
		Total	322	197	125	139
B1.4a, B1.5	Other complicated gonorrhoea, excluding PID and epididymitis	Male (all)	0	1	2	0
		<i>homosexually acquired</i>	-	-	-	-
		Female	0	0	2	0
Total	0	1	4	0		
B2	Pre-pubertal gonorrhoea	Male (all)	0	0	0	0
		<i>homosexually acquired</i>	0	0	0	0
		Female	0	0	0	0
Total	0	0	0	0		
B3	Gonococcal ophthalmia neonatorum	Male (all)	0	0	0	0
		<i>homosexually acquired</i>	0	0	0	0
		Female	0	0	0	0
Total	0	0	0	0		
B4	Epidemiological treatment of suspected gonorrhoea	Male (all)	32	18	14	18
		<i>homosexually acquired</i>	9	2	3	5
		Female	29	20	15	20
Total	61	38	29	38		
C1,C2, C3	Chancroid/Donovanos is/LGV	Male (all)	0	2	0	0
		<i>homosexually acquired</i>	0	0	0	0
		Female	0	0	0	0
		Total	0	2	0	0
C4a	Post-pubertal uncomplicated chlamydia	Male (all)	585	495	455	416
		<i>homosexually acquired</i>	11	8	4	6
		Female	471	400	374	431
		Total	1,056	895	829	847

TABLE 5
Wales: new episodes and workload in GUM clinics, by sex: 1995-2002†

KC60 code	Condition		1995	1996	1997	1998	1999	2000	2001	2002
Diagnoses										
A1, A2 (A1,A2,A3)	Primary and secondary infectious syphilis	Male (all)	1	2	2	1	3	5	6	13
		<i>homosexually acquired</i>	1	0	1	0	0	4	3	10
		Female	1	2	1	0	0	0	2	0
		Total	2	4	3	1	3	5	8	13
A3	Early latent syphilis (first 2 years)	Male (all)	0	2	2	1	2	0	3	15
		<i>homosexually acquired</i>	0	0	1	1	0	0	0	5
		Female	0	0	1	0	2	0	0	2
		Total	0	2	3	1	4	0	3	17
A4,A5,A6	Other acquired syphilis	Male (all)	16	11	11	12	15	13	16	23
		<i>homosexually acquired</i>	2	1	1	1	2	3		5
		Female	8	4	2	5	4	4	6	12
		Total	24	15	13	17	19	17	22	35
A7	Congenital syphilis, aged under 2	Male (all)	0	0	0	0	0	0	0	0
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	0	0	0	0	0	0	0	0
		Total	0	0	0	0	0	0	0	0
A8	Congenital syphilis, aged 2 or over	Male (all)	0	0	0	0	2	0	0	2
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	1	0	0	0	0	0	0	0
		Total	1	0	0	0	2	0	0	2
A9	Epidemiological treatment of suspected syphilis	Male (all)	0	0	0	0	0	0	0	2
		<i>homosexually acquired</i>	0	0	0	0	0	0	0	0
		Female	0	0	0	0	0	0	0	2
		Total	0	0	0	0	0	0	0	4
B1,B2 (B1.1-3,B2)	Uncomplicated gonorrhoea	Male (all)	127	140	147	151	204	316	300	303
		<i>homosexually acquired</i>	19	22	24	15	24	61	74	58
		Female	64	68	61	82	103	157	131	141
		Total	191	208	208	233	307	473	431	444
B3	Gonococcal ophthalmia neonatorum	Male (all)	0	0	0	0	1	0	0	0
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	0	0	1	0	0	0	0	3
		Total	0	0	1	0	1	0	0	3
B4	Epidemiological treatment of suspected gonorrhoea	Male (all)	29	35	27	36	39	71	77	56
		<i>homosexually acquired</i>	5	6	11	5	8	12	19	11
		Female	33	37	34	37	61	68	60	90
		Total	62	72	61	73	100	139	137	146
B5 (B1.4a,B1 .4b,B1.5)	Gonococcal complications	Male (all)	1	0	1	1	4	1	3	2
		<i>homosexually acquired</i>	0	0	0	0	0	0	0	0
		Female	1	1	2	3	3	11	4	4
		Total	2	1	3	4	7	12	7	6
C1,C2,C3	Chancroid/LGV/Donov anosis	Male (all)	0	6	1	0	4	0	0	1
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	2	0	0	0	0	0	0	1
		Total	2	6	1	0	4	0	0	2
C4a, C4c	Uncomplicated genital chlamydial infection	Male (all)	530	547	526	603	738	988	1,124	1,177
		<i>homosexually acquired</i>	9	3	3	8	6	20	34	31
		Female	588	603	664	980	1,247	1,402	1,640	1,722
		Total	1,118	1,150	1,190	1,583	1,985	2,390	2,764	2,899

TABLE 5 CONTINUED

Wales: new episodes and workload in GUM clinics, by sex: 1991-1994*†

KC60 code	Condition		1991	1992	1993	1994
Diagnoses						
C4b	Other complicated chlamydia, excluding PID and epididymitis	Male (all)	2	6	2	4
		<i>homosexually acquired</i>	0	0	0	0
		Female	0	9	2	4
	Total	2	15	4	8	
C4c	Pre-pubertal chlamydia	Male (all)	0	1	0	0
		<i>homosexually acquired</i>	0	0	0	0
		Female	3	0	2	1
	Total	3	1	2	1	
C4d	Chlamydial ophthalmia neonatorum	Male (all)	0	0	0	0
		<i>homosexually acquired</i>	-	-	-	-
		Female	0	0	0	0
	Total	0	0	0	0	
C4e	Epidemiological treatment of suspected chlamydia	Male (all)	248	151	126	189
		<i>homosexually acquired</i>	18	10	8	8
		Female	184	113	99	104
	Total	432	264	225	293	
B1.4b	Gonococcal complications only (PID & epididymitis)	Male (all)	0	0	0	0
		<i>homosexually acquired</i>	-	-	-	-
		Female	1	3	5	0
	Total	1	3	5	0	
C4f	Chlamydial complications only (PID & epididymitis)	Male (all)	8	2	2	2
		<i>homosexually acquired</i>	-	-	-	-
		Female	35	35	31	45
	Total	43	37	33	47	
B1.4c	Gonococcal and chlamydial complications (PID & epididymitis)	Male (all)	0	2	0	0
		<i>homosexually acquired</i>	-	-	-	-
		Female	1	1	0	0
	Total	1	3	0	0	
C4g	Non-specific infection (PID & epididymitis)	Male (all)	47	53	55	33
		<i>homosexually acquired</i>	-	-	-	-
		Female	76	111	165	193
	Total	123	164	220	226	
C4h	Non-specific urethritis, excluding PID and epididymitis	Male (all)	883	818	760	918
		<i>homosexually acquired</i>	16	9	16	9
		Female	-	-	-	-
	Total	883	818	760	918	
C4i	Epidemiological treatment of NSU and related disease	Male (all)	51	118	154	91
		<i>homosexually acquired</i>	4	5	4	5
		Female	393	390	444	522
	Total	444	508	598	613	
C5	Chlamydial infection/NSU with arthritis	Male (all)	7	18	9	13
		<i>homosexually acquired</i>	-	-	-	-
		Female	0	0	1	1
	Total	7	18	10	14	
C6a	Trichomoniasis	Male (all)	2	4	4	3
		<i>homosexually acquired</i>	-	-	-	-
		Female	86	97	89	93
	Total	88	101	93	96	
C6b	Anaerobic/bacterial vaginosis and male infection	Male (all)	96	62	38	41
		<i>homosexually acquired</i>	-	-	-	-
		Female	966	907	960	1,087
	Total	1,062	969	998	1,128	
C6c	Other vaginosis/vaginitis/balanitis	Male (all)	249	328	418	473
		<i>homosexually acquired</i>	-	-	-	-
		Female	22	43	49	58
	Total	271	371	467	531	

TABLE 5 CONTINUED
Wales: new episodes and workload in GUM clinics, by sex: 1995-2002†

KC60 code	Condition		1995	1996	1997	1998	1999	2000	2001	2002
Diagnoses										
C4b	Complicated genital chlamydial infection	Male (all)	4	13	10	11	22	12	22	18
		<i>homosexually acquired</i>	1	0	0	0	0	0	0	1
		Female	42	65	71	59	72	121	113	98
		Total	46	78	81	70	94	133	135	116
C4d	Chlamydial ophthalmia neonatorum	Male (all)	2	9	0	0	2	0	0	1
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	2	0	0	0	0	4	0	0
		Total	4	9	0	0	2	4	0	1
C4e	Epidemiological treatment of suspected genital chlamydial infection	Male (all)	244	306	341	558	704	713	793	903
		<i>homosexually acquired</i>	17	20	24	16	23	50	66	39
		Female	152	271	254	457	509	502	424	555
		Total	396	577	595	1,015	1,213	1,215	1,217	1,458
C4h	Uncomplicated non-gonococcal/non-specific urethritis in males	Male (all)	1,014	1,036	1,165	1,142	1,387	1,587	1,627	1,751
		<i>homosexually acquired</i>	19	15	22	22	27	48	57	88
		Female	-	-	-	-	-	-	-	-
		Total	1,014	1,036	1,165	1,142	1,387	1,587	1,627	1,751
C4i	Epidemiological treatment of NSGI	Male (all)	129	145	210	167	202	170	172	166
		<i>homosexually acquired</i>	5	2	4	3	2	7	10	15
		Female	431	443	501	446	600	801	774	719
		Total	560	588	711	613	802	971	946	885
C5	Complicated non-gonococcal/non-specific infection	Male (all)	61	59	65	62	82	82	86	80
		<i>homosexually acquired</i>	2	0	1	0	2	0	1	2
		Female	211	279	293	237	301	384	317	280
		Total	272	338	358	299	383	466	403	360
C6a	Trichomoniasis	Male (all)	2	3	8	3	6	1	12	4
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	95	79	84	119	84	77	82	62
		Total	97	82	92	122	90	78	94	66
C6b	Anaerobic/bacterial vaginosis & male infection	Male (all)	21	56	32	38	30	27	21	33
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	1,215	1,468	1,478	1,517	1,545	1,790	1,810	2,064
		Total	1,236	1,524	1,510	1,555	1,575	1,817	1,831	2,097
C6c	Other vaginosis/vaginitis/balanitis	Male (all)	479	456	453	452	512	484	581	499
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	143	47	112	137	140	181	237	140
		Total	622	503	565	589	652	665	818	639

TABLE 5 CONTINUED

Wales: new episodes and workload in GUM clinics, by sex: 1991-1994*†

KC60 code	Condition		1991	1992	1993	1994
Diagnoses						
C7a	Genital candidosis	Male (all)	639	525	466	389
		<i>homosexually acquired</i>	-	-	-	-
		Female	1,469	1,585	1,568	1,736
	Total	2,108	2,110	2,034	2,125	
C7b	Epidemiological treatment of C6 and C7	Male (all)	142	123	93	43
		<i>homosexually acquired</i>	-	-	-	-
		Female	58	55	33	42
	Total	200	178	126	85	
C8,C9	Scabies/pediculosis	Male (all)	143	147	148	110
		<i>homosexually acquired</i>	-	-	-	-
		Female	50	54	27	34
	Total	193	201	175	144	
C10a	Genital herpes simplex - first attack	Male (all)	200	189	185	185
		<i>homosexually acquired</i>	9	6	10	7
		Female	171	226	220	234
	Total	371	415	405	419	
C10b	Genital herpes simplex - recurrence	Male (all)	149	149	112	114
		<i>homosexually acquired</i>	-	-	-	-
		Female	130	120	117	107
	Total	279	269	229	221	
C11a	Genital warts - first attack	Male (all)	1,198	1,179	1,161	1,158
		<i>homosexually acquired</i>	40	24	25	26
		Female	1,003	934	1,035	1,133
	Total	2,201	2,113	2,196	2,291	
C11b	Genital warts - recurrence	Male (all)	921	1,000	996	949
		<i>homosexually acquired</i>	-	-	-	-
		Female	467	474	490	500
	Total	1,388	1,474	1,486	1,449	
C13a	Antigen positive viral hepatitis B	Male (all)	10	8	7	13
		<i>homosexually acquired</i>	5	1	2	2
		Female	2	2	0	3
	Total	12	10	7	16	
C13b	Other viral hepatitis	Male (all)	0	2	8	21
		<i>homosexually acquired</i>	0	0	0	0
		Female	0	0	3	4
	Total	0	2	11	25	
E1a	Asymptomatic HIV infection - first presentation	Male (all)	28	25	28	24
		<i>homosexually acquired</i>	12	16	14	8
		Female	2	3	5	4
	Total	30	28	33	28	
E1b	Asymptomatic HIV infection - subsequent presentation	Male (all)	46	416	553	432
		<i>homosexually acquired</i>	-	-	-	-
		Female	7	53	68	29
	Total	53	469	621	461	
E2	HIV infection with symptoms - not AIDS, first presentation	Male (all)	18	10	20	18
		<i>homosexually acquired</i>	11	6	18	12
		Female	1	0	5	3
	Total	19	10	25	21	

TABLE 5 CONTINUED
Wales: new episodes and workload in GUM clinics, by sex: 1995-2002†

KC60 code	Condition		1995	1996	1997	1998	1999	2000	2001	2002	
Diagnoses											
C7a	Genital candidosis	Male (all)	440	462	442	399	329	272	299	232	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	-
		Female	1,923	2,046	2,078	2,036	1,978	1,929	1,947	1,967	
	Total	2,363	2,508	2,520	2,435	2,307	2,201	2,246	2,199		
C7b	Epidemiological treatment of C6 & C7	Male (all)	52	47	60	49	58	31	24	82	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	-
		Female	42	25	73	29	70	25	23	58	
	Total	94	72	133	78	128	56	47	140		
C8,C9	Scabies/pediculosis pubis	Male (all)	135	120	118	85	107	155	115	82	
		<i>homosexually acquired</i>	5	14	10	7	8	25	18	13	
		Female	33	38	43	33	32	36	24	28	
	Total	168	158	161	118	139	191	139	110		
C10a	Genital herpes simplex – first attack	Male (all)	191	219	200	155	190	175	202	215	
		<i>homosexually acquired</i>	14	9	2	5	13	10	10	10	
		Female	300	316	297	275	316	322	340	389	
	Total	491	535	497	430	506	497	542	604		
C10b	Genital herpes simplex – recurrence	Male (all)	125	139	129	106	120	125	147	156	
		<i>homosexually acquired</i>	2	2	1	4	6	4	10	10	
		Female	105	137	110	123	127	156	161	200	
	Total	230	276	239	229	247	281	308	356		
C11a	Genital warts – first attack	Male (all)	1,518	1,490	1,592	1,593	1,670	1,662	1,744	1,752	
		<i>homosexually acquired</i>	30	25	15	22	30	34	49	55	
		Female	1,385	1,443	1,550	1,525	1,509	1,587	1,594	1,523	
	Total	2,903	2,933	3,142	3,118	3,179	3,249	3,338	3,275		
C11b	Genital warts – recurrence	Male (all)	862	912	929	986	959	1,033	1,041	990	
		<i>homosexually acquired</i>	12	10	8	9	14	14	21	30	
		Female	377	426	503	491	536	537	545	550	
	Total	1,239	1,338	1,432	1,477	1,495	1,570	1,586	1,540		
C11c	Genital warts – re-registered cases†	Male (all)	101	225	283	368	441	367	366	318	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	-
		Female	98	221	208	331	348	355	309	235	
	Total	199	446	491	699	789	722	675	553		
C12	Molluscum contagiosum	Male (all)	45	96	137	113	132	153	150	158	
		<i>homosexually acquired</i>	1	1	2	1	3	0	2	2	
		Female	33	80	101	75	87	89	95	88	
	Total	78	176	238	188	219	242	245	246		
C13	Antigen positive viral hepatitis B	Male (all)	10	18	21	13	9	16	16	17	
		<i>homosexually acquired</i>	1	3	3	1	0	2	2	5	
		Female	3	1	12	3	2	1	5	12	
	Total	13	19	33	16	11	17	21	29		
C14	Other viral hepatitis	Male (all)	23	31	35	33	37	47	34	51	
		<i>homosexually acquired</i>	2	1	1	3	0	3	1	5	
		Female	13	10	11	25	25	23	16	16	
	Total	36	41	46	58	62	70	50	67		
E1a	Asymptomatic HIV infection – first presentation	Male (all)	26	25	22	15	17	27	28	25	
		<i>homosexually acquired</i>	15	8	11	8	13	19	13	18	
		Female	4	2	5	4	3	9	15	13	
	Total	30	27	27	19	20	36	43	38		
E1b	Asymptomatic HIV infection – subsequent presentation	Male (all)	213	118	133	144	160	178	148	158	
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-	
		Female	33	12	16	17	28	27	34	57	
	Total	246	130	149	161	188	205	182	215		
E2a (E2)	HIV infection with symptoms, not AIDS – first presentation	Male (all)	15	15	18	13	8	24	34	23	
		<i>homosexually acquired</i>	10	7	4	8	2	16	24	18	
		Female	4	2	3	1	0	8	6	12	
	Total	19	17	21	14	8	32	40	35		

TABLE 5 CONTINUED

Wales: new episodes and workload in GUM clinics, by sex: 1991-1994*†

KC60 code	Condition		1991	1992	1993	1994
Diagnoses						
E3	AIDS - first presentation	Male (all)	21	20	21	23
		<i>homosexually acquired</i>	10	15	14	15
		Female	1	1	3	1
		Total	22	21	24	24
Total diagnoses						
		Male (all)	5,965	6,007	5,946	5,802
		<i>homosexually acquired</i>	170	111	129	113
		Female	5,759	5,732	5,861	6,459
		Total	11,724	11,739	11,807	12,261
Workload						
D2	Other conditions requiring treatment	Male (all)	823	1,154	1,011	1,001
		<i>homosexually acquired</i>	-	-	-	-
		Female	712	531	550	801
		Total	1,535	1,685	1,561	1,802
D3	Other episodes not requiring treatment	Male (all)	2,631	2,615	2,812	2,914
		<i>homosexually acquired</i>	-	-	-	-
		Female	1,739	1,843	1,975	2,217
		Total	4,370	4,458	4,787	5,131

TABLE 5 CONTINUED
Wales: new episodes and workload in GUM clinics, by sex: 1995-2002†

KC60 code	Condition		1995	1996	1997	1998	1999	2000	2001	2002
Diagnoses										
E2b	HIV infection with symptoms, not AIDS – subsequent presentation	Male (all)	49	78	92	102	124	169	265	273
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	16	15	14	24	27	32	48	62
	Total	65	93	106	126	151	201	313	335	
E3a (E3)	AIDS – first presentation	Male (all)	19	10	3	9	17	8	16	22
		<i>homosexually acquired</i>	8	3	2	4	7	3	7	14
		Female	4	1	6	4	1	1	1	9
	Total	23	11	9	13	18	9	17	31	
E3b	AIDS – subsequent presentation	Male (all)	35	54	47	48	109	168	198	220
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	9	21	8	4	29	42	44	51
	Total	44	75	55	52	138	210	242	271	
Total diagnoses		Male (all)	6,519	6,885	7,262	7,469	8,446	9,080	9,670	9,823
	<i>homosexually acquired</i>	180	152	151	138	182	338	421	445	
	Female	7,371	8,163	8,597	9,079	9,789	10,681	10,807	11,165	
	Total	13,890	15,048	15,859	16,548	18,235	19,761	20,477	20,988	
Workload										
D2a	Urinary tract infection	Male (all)	47	33	31	28	24	27	17	15
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	69	87	95	58	96	90	94	96
	Total	116	120	126	86	120	117	111	111	
D2b (D2)	Other conditions requiring treatment at GUM clinic	Male (all)	751	785	774	834	918	997	1,013	1,088
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	741	644	732	743	704	755	654	899
	Total	1,492	1,429	1,506	1,577	1,622	1,752	1,667	1,987	
D3	Other episodes not requiring treatment	Male (all)	2,835	2,720	2,506	2,613	2,669	2,860	3,301	3,918
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	2,154	2,114	2,143	2,267	2,347	2,587	2,990	3,404
	Total	4,989	4,834	4,649	4,880	5,016	5,447	6,291	7,322	
P1a	HIV antibody counselling - with testing	Male (all)	1,272	1,869	1,819	1,742	1,785	1,846	2,466	3,624
		<i>homosexually acquired</i>	91	186	159	150	206	285	356	524
		Female	996	1,461	1,457	1,453	1,336	1,386	1,833	2,915
	Total	2,268	3,330	3,276	3,195	3,121	3,232	4,299	6,539	
P1b	HIV antibody counselling - without testing	Male (all)	382	484	402	363	302	299	567	2,179
		<i>homosexually acquired</i>	30	29	7	19	14	28	55	164
		Female	295	386	363	318	236	241	512	2,145
	Total	677	870	765	681	538	540	1,079	4,324	
P2	Hepatitis B vaccination	Male (all)	166	241	226	257	198	221	295	393
		<i>homosexually acquired</i>	54	117	99	94	154	108	139	217
		Female	66	74	35	56	70	68	60	81
	Total	232	315	261	313	268	289	355	474	
P3	Family Planning	Male (all)	20	32	23	25	37	32	30	113
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	400	593	258	284	349	522	277	395
	Total	420	625	281	309	386	554	307	508	
P4a	Cervical cytology - minor abnormality	Male (all)	-	-	-	-	-	-	-	-
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	202	226	269	275	174	132	84	85
	Total	202	226	269	275	174	132	84	85	
P4b	Cervical cytology - major abnormality	Male (all)	-	-	-	-	-	-	-	-
		<i>homosexually acquired</i>	-	-	-	-	-	-	-	-
		Female	39	27	46	51	38	24	8	12
	Total	39	27	46	51	38	24	8	12	

TABLE 4 CONTINUED

Wales: new episodes and workload in GUM clinics, by sex: 1991-1994*†

KC60 code	Condition		1991	1992	1993	1994
Workload						
D4	Other conditions referred elsewhere	Male (all)	83	141	207	192
		<i>homosexually acquired</i>	-	-	-	-
		Female	95	128	169	184
		Total	178	269	376	376
<hr/>						
Total workload		Male (all)	3,537	3,910	4,030	4,107
		<i>homosexually acquired</i>	-	-	-	-
		Female	2,546	2,502	2,694	3,202
		Total	6,083	6,412	6,724	7,309
<hr/>						
Total diagnoses and workload		Male (all)	9,502	9,917	9,976	9,909
		<i>homosexually acquired</i>	170	111	129	113
		Female	8,305	8,234	8,555	9,661
		Total	17,807	18,151	18,531	19,570

TABLE 5 CONTINUED
Wales: new episodes and workload in GUM clinics, by sex: 1995-2002‡

KC60 code	Condition	1995	1996	1997	1998	1999	2000	2001	2002
Workload									
Total workload	Male (all)	5,473	6,164	5,781	5,862	5,933	6,282	7,689	11,330
	<i>homosexually acquired</i>	175	332	265	263	374	421	550	905
	Female	4,962	5,612	5,398	5,505	5,350	5,805	6,512	10,032
	Total	10,435	11,776	11,179	11,367	11,283	12,087	14,201	21,362
Total diagnoses and workload	Male (all)	11,992	13,049	13,043	13,331	14,379	15,362	17,359	21,153
	<i>homosexually acquired</i>	355	484	416	401	556	759	971	1,350
	Female	12,333	13,775	13,995	14,584	15,139	16,486	17,319	21,197
	Total	24,325	26,824	27,038	27,915	29,518	31,848	34,678	42,350

Source: CDSC (Wales)

* data for 1991 - 1993 are only available in financial years 1994.

‡ KC60 codes changed after 1995 q1, equivalent codes used in 1995 q1 shown in brackets

§ previous diagnosis of C11a or C11b treated for more than 3 months

- data not available/applicable

D4 (other conditions referred elsewhere) 12 males cases, 18 females cases in 1995 - no equivalent code

TABLE 6
Northern Ireland: new episodes and workload in GUM clinics, by sex: 1991-1995*

KC60 code	Condition		1991	1992	1993	1994	1995
Diagnoses							
A1, A2, A3	Infectious syphilis (primary, secondary & latent)	Male (all)	1	0	3	2	2
		<i>homosexually acquired</i>	0	0	0	0	0
		Female	1	0	0	1	0
		Total	2	0	3	3	2
A4,A5,A6	Other acquired syphilis	Male (all)	3	7	6	2	4
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	3	4	2	1	0
		Total	6	11	8	3	4
A7	Congenital syphilis, aged under 2; aged 2 or over	Male (all)	0	0	0	0	0
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	0	0	0	0	0
		Total	0	0	0	0	0
A8	Congenital syphilis, aged under 2; aged 2 or over	Male (all)	1	0	2	1	1
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	1	2	0	1	2
		Total	2	2	2	2	3
A9	Epidemiological treatment of suspected syphilis	Male (all)	1	0	1	1	1
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	2	0	1	1	1
		Total	3	0	2	2	2
B1.1-B1.3	Post pubertal uncomplicated gonorrhoea	Male (all)	42	32	16	28	40
		<i>homosexually acquired</i>	4	5	1	4	2
		Female	16	15	5	9	10
		Total	58	47	21	37	50
B1.4a- B1.5	Other complicated gonorrhoea (excluding PID & epididymitis)	Male (all)	0	0	0	1	2
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	1	1	0	1	1
		Total	1	1	0	2	3
B2	Pre-pubertal uncomplicated gonorrhoea	Male (all)	0	0	0	0	1
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	0	0	1	0	0
		Total	0	0	1	0	1
B3	Gonococcal ophthalmia neonatorum	Male (all)	0	0	0	0	0
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	0	0	0	0	1
		Total	0	0	0	0	1
B4	Epidemiological treatment of suspected gonorrhoea	Male (all)	4	4	2	4	0
		<i>homosexually acquired</i>	0	1	0	1	0
		Female	5	7	3	4	7
		Total	9	11	5	8	7
C1,C2, C3	Chancroid/LGV/Donovan osis	Male (all)	0	0	1	1	0
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	0	0	0	0	1
		Total	0	0	1	1	1
C4a	Post-pubertal uncomplicated chlamydia	Male (all)	282	252	250	276	238
		<i>homosexually acquired</i>	0	0	1	1	0
		Female	228	189	203	215	231
		Total	510	441	453	491	469

TABLE 6
Northern Ireland: new episodes and workload in GUM clinics, by sex: 1996-2002

KC60 code	Condition		1996	1997	1998	1999	2000	2001	2002
Diagnoses									
A1, A2	Primary and secondary infectious syphilis	Male (all)	1	1	0	1	0	9	20
		<i>homosexually acquired</i>	0	0	0	0	0	8	9
		Female	1	0	0	0	0	2	0
		Total	2	1	0	1	0	11	20
A3	Early latent syphilis (first 2 years)	Male (all)	0	0	2	1	1	1	1
		<i>homosexually acquired</i>	0	0	0	0	1	1	1
		Female	0	0	0	0	0	1	1
		Total	0	0	2	1	1	2	2
A4,A5,A6	Other acquired syphilis	Male (all)	2	5	3	3	4	2	2
		<i>homosexually acquired</i>	0	0	0	0	2	0	0
		Female	1	0	1	4	0	1	1
		Total	3	5	4	7	4	3	3
A7	Congenital syphilis, aged under 2	Male (all)	0	0	0	0	0	0	0
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	0	0	0	0	0	0
		Total	0	0	0	0	0	0	0
A8	Congenital syphilis, aged 2 or over	Male (all)	1	0	0	0	0	1	0
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	0	0	0	0	0	0
		Total	1	0	0	0	0	1	0
A9	Epidemiological treatment of suspected syphilis	Male (all)	0	0	1	6	1	3	3
		<i>homosexually acquired</i>	0	0	0	0	0	2	2
		Female	1	0	0	0	0	0	0
		Total	1	0	1	6	1	3	3
B1,B2	Uncomplicated gonorrhoea	Male (all)	37	37	52	91	119	127	106
		<i>homosexually acquired</i>	1	1	6	6	11	23	12
		Female	7	12	9	19	24	21	11
		Total	44	49	61	110	143	148	117
B3	Gonococcal ophthalmia neonatorum	Male (all)	0	0	0	0	0	0	0
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	0	0	0	0	0	1
		Total	0	0	0	0	0	0	1
B4	Epidemiological treatment of suspected gonorrhoea	Male (all)	3	3	9	11	14	19	13
		<i>homosexually acquired</i>	1	0	1	1	2	8	5
		Female	10	9	13	23	19	29	20
		Total	13	12	22	34	33	48	33
B5	Gonococcal complications	Male (all)	2	2	0	0	3	2	2
		<i>homosexually acquired</i>	0	0	0	0	0	0	1
		Female	2	1	1	3	2	0	1
		Total	4	3	1	3	5	2	3
C1,C2,C3	Chancroid/LGV/Donovanosis	Male (all)	0	0	1	0	0	0	1
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	0	0	0	0	0	0
		Total	0	0	1	0	0	0	1
C4a,C4c	Uncomplicated genital chlamydial infection	Male (all)	264	279	356	416	480	473	548
		<i>homosexually acquired</i>	3	1	4	6	8	13	10
		Female	250	275	304	378	483	474	622
		Total	514	554	660	794	963	947	1,170

TABLE 6 CONTINUED

Northern Ireland: new episodes and workload in GUM clinics, by sex: 1991-1995*

KC60 code	Condition		1991	1992	1993	1994	1995
Diagnoses							
C4b	Other complicated chlamydia (excluding PID & epididymitis)	Male (all)	5	3	2	1	5
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	5	2	1	1	1
	Total	10	5	3	2	6	
C4c	Pre-pubertal chlamydia	Male (all)	1	0	0	0	2
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	1	0	0	2	2
	Total	2	0	0	2	4	
C4d	Chlamydial ophthalmia neonatorum	Male (all)	1	0	0	1	0
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	0	0	0	0	0
	Total	1	0	0	1	0	
C4e	Epidemiological treatment of suspected chlamydia	Male (all)	15	13	15	20	31
		<i>homosexually acquired</i>	1	0	0	0	1
		Female	20	30	27	34	38
	Total	35	43	42	54	69	
B1.4b	Gonococcal complications only (PID & epididymitis)	Male (all)	4	0	1	3	3
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	0	0	1	0	2
	Total	4	0	2	3	5	
C4f	Chlamydial complications only (PID & epididymitis)	Male (all)	3	3	1	4	0
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	8	12	9	18	36
	Total	11	15	10	22	36	
B1.4c	Gonococcal and chlamydial complications (PID & epididymitis)	Male (all)	0	0	0	0	0
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	0	0	3	0	2
	Total	0	0	3	0	2	
C4g	Non-specific (PID & epididymitis)	Male (all)	16	6	20	19	17
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	53	65	53	107	70
	Total	69	71	73	126	87	
C4h	Non-specific urethritis, excluding PID & epididymitis	Male (all)	1,124	1,108	1,341	1,257	979
		<i>homosexually acquired</i>	17	7	14	7	5
		Female	-	-	-	-	-
	Total	1,124	1,108	1,341	1,257	979	
C4i	Epidemiological treatment of NSU & related disease	Male (all)	34	34	58	35	42
		<i>homosexually acquired</i>	3	0	1	0	1
		Female	415	410	449	389	305
	Total	449	444	507	424	347	
C5	Chlamydial infection/NSU with arthritis	Male (all)	16	8	5	16	28
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	3	2	6	12	11
	Total	19	10	11	28	39	
C6a	Trichomoniasis	Male (all)	2	5	4	1	2
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	24	28	25	32	30
	Total	26	33	29	33	32	
C6b	Anaerobic/bacterial vaginosis & male infection	Male (all)	124	98	88	80	40
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	506	456	488	541	581
	Total	630	554	576	621	621	
C6c	Other vaginosis/vaginitis/balanitis	Male (all)	62	36	43	55	63
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	42	28	18	16	85
	Total	104	64	61	71	148	

TABLE 6 CONTINUED
Northern Ireland: new episodes and workload in GUM clinics, by sex: 1996-2002

KC60 code	Condition		1996	1997	1998	1999	2000	2001	2002
Diagnoses									
C4b	Complicated genital chlamydial infection	Male (all)	2	7	12	10	6	10	12
		<i>homosexually acquired</i>	0	0	0	0	0	1	1
		Female	75	48	23	27	34	32	28
		Total	77	55	35	37	40	42	40
C4d	Chlamydial ophthalmia neonatorum	Male (all)	0	0	0	1	1	0	2
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	3	2	1	2	1	1
		Total	0	3	2	2	3	1	3
C4e	Epidemiological treatment of suspected genital chlamydial infection	Male (all)	31	36	68	89	128	163	165
		<i>homosexually acquired</i>	1		2	1	3	3	6
		Female	51	61	69	99	163	147	174
		Total	82	97	137	188	291	310	339
C4h	Uncomplicated non-gonococcal/non-specific urethritis in males	Male (all)	995	1,102	1,558	1,719	1,891	1,674	1,731
		<i>homosexually acquired</i>	13	20	43	55	66	79	112
		Female	-	-	-	-	-	-	-
		Total	995	1,102	1,558	1,719	1,891	1,674	1,731
C4i	Epidemiological treatment of NSGI	Male (all)	46	54	41	34	51	122	56
		<i>homosexually acquired</i>	1	0	4	1	2	5	10
		Female	301	347	484	516	637	591	624
		Total	347	401	525	550	688	713	680
C5	Complicated non-gonococcal/non-specific infection	Male (all)	52	72	71	87	79	80	71
		<i>homosexually acquired</i>	0	1	0	2	2	2	8
		Female	36	53	67	97	97	89	144
		Total	88	125	138	184	176	169	215
C6a	Trichomoniasis	Male (all)	1	3	4	8	1	2	5
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	30	21	30	32	25	25	35
		Total	31	24	34	40	26	27	40
C6b	Anaerobic/bacterial vaginosis & male infection	Male (all)	54	83	89	94	114	118	64
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	640	652	735	765	852	998	1,128
		Total	694	735	824	859	966	1,116	1,192
C6c	Other vaginosis/vaginitis/balanitis	Male (all)	56	22	90	92	100	181	257
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	34	37	42	34	54	72	75
		Total	90	59	132	126	154	253	332

TABLE 6 CONTINUED

Northern Ireland: new episodes and workload in GUM clinics, by sex: 1991-1995*

KC60 code	Condition		1991	1992	1993	1994	1995
Diagnoses							
C7a	Genital candidosis	Male (all)	461	488	611	765	686
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	657	575	883	906	931
		Total	1,118	1,063	1,494	1,671	1,617
C7b	Epidemiological treatment of C6 & C7	Male (all)	118	97	87	49	50
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	21	13	19	13	18
		Total	139	110	106	62	68
C8,C9	Scabies/pediculosis	Male (all)	121	107	110	126	152
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	46	49	42	36	47
		Total	167	156	152	162	199
C10a	Genital herpes simplex – first attack	Male (all)	43	40	39	39	55
		<i>homosexually acquired</i>	0	0	0	0	1
		Female	63	58	75	88	85
		Total	106	98	114	127	140
C10b	Genital herpes simplex – recurrence	Male (all)	23	26	22	34	27
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	18	18	32	41	47
		Total	41	44	54	75	74
C11a	Genital warts – first attack	Male (all)	670	658	746	710	761
		<i>homosexually acquired</i>	8	4	4	3	4
		Female	529	614	681	664	742
		Total	1,199	1,272	1,427	1,374	1,503
C11b	Genital warts - recurrence	Male (all)	232	321	471	287	348
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	129	147	473	165	221
		Total	361	468	944	452	569
C13a	Antigen positive viral hepatitis B	Male (all)	0	9	0	1	1
		<i>homosexually acquired</i>	0	4	0	0	0
		Female	0	0	0	0	0
		Total	0	9	0	1	1
C13b	Other viral hepatitis	Male (all)	0	0	0	2	1
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	0	0	0	0	1
		Total	0	0	0	2	2
E1a	Asymptomatic HIV infection – first presentation	Male (all)	6	3	10	3	9
		<i>homosexually acquired</i>	1	1	3	0	1
		Female	0	0	0	1	0
		Total	6	3	10	4	9
E1b	Asymptomatic HIV infection – subsequent presentation	Male (all)	0	1	71	89	78
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	2	1	29	21	17
		Total	2	2	100	110	95
E2	HIV infection with symptoms, not AIDS – first presentation	Male (all)	3	1	64	47	50
		<i>homosexually acquired</i>	2	0	10	8	15
		Female	0	0	11	9	8
		Total	3	1	75	56	58

TABLE 6 CONTINUED
Northern Ireland: new episodes and workload in GUM clinics, by sex: 1996-2002

KC60 code	Condition		1996	1997	1998	1999	2000	2001	2002
Diagnoses									
C7a	Genital candidosis	Male (all)	630	660	692	617	615	693	686
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	989	1,031	907	805	975	1,082	1,123
	Total	1,619	1,691	1,599	1,422	1,590	1,775	1,809	
C7b	Epidemiological treatment of C6 & C7	Male (all)	35	31	15	9	4	8	16
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	15	9	10	3	9	5	9
	Total	50	40	25	12	13	13	25	
C8,C9	Scabies/pediculosis pubis	Male (all)	162	152	174	145	147	118	170
		<i>homosexually acquired</i>	0	2	9	10	13	15	25
		Female	58	63	45	45	62	47	52
	Total	220	215	219	190	209	165	222	
C10a	Genital herpes simplex – first attack	Male (all)	64	73	61	73	108	93	79
		<i>homosexually acquired</i>	0	1	2	1	3	3	1
		Female	108	117	115	111	173	165	180
	Total	172	190	176	184	281	258	259	
C10b	Genital herpes simplex – recurrence	Male (all)	27	37	49	59	64	81	60
		<i>homosexually acquired</i>	0	0	2	0	2	4	6
		Female	58	56	60	69	66	95	78
	Total	85	93	109	128	130	176	138	
C11a	Genital warts – first attack	Male (all)	816	848	1,295	1,138	1,118	1,107	1,147
		<i>homosexually acquired</i>	13	12	21	13	22	28	28
		Female	771	853	831	892	999	1,023	1,029
	Total	1,587	1,701	2,126	2,030	2,117	2,130	2,176	
C11b	Genital warts – recurrence	Male (all)	389	345	1,188	817	635	460	462
		<i>homosexually acquired</i>	0	1	17	22	18	10	12
		Female	277	230	214	180	185	204	198
	Total	666	575	1,402	997	820	664	660	
C11c	Genital warts – re-registered cases†	Male (all)	0	2	52	52	67	107	121
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	0	31	22	26	30	45
	Total	0	2	83	74	93	137	166	
C12	Molluscum contagiosum	Male (all)	0	3	43	48	75	83	90
		<i>homosexually acquired</i>	0	0	0	1	1	5	5
		Female	0	2	23	37	52	36	47
	Total	0	5	66	85	127	119	137	
C13	Antigen positive viral hepatitis B	Male (all)	0	2	1	2	3	3	3
		<i>homosexually acquired</i>	0	0	0	0	0	1	0
		Female	2	0	0	1	1	1	1
	Total	2	2	1	3	4	4	4	
C14	Other viral hepatitis	Male (all)	0	0	3	2	4	3	1
		<i>homosexually acquired</i>	0	0	0	0	0	0	0
		Female	1	0	0	4	0	0	1
	Total	1	0	3	6	4	3	2	
E1a	Asymptomatic HIV infection – first presentation	Male (all)	9	10	8	5	5	8	9
		<i>homosexually acquired</i>	1	0	2	2	2	2	2
		Female	1	5	5	2	6	5	3
	Total	10	15	13	7	11	13	12	
E1b	Asymptomatic HIV infection – subsequent presentation	Male (all)	99	103	94	98	99	86	90
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	22	17	33	10	25	13	14
	Total	121	120	127	108	124	99	104	
E2a	HIV infection with symptoms, not AIDS – first presentation	Male (all)	39	26	8	7	11	5	2
		<i>homosexually acquired</i>	11	9	5	2	4	4	1
		Female	4	2	1	1	2	3	0
	Total	43	28	9	8	13	8	2	

TABLE 6 CONTINUED

Northern Ireland: new episodes and workload in GUM clinics, by sex: 1991-1995*

KC60 code	Condition		1991	1992	1993	1994	1995
Diagnoses							
E3	AIDS – first presentation	Male (all)	1	3	4	10	13
		<i>homosexually acquired</i>	0	1	1	1	4
		Female	0	0	0	1	2
		Total	1	3	4	11	15
Total diagnoses							
		Male (all)	3,419	3,363	4,094	3,970	3,732
		<i>homosexually acquired</i>	36	23	35	25	34
		Female	2,799	2,726	3,540	3,330	3,536
		Total	6,218	6,089	7,634	7,300	7,268
Workload							
D2	Other conditions requiring treatment	Male (all)	194	408	3,230	1,670	979
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	161	244	2,113	1,140	781
		Total	355	652	5,343	2,810	1,760
D3	Other episodes not requiring treatment	Male (all)	1,033	1,128	3,280	2,534	2,456
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	624	632	2,261	2,012	1,879
		Total	1,657	1,760	5,541	4,546	4,335

TABLE 6 CONTINUED
Northern Ireland: new episodes and workload in GUM clinics, by sex: 1996-2002

KC60 code	Condition		1996	1997	1998	1999	2000	2001	2002
Diagnoses									
E2b	HIV infection with symptoms, not AIDS – subsequent presentation	Male (all)	0	0	56	55	72	68	54
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	4	16	15	20	12	10
		Total	0	4	72	70	92	80	64
E3a	AIDS – first presentation	Male (all)	16	14	7	5	8	2	9
		<i>homosexually acquired</i>	3	7	2	2	5	1	7
		Female	0	0	0	0	0	2	1
		Total	16	14	7	5	8	4	10
E3b	AIDS – subsequent presentation	Male (all)	0	15	146	138	113	136	128
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	9	41	46	38	46	25
		Total	0	24	187	184	151	182	153
Total diagnoses									
	Male (all)		3,833	4,027	6,249	5,933	6,141	6,048	6,186
	<i>homosexually acquired</i>		48	55	120	125	167	218	264
	Female		3,745	3,917	4,112	4,241	5,031	5,252	5,682
	Total		7,578	7,944	10,361	10,174	11,172	11,300	11,868
Workload									
D2a	Urinary tract infection	Male (all)	0	0	31	33	43	58	43
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	4	57	67	95	71	84
		Total	0	4	88	100	138	129	127
D2b	Other conditions requiring treatment at GUM clinic	Male (all)	892	2,575	1,148	552	700	726	786
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	897	3,118	1,146	353	492	452	494
		Total	1,789	5,693	2,294	905	1,192	1,178	1,280
D3	Other episodes not requiring treatment	Male (all)	2,305	1,787	1,787	1,908	1,932	2,430	2,959
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	1,994	1,690	1,518	1,417	1,513	1,987	2,210
		Total	4,299	3,477	3,305	3,325	3,445	4,417	5,169
P1a	HIV antibody counselling - with testing	Male (all)	0	74	484	523	650	718	893
		<i>homosexually acquired</i>	0	0	51	41	65	107	147
		Female	0	50	339	351	397	549	545
		Total	0	124	823	874	1,047	1,267	1,438
P1b	HIV antibody counselling - without testing	Male (all)	0	7	100	113	162	230	152
		<i>homosexually acquired</i>	0	0	14	10	25	43	24
		Female	0	2	75	77	94	100	81
		Total	0	9	175	190	256	330	233
P2	Hepatitis B vaccination	Male (all)	0	3	129	137	171	273	295
		<i>homosexually acquired</i>	0	0	38	31	61	125	140
		Female	0	0	18	13	20	41	19
		Total	0	3	147	150	191	314	314
P3	Family Planning	Male (all)	0	1	7	2	3	8	7
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	7	97	93	96	152	81
		Total	0	8	104	95	99	160	88
P4a	Cervical cytology - minor abnormality	Male (all)	-	-	-	-	-	-	-
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	11	374	303	163	98	100
		Total	0	11	374	303	163	98	100
P4b	Cervical cytology - major abnormality	Male (all)	-	-	-	-	-	-	-
		<i>homosexually acquired</i>	-	-	-	-	-	-	-
		Female	0	5	15	9	2	1	2
		Total	0	5	15	9	2	1	2

TABLE 6 CONTINUED

Northern Ireland: new episodes and workload in GUM clinics, by sex: 1991-1995*

KC60 code	Condition	1991	1992	1993	1994	1995	
Workload							
D4	Other conditions referred elsewhere	Male (all)	38	43	75	55	74
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	204	104	99	108	78
		Total	242	147	174	163	152
<hr/>							
Total workload		Male (all)	1,265	1,579	6,585	4,259	3,509
		<i>homosexually acquired</i>	-	-	-	-	-
		Female	989	980	4,473	3,260	2,738
		Total	2,254	2,559	11,058	7,519	6,247
<hr/>							
Total diagnoses and workload		Male (all)	4,684	4,942	10,679	8,229	7,241
		<i>homosexually acquired</i>	36	23	35	25	34
		Female	3,788	3,706	8,013	6,590	6,274
		Total	8,472	8,648	18,692	14,819	13,515

TABLE 6 CONTINUED
Northern Ireland: new episodes and workload in GUM clinics, by sex: 1996-2002

KC60 code	Condition	1996	1997	1998	1999	2000	2001	2002
Workload								
Total workload	Male (all)	3,197	4,447	3,686	3,268	3,661	4,443	5,135
	<i>homosexually acquired</i>	0	0	103	82	151	275	311
	Female	2,891	4,887	3,639	2,683	2,872	3,451	3,616
	Total	6,088	9,334	7,325	5,951	6,533	7,894	8,751
Total diagnoses and workload	Male (all)	7,030	8,474	9,935	9,201	9,802	10,491	11,321
	<i>homosexually acquired</i>	48	55	223	207	318	493	575
	Female	6,636	8,804	7,751	6,924	7,903	8,703	9,298
	Total	13,666	17,278	17,686	16,125	17,705	19,194	20,619

Source: CDSC (Northern Ireland)

- data not available/applicable

B1.4c (gonococcal and chlamydial complications), 2 cases in females in 1995 - no equivalent code.

D4 (other conditions referred elsewhere), 74 males cases, 78 females cases in 1995 - no equivalent code

data for 1991 - 1994 are only available in financial years

† previous diagnosis of C11a or C11b treated for more than 3 months

TABLE 7
United Kingdom: new episodes of selected diagnoses in GUM clinic by sex and region: 1996 - 2002

		Primary and secondary infections syphilis							Uncomplicated gonorrhoea								
		1996	1997	1998	1999	2000	2001	2002	1996	1997	1998	1999	2000	2001	2002	1996	1997
East Midlands	Male	5	0	3	4	4	15	20	632	560	485	652	761	860	971	970	1363
	<i>homosexually acquired</i>	0	0	0	0	1	5	8	54	60	39	29	74	98	76	7	12
	Female	0	1	1	1	2	2	3	489	399	351	387	412	461	513	1817	2311
	Total	5	1	4	5	6	17	23	1121	959	836	1039	1173	1321	1484	2787	3674
Eastern	Male	3	3	4	18	13	16	27	278	316	364	442	583	643	653	1011	1066
	<i>homosexually acquired</i>	0	0	0	5	2	9	12	41	62	77	67	83	107	98	18	12
	Female	0	1	3	7	18	3	9	138	197	204	280	313	358	388	1502	1878
	Total	3	4	7	25	31	19	36	416	513	568	722	896	1001	1041	2513	2944
London	Male	30	43	34	62	99	299	572	3835	3959	4132	5012	6393	6765	7142	3556	4189
	<i>homosexually acquired</i>	10	13	11	25	45	178	328	1053	1053	996	1113	1558	1879	1668	153	190
	Female	14	15	20	19	30	52	76	1711	1633	1759	1983	2690	2740	3060	4865	5527
	Total	44	58	54	81	129	351	648	5546	5592	5891	6995	9083	9505	10202	8421	9716
North East	Male	2	6	7	4	3	2	17	148	213	285	387	415	371	527	726	742
	<i>homosexually acquired</i>	0	0	2	1	1	1	16	35	57	56	35	103	74	134	4	8
	Female	0	0	0	1	0	2	0	53	74	124	229	178	174	217	932	1227
	Total	2	6	7	5	3	4	17	201	287	409	616	593	545	744	1658	1969
North West	Male	17	8	6	29	66	172	207	797	910	1009	1389	1889	1981	2030	1667	2098
	<i>homosexually acquired</i>	3	2	1	12	47	113	151	163	165	197	208	337	411	495	18	41
	Female	9	4	7	13	8	10	14	352	382	428	628	718	756	776	2115	2806
	Total	26	12	13	42	74	182	221	1149	1292	1437	2017	2607	2737	2806	3782	4904
South East	Male	14	7	18	19	33	36	83	522	572	593	714	1166	1384	1465	1618	1770
	<i>homosexually acquired</i>	4	1	6	3	14	15	47	132	152	123	160	339	462	366	24	43
	Female	6	4	6	9	12	7	16	216	231	298	277	427	493	546	2030	2483
	Total	20	11	24	28	45	43	99	738	803	891	991	1593	1877	2011	3648	4253
South West	Male	6	25	4	8	8	10	32	320	398	357	498	700	808	1051	1244	1343
	<i>homosexually acquired</i>	2	1	1	1	3	6	16	54	76	50	63	135	143	154	12	10
	Female	2	19	6	3	1	3	3	162	212	195	240	300	310	385	1265	1534
	Total	8	44	10	11	9	13	35	482	610	552	738	1000	1118	1436	2509	2877
West Midlands	Male	1	3	6	1	9	40	51	849	887	659	1001	1472	1838	1720	1522	1643
	<i>homosexually acquired</i>	1	1	2	0	3	14	22	68	79	60	70	135	162	165	21	27
	Female	0	3	1	1	1	14	5	549	491	412	524	742	952	859	1448	1983
	Total	1	6	7	2	10	54	56	1398	1378	1071	1525	2214	2790	2579	2970	3626
Yorkshire & Humbersid	Male	6	3	5	11	12	28	53	530	603	562	582	911	1016	1421	1632	1966
	<i>homosexually acquired</i>	0	0	0	5	3	10	16	83	75	79	67	103	118	146	18	10
	Female	1	2	0	1	3	6	11	307	362	318	332	445	503	673	2552	2910
	Total	7	5	5	12	15	34	64	837	965	880	914	1356	1519	2094	4184	4876
England Total	Male	84	98	87	156	247	618	1062	7911	8418	8446	10677	14290	15666	16980	13946	16180
	<i>homosexually acquired</i>	20	18	23	52	119	351	616	1683	1779	1677	1812	2867	3454	3302	275	353
	Female	32	49	44	55	75	99	137	3977	3981	4089	4880	6225	6747	7417	18526	22659
	Total	116	147	131	211	322	717	1199	11888	12399	12535	15557	20515	22413	24397	32472	38839
Scotland*	Male	7	6	2	6	12	-	-	336	333	281	366	527	-	-	818	925
	<i>homosexually acquired</i>	0	0	0	1	7	-	-	149	149	98	117	201	-	-	29	29
	Female	8	5	5	2	3	-	-	104	77	102	137	161	-	-	888	1162
	Total	15	11	7	8	15	-	-	440	410	383	503	688	-	-	1706	2087
Wales*	Male	2	2	1	3	5	6	13	140	147	151	204	316	300	303	547	526
	<i>homosexually acquired</i>	0	1	0	0	4	3	10	22	24	15	24	61	74	58	3	3
	Female	2	1	0	0	0	2	0	68	61	82	103	157	131	141	603	664
	Total	4	3	1	3	5	8	13	208	208	233	307	473	431	444	1150	1190
Northern Ireland	Male	1	1	0	1	0	9	20	37	37	52	91	119	127	106	264	279
	<i>homosexually acquired</i>	0	0	0	0	0	8	9	1	1	6	6	11	23	12	3	1
	Female	1	0	0	0	0	2	0	7	12	9	19	24	21	11	250	275
	Total	2	1	0	1	0	11	20	44	49	61	110	143	148	117	514	554
United Kingdom	Male	94	107	90	166	264	-	-	8424	8935	8930	11338	15252	-	-	15575	17910
	<i>homosexually acquired</i>	20	19	23	53	130	-	-	1855	1953	1796	1959	3140	-	-	310	386
	Female	43	55	49	57	78	-	-	4156	4131	4282	5139	6567	-	-	20267	24760
	Total	137	162	139	223	342	-	-	12580	13066	13212	16477	21819	-	-	35842	42670

TABLE 7

United Kingdom: new episodes of selected diagnoses in GUM clinic by sex and region: 1996 - 2002

Uncomplicated genital chlamydial infection					Genital herpes simplex virus (first attack)								Genital warts (first attack)					
1998	1999	2000	2001	2002	1996	1997	1998	1999	2000	2001	2002	1996	1997	1998	1999	2000	2001	2002
1449	1530	2152	2148	2353	376	411	449	375	359	340	368	1860	2137	2180	2082	2239	2237	2209
8	9	15	28	25	11	18	9	7	8	9	15	46	63	39	37	32	70	50
2292	2259	3010	3174	3598	707	706	777	724	613	666	720	1997	2240	2133	1926	2167	2071	1926
3741	3789	5162	5322	5951	1083	1117	1226	1099	972	1006	1088	3857	4377	4313	4008	4406	4308	4135
1406	1644	1990	2060	2377	475	465	533	575	573	597	579	2418	2821	2744	3032	2944	3100	3126
9	25	30	31	49	11	12	14	20	9	14	21	48	60	57	64	75	81	97
2214	2576	2904	3471	4093	868	915	937	1020	998	1080	1045	2540	2684	2593	2818	2733	2898	2884
3620	4220	4894	5531	6470	1343	1380	1470	1595	1571	1677	1624	4958	5505	5337	5850	5677	5998	6010
4906	5520	7236	8594	9474	1786	1703	1808	1795	1861	1937	1998	5770	6216	6489	6726	6474	6666	7279
214	310	534	844	759	229	192	164	219	218	246	282	740	784	837	845	819	888	991
6141	6710	8321	9364	10039	2619	2645	2654	2681	2747	2828	2878	5276	5066	5382	5553	5305	5593	5826
11047	12230	15557	17958	19513	4405	4348	4462	4476	4608	4765	4876	11046	11282	11871	12279	11779	12259	13105
714	807	861	852	1029	138	130	120	169	189	169	154	1478	1642	1595	1737	1672	1613	1713
8	15	16	21	23	5	6	3	4	9	6	8	32	35	54	49	66	57	53
1110	1452	1469	1502	1734	245	248	241	290	342	295	326	1492	1583	1557	1586	1591	1555	1637
1824	2259	2330	2354	2763	383	378	361	459	531	464	480	2970	3225	3152	3323	3263	3168	3350
2393	3190	3753	4005	4944	556	570	612	625	635	708	690	3873	4377	4517	4769	4668	4858	4915
86	120	191	198	252	21	18	25	20	42	32	52	106	152	157	173	192	213	236
3257	4385	5081	5844	6645	968	993	990	1058	1078	1249	1207	3896	4151	4137	4323	4167	4253	4128
5650	7575	8834	9849	11589	1524	1563	1602	1683	1713	1957	1897	7769	8528	8654	9092	8835	9111	9043
2582	2704	3235	3269	3941	949	903	1035	905	945	966	950	4143	4536	4684	4729	5165	5170	5506
63	55	67	85	123	54	49	48	35	53	40	48	117	167	164	155	237	187	246
2852	3698	4509	4367	5166	1612	1507	1490	1519	1551	1532	1673	4305	4447	4508	4659	4587	4559	4825
5434	6402	7744	7636	9107	2561	2410	2525	2424	2496	2498	2623	8448	8983	9192	9388	9752	9729	10331
1524	1830	2239	2314	2529	470	413	528	577	571	615	600	2337	2764	2778	2834	2923	3075	3134
23	28	43	58	62	19	17	22	13	17	27	14	77	94	93	90	97	113	91
1853	2044	2577	2799	2987	715	693	803	868	947	972	949	2584	2774	2803	2759	2789	2888	3011
3377	3874	4816	5113	5516	1185	1106	1331	1445	1518	1587	1549	4921	5538	5581	5593	5712	5963	6145
1741	2092	2549	3070	3460	548	512	497	473	522	614	615	2388	2650	2595	2700	2892	2884	2853
19	27	32	57	69	21	10	9	8	17	16	16	57	71	64	73	82	87	101
2121	2594	3202	3574	4055	860	895	879	813	844	987	1111	2529	2616	2536	2494	2526	2772	2583
3862	4686	5751	6644	7515	1408	1407	1376	1286	1366	1601	1726	4917	5266	5131	5194	5418	5656	5436
2222	2491	2617	3290	4234	457	490	558	545	535	561	572	2846	3096	3200	3299	3090	3216	3271
24	32	34	44	62	13	12	7	12	11	9	22	67	46	36	79	73	76	99
3135	3478	3742	4549	5479	859	880	904	879	856	966	1081	2964	2911	3250	3204	2846	3188	3172
5357	5969	6359	7839	9713	1316	1370	1462	1424	1391	1527	1653	5810	6007	6450	6503	5936	6404	6443
18937	21808	26632	29602	34341	5755	5597	6140	6039	6190	6507	6526	27113	30239	30782	31908	32067	32819	34006
454	621	962	1366	1424	384	334	301	338	384	399	478	1290	1472	1501	1565	1673	1772	1964
24975	29196	34815	38644	43796	9453	9482	9675	9852	9976	10575	10990	27583	28472	28899	29322	28711	29777	29992
43912	51004	61447	68246	78137	15208	15079	15815	15891	16166	17082	17516	54696	58711	59681	61230	60778	62596	63998
1172	1511	1774	-	-	356	338	332	366	354	-	-	2526	2853	2853	2839	2880	-	-
35	48	88	-	-	29	18	24	27	37	-	-	143	137	124	140	129	-	-
1404	1759	1840	-	-	543	513	495	574	544	-	-	2453	2496	2515	2565	2414	-	-
2576	3270	3614	-	-	899	851	827	940	898	-	-	4979	5349	5368	5404	5294	-	-
603	738	988	1124	1177	219	200	155	190	175	202	215	1490	1592	1593	1670	1662	1744	1752
8	6	20	34	31	9	2	-	5	13	10	10	25	15	22	30	34	49	55
980	1247	1402	1640	1722	316	297	275	316	322	340	389	1443	1550	1525	1509	1587	1594	1523
1583	1985	2390	2764	2899	535	497	430	506	497	542	604	2933	3142	3118	3179	3249	3338	3275
356	416	480	473	548	64	73	61	73	108	93	79	816	848	1295	1138	1118	1107	1147
4	6	8	13	10	-	1	2	1	3	3	1	13	12	21	13	22	28	28
304	378	483	474	622	108	117	115	111	173	165	180	771	853	831	892	999	1023	1029
660	794	963	947	1170	172	190	176	184	281	258	259	1587	1701	2126	2030	2117	2130	2176
21068	24473	29874	-	-	6394	6208	6688	6668	6827	-	-	31945	35532	36523	37555	37727	-	-
501	681	1078	-	-	422	355	327	371	437	-	-	1471	1636	1668	1748	1858	-	-
27663	32580	38540	-	-	10420	10409	10560	10853	11015	-	-	32250	33371	33770	34288	33711	-	-
48731	57053	68414	-	-	16814	16617	17248	17521	17842	-	-	64195	68903	70293	71843	71438	-	-

* Scotland data for 2001 and 2002 not available

There is a small shortfall in data for 2000 for Scotland due to problems in data collection in a number of health board areas

- data not available/applicable

TABLE 8
Age distribution of selected diagnoses in GUM clinics, by sex and country: England, Wales and N. Ireland*, 2002

Condition	Sex	Country	Age Group									Total	
			<15	15	16-19	20-24	25-34	35-44	45-64	>65	Unknown		
A1,A2 Primary and secondary syphilis	Male	England	1	0	26	97	380	375	165	10	8	1,062	
		Wales	0	0	2	1	1	8	1	0	0	13	
		Northern Ireland	0	0	1	3	1	5	9	0	1	20	
			Total	1	0	29	101	382	388	175	10	9	1,095
	Female	England	1	1	17	33	53	21	7	3	1	137	
		Wales	0	0	0	0	0	0	0	0	0	0	
		Northern Ireland	0	0	0	0	0	0	0	0	0	0	
		Total	1	1	17	33	53	21	7	3	1	137	
B1,B2 Uncomplicated gonorrhoea	Male	England	15	51	2,186	4,667	5,838	2,969	1,035	47	172	16,980	
		Wales	0	1	46	79	103	51	21	2	0	303	
		Northern Ireland	0	0	7	36	45	14	4	0	0	106	
			Total	15	52	2,239	4,782	5,986	3,034	1,060	49	172	17,389
	<i>homosexually acquired</i>	England	0	3	167	591	1,307	852	234	5	143	3,302	
		Wales	0	0	0	15	25	15	3	0	0	58	
		Northern Ireland	0	0	1	3	4	3	1	0	0	12	
		Total	0	3	168	609	1,336	870	238	5	143	3,372	
	Female	England	80	192	2,733	2,202	1,485	544	110	7	64	7,417	
		Wales	5	2	46	47	24	13	3	0	1	141	
		Northern Ireland	2	0	0	3	6	0	0	0	0	11	
		Total	87	194	2,779	2,252	1,515	557	113	7	65	7,569	
C4a,C4c Uncomplicated genital chlamydia	Male	England	25	72	5,084	12,888	11,571	3,612	916	44	129	34,341	
		Wales	1	0	184	480	349	119	39	3	2	1,177	
		Northern Ireland	0	0	44	228	209	58	9	0	0	548	
		Total	26	72	5,312	13,596	12,129	3,789	964	47	131	36,066	
	Female	England	220	798	15,012	16,505	8,834	1,941	359	15	112	43,796	
		Wales	18	27	567	681	329	80	15	0	5	1,722	
		Northern Ireland	0	7	136	304	147	24	4	0	0	622	
		Total	238	832	15,715	17,490	9,310	2,045	378	15	117	46,140	
C10a Anogenital herpes - first attack	Male	England	3	5	382	1,422	2,507	1,443	679	54	31	6,526	
		Wales	0	0	20	51	77	37	25	4	1	215	
		Northern Ireland	0	0	3	20	35	16	5	0	0	79	
		Total	3	5	405	1,493	2,619	1,496	709	58	32	6,820	
	Female	England	35	103	1,943	3,178	3,483	1,485	697	21	45	10,990	
		Wales	4	3	82	111	110	50	27	0	2	389	
		Northern Ireland	1	4	37	54	48	22	14	0	0	180	
		Total	40	110	2,062	3,343	3,641	1,557	738	21	47	11,559	
C11a Anogenital warts - first attack	Male	England	28	36	3,111	11,458	12,553	4,739	1,800	137	144	34,006	
		Wales	1	1	192	651	630	166	95	9	7	1,752	
		Northern Ireland	0	1	84	409	458	138	51	6	0	1,147	
		Total	29	38	3,387	12,518	13,641	5,043	1,946	152	151	36,905	
	Female	England	128	359	8,169	10,032	7,691	2,466	1,001	47	99	29,992	
		Wales	6	17	454	537	321	127	53	1	7	1,523	
		Northern Ireland	1	4	243	357	298	95	28	3	0	1,029	
		Total	135	380	8,866	10,926	8,310	2,688	1,082	51	106	32,544	

* Data unavailable for Scotland for 2002