



**HIV-diagnosed persons seen for HIV care**

**Survey of Prevalent HIV Infections Diagnosed  
(SOPHID)**

South West England data tables

## Table Index

### South West England SHA tables

<b><u>Table 1:</u></b>	HIV-diagnosed persons resident in South West England by exposure category: 2001-2010
<b><u>Table 2:</u></b>	HIV-diagnosed persons resident in South West England by ethnic group: 2001-2010
<b><u>Table 3:</u></b>	HIV-diagnosed persons resident in South West England by age-group and sex: 2001-2010
<b><u>Table 4:</u></b>	HIV-diagnosed persons resident in South West England by antiretroviral therapy and CD4 count: 2001-2010

**SOPHID Table 1: HIV-diagnosed persons resident in South West England SHA by exposure category.<sup>1</sup>**

Exposure category <sup>2</sup>	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>Sex between men<sup>3</sup></b>	512	566	650	744	881	975	1,086	1,170	1,309	1,425
<b>Injecting drug use</b>	42	43	51	54	74	70	79	80	83	83
<b>Sex between men &amp; women</b>	307	395	528	658	815	965	1,085	1,222	1,285	1,336
<b>Blood/blood products recipient</b>	17	19	20	20	18	22	24	21	21	24
<b>Mother-to-child transmission</b>	17	21	27	31	38	38	43	50	46	54
<b>Other/not known</b>	3	5	6	7	12	22	31	32	59	79
<b>Total</b>	<b>898</b>	<b>1,049</b>	<b>1,282</b>	<b>1,514</b>	<b>1,838</b>	<b>2,092</b>	<b>2,348</b>	<b>2,575</b>	<b>2,803</b>	<b>3,001</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Persons with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

<sup>3</sup> Including those who also injected drugs.

**SOPHID Table 2: HIV-diagnosed persons resident in South West England SHA by ethnic group.<sup>1</sup>**

Ethnic group <sup>2</sup>	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>White</b>	755	834	949	1,081	1,280	1,437	1,608	1,737	1,938	2,078
<b>Black-Caribbean</b>	11	15	22	27	25	36	40	47	44	43
<b>Black-African</b>	88	151	248	326	431	497	558	634	651	670
<b>Black-other/Black-unspecified</b>	1	1	4	5	7	9	7	10	12	21
<b>Indian/Pakistani/Bangladeshi</b>	4	2	3	6	10	11	14	14	14	17
<b>Other/mixed</b>	27	32	38	50	58	73	83	92	95	104
<b>Other Asian/Oriental</b>	12	14	17	19	27	29	32	36	45	49
<b>Not known</b>	0	0	1	0	0	0	6	5	4	19
<b>Total</b>	<b>898</b>	<b>1,049</b>	<b>1,282</b>	<b>1,514</b>	<b>1,838</b>	<b>2,092</b>	<b>2,348</b>	<b>2,575</b>	<b>2,803</b>	<b>3,001</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Persons with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

SOPHID Table 3: HIV-diagnosed persons resident in South West England SHA by age-group and sex.<sup>1</sup>

Age-group (yrs) <sup>2,3</sup>	Year of survey										
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	
<1	Boys	1	1	0	0	0	0	0	0	0	0
	Girls	0	0	1	1	0	0	0	0	0	0
	<b>Sub total</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1-14	Boys	6	7	9	10	17	16	17	17	15	20
	Girls	9	12	16	17	18	18	18	17	16	16
	<b>Sub total</b>	<b>15</b>	<b>19</b>	<b>25</b>	<b>27</b>	<b>35</b>	<b>34</b>	<b>35</b>	<b>34</b>	<b>31</b>	<b>36</b>
15-24	Men	24	21	30	39	53	67	60	56	58	55
	Women	10	18	23	27	36	44	45	55	45	40
	<b>Sub total</b>	<b>34</b>	<b>39</b>	<b>53</b>	<b>66</b>	<b>89</b>	<b>111</b>	<b>105</b>	<b>111</b>	<b>103</b>	<b>95</b>
25-29	Men	46	46	58	76	86	88	107	127	127	121
	Women	30	40	55	73	92	85	93	82	78	73
	<b>Sub total</b>	<b>76</b>	<b>86</b>	<b>113</b>	<b>149</b>	<b>178</b>	<b>173</b>	<b>200</b>	<b>209</b>	<b>205</b>	<b>194</b>
30-34	Men	114	126	144	149	161	185	178	166	179	194
	Women	37	57	88	91	108	124	143	171	167	156
	<b>Sub total</b>	<b>151</b>	<b>183</b>	<b>232</b>	<b>240</b>	<b>269</b>	<b>309</b>	<b>321</b>	<b>337</b>	<b>346</b>	<b>350</b>
35-39	Men	159	186	201	223	249	247	268	258	282	295
	Women	37	46	53	82	105	123	144	179	188	187
	<b>Sub total</b>	<b>196</b>	<b>232</b>	<b>254</b>	<b>305</b>	<b>354</b>	<b>370</b>	<b>412</b>	<b>437</b>	<b>470</b>	<b>482</b>
40-44	Men	135	152	180	218	271	301	317	341	377	378
	Women	17	22	36	48	64	80	98	112	135	157
	<b>Sub total</b>	<b>152</b>	<b>174</b>	<b>216</b>	<b>266</b>	<b>335</b>	<b>381</b>	<b>415</b>	<b>453</b>	<b>512</b>	<b>535</b>
45-49	Men	98	108	127	148	177	220	283	316	340	396
	Women	10	16	18	20	33	43	50	72	88	92
	<b>Sub total</b>	<b>108</b>	<b>124</b>	<b>145</b>	<b>168</b>	<b>210</b>	<b>263</b>	<b>333</b>	<b>388</b>	<b>428</b>	<b>488</b>
50-54	Men	57	62	81	96	124	159	177	192	224	255
	Women	8	10	15	22	25	34	38	39	40	60
	<b>Sub total</b>	<b>65</b>	<b>72</b>	<b>96</b>	<b>118</b>	<b>149</b>	<b>193</b>	<b>215</b>	<b>231</b>	<b>264</b>	<b>315</b>
55-59	Men	55	66	78	78	92	104	126	131	150	174
	Women	4	2	6	9	13	21	24	37	43	40
	<b>Sub total</b>	<b>59</b>	<b>68</b>	<b>84</b>	<b>87</b>	<b>105</b>	<b>125</b>	<b>150</b>	<b>168</b>	<b>193</b>	<b>214</b>
60+	Men	39	48	59	80	104	123	147	185	225	257
	Women	2	2	4	7	10	10	15	22	26	35
	<b>Sub total</b>	<b>41</b>	<b>50</b>	<b>63</b>	<b>87</b>	<b>114</b>	<b>133</b>	<b>162</b>	<b>207</b>	<b>251</b>	<b>292</b>
Age not reported	0	1	0	0	0	0	0	0	0	0	
<b>Total</b>	<b>898</b>	<b>1,049</b>	<b>1,282</b>	<b>1,514</b>	<b>1,838</b>	<b>2,092</b>	<b>2,348</b>	<b>2,575</b>	<b>2,803</b>	<b>3,001</b>	

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Persons with missing fields (e.g. ethnicity/age-group) may have been assigned values based on subsequent years data.

<sup>3</sup> Totals may include those with sex not reported.

**SOPHID Table 4: HIV-diagnosed persons resident in South West England SHA by antiretroviral therapy and CD4 count.<sup>1</sup>**

Level of antiretroviral therapy and CD4 count/mm <sup>3</sup>	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>No antiretroviral therapy</b>										
<i>0-100</i>	11	10	13	17	11	5	13	10	8	13
<i>101-200</i>	7	15	13	40	18	14	19	18	15	8
<i>201-350</i>	50	49	74	128	122	133	128	98	60	61
<i>351-500</i>	62	62	105	130	145	176	201	162	171	172
<i>&gt;500</i>	94	85	133	162	220	234	216	232	237	232
<i>Not reported</i>	45	30	37	12	20	11	18	24	40	17
<b>Sub total</b>	<b>269</b>	<b>251</b>	<b>375</b>	<b>489</b>	<b>536</b>	<b>573</b>	<b>595</b>	<b>544</b>	<b>531</b>	<b>503</b>
<b>Receiving antiretroviral therapy</b>										
<i>0-100</i>	35	32	54	33	44	50	53	53	43	52
<i>101-200</i>	80	88	117	121	102	119	136	132	133	115
<i>201-350</i>	158	164	226	259	320	334	353	379	361	352
<i>351-500</i>	127	152	188	245	330	378	433	477	539	644
<i>&gt;500</i>	191	220	288	355	498	619	739	951	1,096	1,273
<i>Not reported</i>	28	28	33	10	7	12	19	26	83	49
<b>Sub total</b>	<b>619</b>	<b>684</b>	<b>906</b>	<b>1,023</b>	<b>1,301</b>	<b>1,512</b>	<b>1,733</b>	<b>2,018</b>	<b>2,255</b>	<b>2,485</b>
<b>Not reported</b>										
<i>0-100</i>	0	9	1	0	0	0	2	1	1	0
<i>101-200</i>	0	10	0	0	0	0	0	1	1	1
<i>201-350</i>	1	31	0	0	0	3	2	2	4	1
<i>351-500</i>	0	21	0	0	1	3	3	3	2	4
<i>&gt;500</i>	2	26	0	0	0	1	9	5	6	6
<i>Not reported</i>	7	17	0	2	0	0	4	1	3	1
<b>Sub total</b>	<b>10</b>	<b>114</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>7</b>	<b>20</b>	<b>13</b>	<b>17</b>	<b>13</b>
<b>Total</b>	<b>898</b>	<b>1,049</b>	<b>1,282</b>	<b>1,514</b>	<b>1,838</b>	<b>2,092</b>	<b>2,348</b>	<b>2,575</b>	<b>2,803</b>	<b>3,001</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.