



**HIV-diagnosed persons seen for HIV care**

**Survey of Prevalent HIV Infections Diagnosed  
(SOPHID)**

Young adults data tables

## Table index

### Young adults tables

- Table 1:** HIV-diagnosed young adults seen for HIV care by area of residence, United Kingdom: 2001-2010.
- Table 2:** HIV-diagnosed young adults seen for HIV care by exposure category, United Kingdom: 2001-2010.
- Table 3:** HIV-diagnosed young adults seen for HIV care by ethnic group, United Kingdom: 2001-2010.
- Table 4:** HIV-diagnosed young adults seen for HIV care by age, United Kingdom: 2001-2010.
- Table 5:** HIV-diagnosed young adults seen for HIV care by antiretroviral therapy, United Kingdom: 2001-2010.

**SOPHID Table 1: HIV-diagnosed young adults (16-24 years) seen for HIV care by area of residence, UK: 2001-2010.<sup>1</sup>**

Country and SHA of residence	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>England</b>										
East Midlands	44	65	75	87	117	112	104	91	86	111
East of England	62	79	104	111	132	142	146	130	124	144
London	471	580	635	700	759	832	888	931	932	987
North East	14	25	40	41	57	54	52	44	51	48
North West	77	121	158	174	203	230	242	253	244	229
South Central	51	86	106	97	108	119	128	123	123	137
South East Coast	45	66	76	98	109	122	127	127	138	134
South West	33	38	52	65	87	111	103	106	101	95
West Midlands	50	72	106	147	178	166	144	147	150	144
Yorkshire and The Humber	31	53	77	81	104	117	97	132	137	129
<b>England Total<sup>2</sup></b>	<b>878</b>	<b>1,188</b>	<b>1,431</b>	<b>1,601</b>	<b>1,855</b>	<b>2,005</b>	<b>2,034</b>	<b>2,084</b>	<b>2,086</b>	<b>2,158</b>
<b>Wales</b>	22	21	31	33	37	53	60	51	43	57
<b>Northern Ireland</b>	0	4	5	14	18	18	17	24	21	22
<b>Scotland</b>	45	53	66	90	101	104	112	89	88	89
<b>British Isles other<sup>3</sup></b>	0	0	0	0	0	0	1	0	0	0
<i>No fixed abode<sup>4</sup></i>	-	-	-	-	-	1	0	0	1	2
<i>Not reported</i>	39	39	29	36	31	27	13	33	20	20
<i>Abroad</i>	1	0	0	2	2	1	1	1	1	5
<b>Total</b>	<b>985</b>	<b>1,305</b>	<b>1,562</b>	<b>1,776</b>	<b>2,044</b>	<b>2,209</b>	<b>2,238</b>	<b>2,282</b>	<b>2,260</b>	<b>2,353</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Total includes HIV-diagnosed persons whose SHA/HB of residence was not known.

<sup>3</sup> British Isles other includes anywhere in the British Isles which is not listed in this table.

<sup>4</sup> The code for "No fixed abode" was introduced in 2006.

**SOPHID Table 2: HIV-diagnosed young adults (16-24 years) seen for HIV care by exposure category, UK: 2001-2010.** <sup>1</sup>

Exposure category <sup>2</sup>	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Sex between men <sup>3</sup>	324	378	434	456	577	676	741	735	735	776
Injecting drug use	30	30	38	33	29	28	23	26	27	14
Sex between men & women	535	778	979	1,149	1,250	1,263	1,168	1,084	975	886
Blood/blood products recipient	47	43	33	29	34	28	20	16	14	16
Mother-to-child transmission	25	38	57	85	120	178	233	333	405	529
Other/Not known	24	38	21	24	34	36	53	88	104	132
<b>Total</b>	<b>985</b>	<b>1,305</b>	<b>1,562</b>	<b>1,776</b>	<b>2,044</b>	<b>2,209</b>	<b>2,238</b>	<b>2,282</b>	<b>2,260</b>	<b>2,353</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Persons with missing fields (e.g. ethnicity/age-group) may have been assigned values based on data from subsequent years.

<sup>3</sup> Includes those who also injected drugs.

**SOPHID Table 3: HIV-diagnosed young adults (16-24 years) seen for HIV care by ethnic group, UK: 2001-2010.<sup>1</sup>**

Ethnic group <sup>2</sup>	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>White</b>	406	482	550	614	742	948	989	1,021	1,024	1,044
<b>Black-Caribbean</b>	50	78	100	98	102	104	107	117	102	104
<b>Black-African</b>	380	559	712	817	915	924	876	859	837	884
<b>Black-Other/ Black unspecified</b>	29	34	46	54	53	61	61	71	82	77
<b>Indian/Pakistani/Bangladeshi</b>	19	23	19	27	20	27	25	29	26	30
<b>Other/mixed</b>	39	59	62	81	103	104	122	122	128	142
<b>Other Asian/Oriental</b>	13	17	19	23	35	31	37	28	32	33
<b>Not Known</b>	49	53	54	62	74	10	21	35	29	39
<b>Total</b>	<b>985</b>	<b>1,305</b>	<b>1,562</b>	<b>1,776</b>	<b>2,044</b>	<b>2,209</b>	<b>2,238</b>	<b>2,282</b>	<b>2,260</b>	<b>2,353</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Persons with missing fields (e.g. ethnicity/age-group) may have been assigned values based on data from subsequent years.

**SOPHID Table 4: HIV-diagnosed young adults (16-24 years) seen for HIV care by age group and sex, UK: 2001-2010<sup>1</sup>.**

Age group <sup>2</sup>		Year of survey									
		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>16-19</b>	<i>Men</i>	58	56	82	100	119	146	156	208	216	253
	<i>Women</i>	82	130	159	200	234	261	255	266	244	290
	<b>Sub total<sup>3</sup></b>	<b>140</b>	<b>186</b>	<b>241</b>	<b>300</b>	<b>353</b>	<b>407</b>	<b>411</b>	<b>474</b>	<b>460</b>	<b>543</b>
<b>20-24</b>	<i>Men</i>	438	537	584	625	747	864	919	923	956	1,013
	<i>Women</i>	407	582	737	851	944	938	908	885	844	797
	<b>Sub total<sup>3</sup></b>	<b>845</b>	<b>1,119</b>	<b>1,321</b>	<b>1,476</b>	<b>1,691</b>	<b>1,802</b>	<b>1,827</b>	<b>1,808</b>	<b>1,800</b>	<b>1,810</b>
<b>Total</b>		<b>985</b>	<b>1,305</b>	<b>1,562</b>	<b>1,776</b>	<b>2,044</b>	<b>2,209</b>	<b>2,238</b>	<b>2,282</b>	<b>2,260</b>	<b>2,353</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

<sup>2</sup> Persons with missing fields (e.g. ethnicity/age-group) may have been assigned values based on data from subsequent years.

<sup>3</sup> Totals may include those with sex not reported.

**SOPHID Table 5: HIV-diagnosed young adults (16-24 years) seen for HIV care by antiretroviral therapy and CD4 count, UK: 2001-2010<sup>1</sup>**

Level of antiretroviral therapy	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>No antiretroviral therapy</b>										
<i>0-100</i>	8	16	24	16	26	17	20	16	24	9
<i>101-200</i>	13	23	20	25	33	39	40	29	21	17
<i>201-350</i>	91	143	184	242	276	290	221	195	148	126
<i>351-500</i>	127	183	241	288	300	306	357	326	325	292
<i>&gt;500</i>	208	249	303	368	450	463	466	459	465	481
<i>Not reported</i>	124	118	134	124	144	135	182	144	134	103
<b>Sub total</b>	<b>571</b>	<b>732</b>	<b>906</b>	<b>1,063</b>	<b>1,229</b>	<b>1,250</b>	<b>1,286</b>	<b>1,169</b>	<b>1,117</b>	<b>1,028</b>
<b>Receiving antiretroviral therapy</b>										
<i>0-100</i>	28	45	46	47	53	44	45	54	47	69
<i>101-200</i>	44	53	70	79	68	84	90	84	70	76
<i>201-350</i>	73	108	141	167	230	239	244	260	219	231
<i>351-500</i>	53	89	117	153	183	201	230	289	283	334
<i>&gt;500</i>	89	126	147	156	185	220	253	337	373	475
<i>Not reported</i>	80	50	89	51	45	52	68	52	132	119
<b>Sub total</b>	<b>367</b>	<b>471</b>	<b>610</b>	<b>653</b>	<b>764</b>	<b>840</b>	<b>930</b>	<b>1,076</b>	<b>1,124</b>	<b>1,304</b>
<b>Not reported</b>										
<i>0-100</i>	0	0	1	3	0	2	0	1	0	1
<i>101-200</i>	0	3	1	1	2	2	0	1	0	1
<i>201-350</i>	12	24	3	10	7	24	0	8	0	0
<i>351-500</i>	7	16	6	12	10	21	4	9	1	0
<i>&gt;500</i>	13	23	8	16	10	37	0	10	3	3
<i>Not reported</i>	15	36	27	18	22	33	18	8	15	16
<b>Sub total</b>	<b>47</b>	<b>102</b>	<b>46</b>	<b>60</b>	<b>51</b>	<b>119</b>	<b>22</b>	<b>37</b>	<b>19</b>	<b>21</b>
<b>Total</b>	<b>985</b>	<b>1,305</b>	<b>1,562</b>	<b>1,776</b>	<b>2,044</b>	<b>2,209</b>	<b>2,238</b>	<b>2,282</b>	<b>2,260</b>	<b>2,353</b>

<sup>1</sup> Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.