



HIV-diagnosed persons seen for HIV care

**Survey of Prevalent HIV Infections Diagnosed
(SOPHID)**

Injecting drug users (IDU) data tables

Table index

Injecting drug users (IDUs) data tables

- Table 1:** HIV-diagnosed IDUs seen for HIV care by area of residence, United Kingdom: 2001-2010.
- Table 2:** HIV-diagnosed IDUs seen for HIV care by ethnic group, United Kingdom: 2001-2010.
- Table 3:** HIV-diagnosed IDUs seen for HIV care by age, United Kingdom: 2001-2010.
- Table 4:** HIV-diagnosed IDUs seen for HIV care by antiretroviral therapy and CD4 count, United Kingdom: 2001-2010.

SOPHID Table 1: HIV-diagnosed IDUs seen for HIV care by area of residence, UK: 2001-2010.¹

Country and SHA/HB of residence	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
England										
East Midlands	51	52	51	53	61	62	77	84	100	95
East of England	47	48	60	63	76	78	82	81	87	81
London	438	443	467	486	493	517	507	521	530	525
North East	14	15	11	18	19	23	27	22	25	25
North West	78	84	80	89	96	106	103	113	120	112
South Central	44	47	44	44	42	42	49	47	51	52
South East Coast	57	60	59	61	66	62	66	65	73	73
South West	42	43	51	54	74	70	79	80	83	83
West Midlands	25	21	25	27	31	28	35	37	46	46
Yorkshire and The Humber	40	37	30	26	32	35	36	46	49	56
England Total²	836	851	878	921	990	1,023	1,061	1,096	1,164	1,148
Wales	20	16	17	18	21	26	29	28	30	30
Northern Ireland	4	5	7	6	8	7	9	8	6	5
Scotland	405	394	375	368	372	372	364	359	352	370
British Isles other³	0	0	0	0	0	0	0	0	0	0
<i>No fixed abode⁴</i>	-	-	-	-	-	1	1	3	1	2
<i>Not reported</i>	21	12	24	22	12	6	4	14	10	9
<i>Abroad</i>	1	1	0	1	0	0	1	1	0	1
Total	1,287	1,279	1,301	1,336	1,403	1,435	1,469	1,509	1,563	1,565

¹ Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

² Total includes HIV-diagnosed persons whose SHA/HB of residence was not known.

³ British Isles other includes anywhere in the British Isles which is not listed in this table.

⁴ The code for "No fixed abode" was introduced in 2006.

SOPHID Table 2: HIV-diagnosed IDUs seen for HIV care by ethnic group, UK: 2001-2010.¹

Ethnic group ²	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
White	793	792	820	857	908	1,282	1,310	1,341	1,368	1,362
Black-Caribbean	12	9	10	10	12	14	12	18	17	18
Black-African	17	18	23	21	24	26	27	28	33	36
Black-Other/ Black Unspecified	11	14	18	17	19	24	22	25	28	32
Indian/Pakistani/Bangladeshi	5	4	5	5	6	8	10	10	8	9
Other/mixed	39	38	38	50	58	57	56	62	75	74
Other Asian/Oriental	4	7	8	12	14	16	20	20	18	16
Not Known	406	397	379	364	362	8	12	5	16	18
Total	1,287	1,279	1,301	1,336	1,403	1,435	1,469	1,509	1,563	1,565

¹ Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

² Persons with missing fields (e.g. ethnicity/age-group) may have been assigned values based on data from subsequent years.

SOPHID Table 3: HIV-diagnosed IDUs seen for HIV care by age group, UK: 2001-2010.¹

Age-group ²	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
1-14	2	0	1	1	1	0	0	0	0	0
15-24	30	30	38	33	29	29	23	26	27	14
25-29	72	69	73	85	91	90	102	98	98	90
30-34	228	181	158	156	178	168	164	171	190	185
35-39	473	439	401	352	312	292	272	267	267	255
40-44	292	335	365	403	451	460	428	401	359	327
45-49	138	151	172	194	222	252	304	318	356	403
50-54	45	57	71	81	87	101	116	152	176	186
55-59	7	14	19	26	29	37	45	56	64	78
60+	0	3	3	5	3	6	15	20	26	27
Total	1,287	1,279	1,301	1,336	1,403	1,435	1,469	1,509	1,563	1,565

¹ Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.

² Persons with missing fields (e.g. ethnicity/age-group) may have been assigned values based on data from subsequent years.

SOPHID Table 4: HIV-diagnosed IDUs seen for HIV care by antiretroviral therapy and CD4 count, UK: 2001-2010.¹

Level of antiretroviral therapy	Year of survey									
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
No antiretroviral therapy										
<i>0-100</i>	43	31	21	21	16	25	26	13	16	12
<i>101-200</i>	43	39	29	25	30	35	32	21	19	14
<i>201-350</i>	81	72	74	87	74	80	84	55	59	43
<i>351-500</i>	78	90	80	77	99	102	79	73	74	71
<i>>500</i>	119	98	85	105	92	106	113	98	120	95
<i>Not reported</i>	85	48	72	50	52	51	61	56	49	27
Sub total	449	378	361	365	363	399	395	316	337	262
Receiving antiretroviral therapy										
<i>0-100</i>	69	92	75	71	81	44	55	75	56	53
<i>101-200</i>	108	141	126	131	133	125	111	129	117	94
<i>201-350</i>	177	181	228	245	248	271	259	282	245	282
<i>351-500</i>	148	167	148	179	193	191	213	237	266	272
<i>>500</i>	169	180	192	224	251	311	336	401	433	489
<i>Not reported</i>	127	70	109	64	64	62	81	62	98	105
Sub total	798	831	878	914	970	1,004	1,055	1,186	1,215	1,295
Not reported										
<i>0-100</i>	7	9	9	7	9	2	1	0	0	0
<i>101-200</i>	9	9	11	9	10	0	1	0	1	0
<i>201-350</i>	2	13	13	12	21	5	2	2	1	2
<i>351-500</i>	7	14	8	13	10	6	0	1	1	0
<i>>500</i>	8	13	8	7	10	5	1	0	2	2
<i>Not reported</i>	7	12	13	9	10	14	14	4	6	4
Sub total	40	70	62	57	70	32	19	7	11	8
Total	1,287	1,279	1,301	1,336	1,403	1,435	1,469	1,509	1,563	1,565

¹ Figures may be different to those released previously due to improvements in the methods used to identify persons seen more than once within the survey year. This method has been applied to all survey years.