

---

## Table 5: Number & rates of selected STI diagnoses made at genitourinary medicine clinics in England: 2006 - 2010



Data are presented by country, SHA, gender & age group

---

### Notes on using these tables:

Rates are calculated using geographical population figures  
Numbers of diagnoses are adjusted for missing clinic data  
Data on unknown age-groups are included in the 'Total'  
Data on unknown gender are included in the 'Total'  
Data are presented for England only.

An improved STI surveillance system (GUMCAD) was introduced in England in 2009. Unlike the KC60 return, duplicate records in GUMCAD can be identified and removed resulting in a slight reduction in the number of diagnoses reported. England data from 2000-2008 have therefore been statistically adjusted to enable fair comparisons of STI diagnoses over time.

### Definitions of conditions presented:

Chlamydia	uncomplicated genital chlamydial infection, KC60 code C4A & C4C
Gonorrhoea	uncomplicated gonorrhoea, KC60 code B1 & B2
Syphilis	primary and secondary infectious syphilis, KC60 code A1 & A2
Herpes	anogenital herpes (first episode), KC60 code C10A
Warts	anogenital warts (first episode), KC60 code C11A

### Definitions of data totals:

New STIs:	} Refer to 'Code Groups' for conditions included
Other STIs:	
Other GUM:	
Services:	

### Data source:

England:	GUM clinic KC60 returns (2006-2008)
	GUM clinic GUMCAD returns (2009-2010)

### Data supplied by:

Health Protection Agency, Health Protection Services Colindale

---

### Data prepared by:

**HIV and Sexually Transmitted Infections Department**  
**Health Protection Agency**  
**Health Protection Services Colindale**  
**61 Colindale Avenue**  
**London**  
**NW9 5EQ**

Tel. 020-8200-6868  
Email: [hiv/sti@hpa.org.uk](mailto:hiv/sti@hpa.org.uk)  
Website: [www.hpa.org.uk](http://www.hpa.org.uk)

---

**Table 5: Number & rates of selected STI diagnoses made at genitourinary medicine clinics in England: 2006 - 2010**



Data are presented by country, SHA, gender & age group

---

**National tables of diagnoses (i) and rates (ii)**

England 5 a

**Regional tables of diagnoses (i) and rates (ii)**

East Midlands 5 b

East of England 5 c

London 5 d

North East 5 e

North West 5 f

South Central 5 g

South East Coast 5 h

South West 5 i

West Midlands 5 j

Yorkshire & the Humber 5 k

Code Groups: Definitions of conditions presented

---

**Further Information**

**England**

Data on selected diagnoses, 1971 to 2010, are available upon request

HPA Health Protection Services Colindale

Contact: Geraldine Leong

Tel: +44 (0)20 8200 6868

Email: [geraldine.leong@hpa.org.uk](mailto:geraldine.leong@hpa.org.uk)

Web: [www.hpa.org.uk](http://www.hpa.org.uk)

**Table 5 a (i): England**

**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
<b>Chlamydia</b>	<15	32	296	328	29	303	332	-	-	-	-	-	-	-	-	
	15-19	7,714	18,401	26,115	8,726	19,753	28,479	-	-	-	-	-	-	-	-	
	20-24	19,278	18,855	38,133	20,839	19,949	40,788	-	-	-	-	-	-	-	-	
	25-34	15,193	9,341	24,534	16,452	9,828	26,280	-	-	-	-	-	-	-	-	
	35-44	4,554	1,813	6,367	4,864	1,980	6,844	-	-	-	-	-	-	-	-	
	45+	1,522	468	1,990	1,771	539	2,310	-	-	-	-	-	-	-	-	
<b>Total</b>	<b>48,301</b>	<b>49,209</b>	<b>97,510</b>	<b>52,791</b>	<b>52,496</b>	<b>105,287</b>										
<b>% MSM</b>	<b>5%</b>			<b>6%</b>												
<b>Gonorrhoea</b>	<15	9	40	49	6	54	60	4	43	47	4	43	47	4	40	44
	15-19	1,460	1,885	3,345	1,555	2,076	3,631	1,283	2,004	3,287	1,250	1,863	3,121	1,108	1,749	2,861
	20-24	3,181	1,610	4,791	3,141	1,811	4,952	2,727	1,607	4,334	2,939	1,719	4,666	3,035	1,665	4,707
	25-34	4,121	923	5,044	3,838	942	4,780	3,273	919	4,192	3,583	971	4,560	4,097	952	5,054
	35-44	2,225	301	2,526	1,937	268	2,205	1,565	235	1,800	1,775	269	2,051	1,922	270	2,200
	45+	989	126	1,115	922	124	1,046	823	130	953	1,011	136	1,148	1,095	140	1,242
<b>Total</b>	<b>12,006</b>	<b>4,885</b>	<b>16,891</b>	<b>11,493</b>	<b>5,299</b>	<b>16,792</b>	<b>9,729</b>	<b>4,940</b>	<b>14,669</b>	<b>10,572</b>	<b>5,004</b>	<b>15,606</b>	<b>11,289</b>	<b>4,825</b>	<b>16,145</b>	
<b>% MSM</b>	<b>33%</b>			<b>28%</b>			<b>27%</b>			<b>32%</b>			<b>40%</b>			
<b>Syphilis</b>	<15	0	1	1	0	2	2	1	3	4	0	0	0	0	0	0
	15-19	56	52	108	44	44	88	48	28	76	48	35	83	39	19	58
	20-24	236	62	298	229	62	291	213	54	267	221	37	259	188	48	237
	25-34	608	78	686	599	86	685	502	80	582	552	66	621	514	53	573
	35-44	732	51	783	650	38	688	590	36	626	578	28	609	514	37	556
	45+	397	18	415	419	30	449	420	22	442	443	20	465	410	15	428
<b>Total</b>	<b>2,040</b>	<b>263</b>	<b>2,303</b>	<b>2,006</b>	<b>267</b>	<b>2,273</b>	<b>1,774</b>	<b>224</b>	<b>1,998</b>	<b>1,851</b>	<b>188</b>	<b>2,048</b>	<b>1,671</b>	<b>172</b>	<b>1,858</b>	
<b>% MSM</b>	<b>57%</b>			<b>58%</b>			<b>56%</b>			<b>66%</b>			<b>64%</b>			
<b>Herpes</b>	<15	1	32	33	0	56	56	5	62	67	2	56	58	2	46	48
	15-19	542	2,533	3,075	642	3,093	3,735	709	3,374	4,083	695	3,249	3,945	757	3,388	4,145
	20-24	1,782	3,554	5,336	2,254	4,227	6,481	2,511	4,562	7,073	2,739	4,951	7,703	2,846	5,311	8,162
	25-34	2,713	3,416	6,129	3,213	4,150	7,363	3,640	4,632	8,272	3,965	4,917	8,898	4,220	5,374	9,605
	35-44	1,539	1,488	3,027	1,789	1,799	3,588	1,926	2,065	3,991	2,026	2,072	4,100	2,140	2,313	4,459
	45+	874	772	1,646	1,112	1,050	2,162	1,308	1,292	2,600	1,389	1,441	2,835	1,604	1,648	3,259
<b>Total</b>	<b>7,456</b>	<b>11,798</b>	<b>19,254</b>	<b>9,055</b>	<b>14,432</b>	<b>23,487</b>	<b>10,104</b>	<b>15,990</b>	<b>26,094</b>	<b>10,824</b>	<b>16,703</b>	<b>27,564</b>	<b>11,584</b>	<b>18,090</b>	<b>29,703</b>	
<b>% MSM</b>	<b>7%</b>			<b>7%</b>			<b>7%</b>			<b>8%</b>			<b>8%</b>			
<b>Warts</b>	<15	26	112	138	26	127	153	14	135	149	25	158	183	26	120	146
	15-19	3,974	10,251	14,225	4,446	11,207	15,653	4,695	11,669	16,364	4,650	11,225	15,887	4,306	10,101	14,417
	20-24	12,935	11,194	24,129	13,869	11,945	25,814	14,473	12,636	27,109	14,636	12,143	26,796	14,464	12,303	26,791
	25-34	12,744	7,413	20,157	13,564	8,029	21,593	13,825	8,316	22,141	14,254	7,927	22,203	13,928	7,689	21,649
	35-44	4,913	2,565	7,478	5,057	2,869	7,926	5,086	2,873	7,959	5,219	2,980	8,205	4,987	2,856	7,853
	45+	2,425	1,143	3,568	2,613	1,291	3,904	2,995	1,427	4,422	3,126	1,449	4,580	3,213	1,491	4,708
<b>Total</b>	<b>37,021</b>	<b>32,679</b>	<b>69,700</b>	<b>39,723</b>	<b>35,549</b>	<b>75,272</b>	<b>41,094</b>	<b>37,062</b>	<b>78,156</b>	<b>41,934</b>	<b>35,904</b>	<b>77,900</b>	<b>40,953</b>	<b>34,582</b>	<b>75,615</b>	
<b>% MSM</b>	<b>6%</b>			<b>6%</b>			<b>6%</b>			<b>6%</b>			<b>6%</b>			
<b>New STIs</b>	195,667	131,596	327,263	203,825	143,516	347,341	201,614	147,704	349,318	194,771	139,979	335,139	187,332	135,169	322,920	
<b>Other STIs</b>	111,783	86,193	197,976	118,548	92,711	211,259	125,040	96,607	221,647	126,117	93,486	219,906	128,701	90,944	220,049	
<b>Other GUM</b>	88,304	204,352	292,656	101,176	233,180	334,356	113,046	255,507	368,553	117,261	266,569	384,559	119,255	268,246	388,220	
<b>Services</b>	795,495	857,330	1,652,825	889,059	994,540	1,883,599	970,958	1,105,587	2,076,545	994,691	1,137,272	2,134,801	1,029,189	1,184,375	2,216,494	

Notes on using these tables

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 a (ii): England

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
4.8	47.4	25.5	4.5	49.5	26.4	-	-	-	-	-	-	-	-	-	<15
448.6	1139.5	783.2	504.8	1215.2	849.1	-	-	-	-	-	-	-	-	-	15-19
1125.6	1143.5	1134.4	1172.7	1186.8	1179.6	-	-	-	-	-	-	-	-	-	20-24
453.2	278.4	365.7	491.8	295.6	394.0	-	-	-	-	-	-	-	-	-	25-34
117.5	46.3	81.7	125.6	50.5	87.8	-	-	-	-	-	-	-	-	-	35-44
15.8	4.3	9.7	18.1	4.9	11.1	-	-	-	-	-	-	-	-	-	45+
<b>193.8</b>	<b>190.5</b>	<b>192.1</b>	<b>210.2</b>	<b>202.1</b>	<b>206.1</b>	-	-	-	-	-	-	-	-	-	<b>Total</b>
1.4	6.4	3.8	0.9	8.8	4.8	0.6	7.1	3.8	0.6	7.2	3.8	0.6	6.7	3.6	<15
84.9	116.7	100.3	90.0	127.7	108.3	74.9	123.8	98.7	73.5	115.7	94.2	65.1	108.6	86.4	15-19
185.7	97.6	142.5	176.8	107.7	143.2	150.6	93.4	122.7	161.7	99.0	131.3	167.0	95.9	132.4	20-24
122.9	27.5	75.2	114.7	28.3	71.7	96.7	27.7	62.6	104.3	29.1	67.3	119.2	28.5	74.6	25-34
57.4	7.7	32.4	50.0	6.8	28.3	40.8	6.1	23.3	46.9	7.0	26.9	50.7	7.1	28.9	35-44
10.2	1.2	5.4	9.4	1.1	5.0	8.3	1.2	4.5	10.0	1.2	5.3	10.8	1.2	5.8	45+
<b>48.2</b>	<b>18.9</b>	<b>33.3</b>	<b>45.8</b>	<b>20.4</b>	<b>32.9</b>	<b>38.4</b>	<b>18.9</b>	<b>28.5</b>	<b>41.4</b>	<b>19.0</b>	<b>30.1</b>	<b>44.2</b>	<b>18.3</b>	<b>31.2</b>	<b>Total</b>
0.0	0.2	0.1	0.0	0.3	0.2	0.2	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	<15
3.3	3.2	3.2	2.5	2.7	2.6	2.8	1.7	2.3	2.8	2.2	2.5	2.3	1.2	1.8	15-19
13.8	3.8	8.9	12.9	3.7	8.4	11.8	3.1	7.6	12.2	2.1	7.3	10.3	2.8	6.7	20-24
18.1	2.3	10.2	17.9	2.6	10.3	14.8	2.4	8.7	16.1	2.0	9.2	15.0	1.6	8.5	25-34
18.9	1.3	10.0	16.8	1.0	8.8	15.4	0.9	8.1	15.3	0.7	8.0	13.6	1.0	7.3	35-44
4.1	0.2	2.0	4.3	0.3	2.2	4.2	0.2	2.1	4.4	0.2	2.2	4.0	0.1	2.0	45+
<b>8.2</b>	<b>1.0</b>	<b>4.5</b>	<b>8.0</b>	<b>1.0</b>	<b>4.4</b>	<b>7.0</b>	<b>0.9</b>	<b>3.9</b>	<b>7.3</b>	<b>0.7</b>	<b>4.0</b>	<b>6.5</b>	<b>0.7</b>	<b>3.6</b>	<b>Total</b>
0.2	5.1	2.6	0.0	9.1	4.4	0.8	10.3	5.4	0.3	9.4	4.8	0.3	7.7	3.9	<15
31.5	156.9	92.2	37.1	190.3	111.4	41.4	208.4	122.6	40.9	201.7	119.1	44.5	210.3	125.2	15-19
104.0	215.5	158.7	126.8	251.5	187.4	138.6	265.2	200.3	150.7	285.0	216.7	156.6	305.7	229.6	20-24
80.9	101.8	91.4	96.1	124.8	110.4	107.5	139.7	123.5	115.4	147.3	131.3	122.8	161.0	141.8	25-34
39.7	38.0	38.8	46.2	45.9	46.1	50.2	53.2	51.7	53.5	54.2	53.9	56.5	60.5	58.6	35-44
9.1	7.1	8.0	11.4	9.5	10.4	13.1	11.6	12.3	13.7	12.7	13.2	15.8	14.5	15.2	45+
<b>29.9</b>	<b>45.7</b>	<b>37.9</b>	<b>36.1</b>	<b>55.6</b>	<b>46.0</b>	<b>39.9</b>	<b>61.2</b>	<b>50.7</b>	<b>42.4</b>	<b>63.5</b>	<b>53.2</b>	<b>45.4</b>	<b>68.8</b>	<b>57.3</b>	<b>Total</b>
3.9	17.9	10.7	4.0	20.7	12.2	2.2	22.4	12.0	4.0	26.5	15.0	4.2	20.2	12.0	<15
231.1	634.8	426.6	257.2	689.4	466.7	274.3	720.6	491.2	273.4	696.8	479.7	253.2	627.1	435.3	15-19
755.3	678.9	717.8	780.5	710.6	746.5	799.0	734.6	767.6	805.4	699.1	753.9	795.9	708.3	753.8	20-24
380.1	220.9	300.5	405.5	241.5	323.8	408.4	250.9	330.5	414.8	237.4	327.7	405.4	230.3	319.6	25-34
126.8	65.5	96.0	130.6	73.2	101.7	132.5	74.1	103.1	137.8	77.9	107.8	131.7	74.7	103.2	35-44
25.1	10.5	17.4	26.7	11.7	18.8	30.1	12.8	20.9	30.9	12.8	21.3	31.7	13.1	21.9	45+
<b>148.5</b>	<b>126.5</b>	<b>137.3</b>	<b>158.2</b>	<b>136.8</b>	<b>147.3</b>	<b>162.3</b>	<b>141.9</b>	<b>151.9</b>	<b>164.4</b>	<b>136.5</b>	<b>150.4</b>	<b>160.5</b>	<b>131.5</b>	<b>145.9</b>	<b>Total</b>

Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population

2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.  
<http://www.hpa.org.uk/STIannualdatatables>

**Table 5 b (i): East Midlands**

**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
<b>Chlamydia</b>	<15	3	23	26	3	43	46	-	-	-	-	-	-	-	-	
	15-19	714	1,732	2,446	761	1,893	2,654	-	-	-	-	-	-	-	-	
	20-24	1,721	1,718	3,439	1,718	1,830	3,548	-	-	-	-	-	-	-	-	
	25-34	1,085	765	1,850	1,146	866	2,012	-	-	-	-	-	-	-	-	
	35-44	330	172	502	304	181	485	-	-	-	-	-	-	-	-	
	45+	92	48	140	115	44	159	-	-	-	-	-	-	-	-	
	<b>Total</b>	<b>3,945</b>	<b>4,458</b>	<b>8,403</b>	<b>4,049</b>	<b>4,860</b>	<b>8,909</b>	-	-	-	-	-	-	-	-	
% MSM	2%			2%												
<b>Gonorrhoea</b>	<15	1	5	6	1	9	10	0	3	3	0	5	5	0	5	5
	15-19	135	165	300	148	203	351	100	187	287	126	193	324	72	139	211
	20-24	242	114	356	236	157	393	203	120	323	217	145	365	181	155	338
	25-34	211	72	283	226	76	302	138	59	197	157	74	231	194	78	272
	35-44	133	16	149	88	26	114	58	16	74	76	19	95	72	25	97
	45+	59	9	68	46	5	51	44	6	50	55	7	62	43	17	60
	<b>Total</b>	<b>783</b>	<b>381</b>	<b>1,164</b>	<b>746</b>	<b>476</b>	<b>1,222</b>	<b>543</b>	<b>391</b>	<b>934</b>	<b>631</b>	<b>443</b>	<b>1,082</b>	<b>564</b>	<b>419</b>	<b>985</b>
% MSM	16%			12%			10%			14%			26%			
<b>Syphilis</b>	<15	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
	15-19	6	8	14	2	7	9	4	3	7	3	4	7	8	4	12
	20-24	28	10	38	14	10	24	12	5	17	9	1	10	18	1	19
	25-34	20	9	29	16	11	27	25	7	32	27	3	30	21	5	26
	35-44	44	9	53	30	7	37	24	1	25	38	4	42	39	7	46
	45+	24	4	28	25	4	29	27	4	31	39	2	41	28	1	29
	<b>Total</b>	<b>122</b>	<b>40</b>	<b>162</b>	<b>87</b>	<b>39</b>	<b>126</b>	<b>93</b>	<b>20</b>	<b>113</b>	<b>116</b>	<b>14</b>	<b>130</b>	<b>114</b>	<b>18</b>	<b>132</b>
% MSM	36%			45%			45%			57%			58%			
<b>Herpes</b>	<15	0	3	3	0	7	7	1	2	3	0	3	3	0	4	4
	15-19	43	189	232	57	260	317	50	253	303	71	244	316	59	273	332
	20-24	155	253	408	183	287	470	191	324	515	197	357	556	186	354	542
	25-34	164	191	355	210	266	476	213	259	472	243	275	518	283	331	614
	35-44	108	104	212	136	133	269	128	128	256	130	127	257	148	156	304
	45+	66	51	117	91	80	171	99	76	175	103	95	198	127	130	257
	<b>Total</b>	<b>536</b>	<b>791</b>	<b>1,327</b>	<b>677</b>	<b>1,033</b>	<b>1,710</b>	<b>682</b>	<b>1,042</b>	<b>1,724</b>	<b>746</b>	<b>1,101</b>	<b>1,850</b>	<b>804</b>	<b>1,249</b>	<b>2,055</b>
% MSM	3%			2%			3%			2%			5%			
<b>Warts</b>	<15	1	9	10	3	12	15	0	8	8	1	14	15	2	7	9
	15-19	319	838	1,157	381	952	1,333	354	966	1,320	422	907	1,337	353	784	1,143
	20-24	1,046	836	1,882	1,063	916	1,979	1,031	887	1,918	1,063	821	1,888	1,022	872	1,899
	25-34	821	455	1,276	908	478	1,386	838	481	1,319	923	457	1,380	898	460	1,358
	35-44	333	168	501	376	199	575	315	185	500	351	200	551	294	197	491
	45+	179	81	260	185	101	286	176	114	290	233	99	332	197	115	312
	<b>Total</b>	<b>2,699</b>	<b>2,387</b>	<b>5,086</b>	<b>2,916</b>	<b>2,658</b>	<b>5,574</b>	<b>2,714</b>	<b>2,642</b>	<b>5,356</b>	<b>2,997</b>	<b>2,501</b>	<b>5,510</b>	<b>2,766</b>	<b>2,435</b>	<b>5,212</b>
% MSM	4%			3%			2%			4%			4%			
<b>New STIs</b>	<b>13,576</b>	<b>10,095</b>	<b>23,671</b>	<b>14,315</b>	<b>11,650</b>	<b>25,965</b>	<b>13,280</b>	<b>10,899</b>	<b>24,179</b>	<b>12,809</b>	<b>9,512</b>	<b>22,366</b>	<b>11,970</b>	<b>9,028</b>	<b>21,023</b>	
<b>Other STIs</b>	<b>6,248</b>	<b>5,729</b>	<b>11,977</b>	<b>7,472</b>	<b>6,607</b>	<b>14,079</b>	<b>6,661</b>	<b>5,924</b>	<b>12,585</b>	<b>5,835</b>	<b>5,343</b>	<b>11,196</b>	<b>5,615</b>	<b>5,135</b>	<b>10,756</b>	
<b>Other GUM</b>	<b>5,869</b>	<b>12,905</b>	<b>18,774</b>	<b>6,994</b>	<b>15,410</b>	<b>22,404</b>	<b>6,135</b>	<b>14,756</b>	<b>20,891</b>	<b>6,661</b>	<b>14,766</b>	<b>21,469</b>	<b>6,400</b>	<b>14,495</b>	<b>20,915</b>	
<b>Services</b>	<b>53,439</b>	<b>53,131</b>	<b>106,570</b>	<b>60,507</b>	<b>64,839</b>	<b>125,346</b>	<b>60,457</b>	<b>66,625</b>	<b>127,082</b>	<b>59,344</b>	<b>62,248</b>	<b>121,791</b>	<b>57,334</b>	<b>61,603</b>	<b>119,059</b>	

Notes on using these tables

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 b (ii): East Midlands

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
5.1	42.5	23.1	5.3	80.7	41.7	-	-	-	-	-	-	-	-	-	<15
467.7	1214.4	828.4	494.3	1312.2	889.9	-	-	-	-	-	-	-	-	-	15-19
1130.5	1200.4	1164.4	1096.2	1242.6	1167.1	-	-	-	-	-	-	-	-	-	20-24
414.1	292.4	353.3	440.0	332.3	386.1	-	-	-	-	-	-	-	-	-	25-34
99.2	51.3	75.1	91.6	53.8	72.6	-	-	-	-	-	-	-	-	-	35-44
10.6	5.0	7.7	13.1	4.5	8.6	-	-	-	-	-	-	-	-	-	45+
<b>182.9</b>	<b>202.0</b>	<b>192.5</b>	<b>186.3</b>	<b>218.3</b>	<b>202.5</b>	-	-	-	-	-	-	-	-	-	<b>Total</b>
1.7	9.2	5.3	1.8	16.9	9.1	0.0	5.7	2.8	0.0	9.7	4.7	0.0	9.7	4.7	<15
88.4	115.7	101.6	96.1	140.7	117.7	65.2	130.4	96.7	82.6	134.7	109.5	47.2	97.0	71.3	15-19
159.0	79.7	120.5	150.6	106.6	129.3	126.5	80.2	104.1	137.0	95.6	117.7	114.3	102.2	109.0	20-24
80.5	27.5	54.0	86.8	29.2	58.0	52.2	22.8	37.7	59.3	28.4	44.0	73.3	30.0	51.8	25-34
40.0	4.8	22.3	26.5	7.7	17.1	17.7	4.8	11.2	23.7	5.8	14.7	22.4	7.7	15.0	35-44
6.8	0.9	3.7	5.2	0.5	2.8	4.9	0.6	2.7	6.0	0.7	3.2	4.7	1.7	3.1	45+
<b>36.3</b>	<b>17.3</b>	<b>26.7</b>	<b>34.3</b>	<b>21.4</b>	<b>27.8</b>	<b>24.7</b>	<b>17.5</b>	<b>21.1</b>	<b>28.7</b>	<b>19.7</b>	<b>24.3</b>	<b>25.6</b>	<b>18.6</b>	<b>22.1</b>	<b>Total</b>
0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	<15
3.9	5.6	4.7	1.3	4.9	3.0	2.6	2.1	2.4	2.0	2.8	2.4	5.2	2.8	4.1	15-19
18.4	7.0	12.9	8.9	6.8	7.9	7.5	3.3	5.5	5.7	0.7	3.2	11.4	0.7	6.1	20-24
7.6	3.4	5.5	6.1	4.2	5.2	9.5	2.7	6.1	10.2	1.2	5.7	7.9	1.9	5.0	25-34
13.2	2.7	7.9	9.0	2.1	5.5	7.3	0.3	3.8	11.8	1.2	6.5	12.2	2.1	7.1	35-44
2.8	0.4	1.5	2.8	0.4	1.6	3.0	0.4	1.6	4.3	0.2	2.1	3.1	0.1	1.5	45+
<b>5.7</b>	<b>1.8</b>	<b>3.7</b>	<b>4.0</b>	<b>1.8</b>	<b>2.9</b>	<b>4.2</b>	<b>0.9</b>	<b>2.5</b>	<b>5.3</b>	<b>0.6</b>	<b>2.9</b>	<b>5.2</b>	<b>0.8</b>	<b>3.0</b>	<b>Total</b>
0.0	5.5	2.7	0.0	13.1	6.3	1.8	3.8	2.8	0.0	5.8	2.8	0.0	7.8	3.8	<15
28.2	132.5	78.6	37.0	180.2	106.3	32.6	176.4	102.1	46.5	170.3	106.8	38.7	190.5	112.2	15-19
101.8	176.8	138.1	116.8	194.9	154.6	119.0	216.5	166.0	124.4	235.4	179.4	117.5	233.5	174.8	20-24
62.6	73.0	67.8	80.6	102.1	91.3	80.6	100.1	90.2	91.8	105.7	98.7	106.9	127.2	117.0	25-34
32.5	31.0	31.7	41.0	39.6	40.3	39.0	38.4	38.7	40.5	38.9	39.7	46.1	47.8	47.0	35-44
7.6	5.3	6.4	10.3	8.3	9.2	11.0	7.7	9.3	11.3	9.5	10.4	13.9	13.0	13.4	45+
<b>24.8</b>	<b>35.8</b>	<b>30.4</b>	<b>31.2</b>	<b>46.4</b>	<b>38.9</b>	<b>31.1</b>	<b>46.5</b>	<b>38.9</b>	<b>33.9</b>	<b>48.9</b>	<b>41.6</b>	<b>36.5</b>	<b>55.5</b>	<b>46.2</b>	<b>Total</b>
1.7	16.6	8.9	5.3	22.5	13.6	0.0	15.2	7.4	1.8	27.1	14.1	3.7	13.6	8.5	<15
209.0	587.6	391.8	247.5	659.9	447.0	230.9	673.6	444.8	276.6	632.9	451.9	231.4	547.1	386.3	15-19
687.1	584.1	637.2	678.3	622.0	651.0	642.2	592.6	618.3	671.3	541.5	609.1	645.4	575.1	612.6	20-24
313.4	173.9	243.7	348.6	183.4	266.0	317.0	185.9	252.2	348.7	175.7	262.9	339.2	176.8	258.7	25-34
100.1	50.1	75.0	113.3	59.2	86.1	95.9	55.6	75.6	109.4	61.2	85.1	91.6	60.3	75.8	35-44
20.7	8.5	14.3	21.0	10.4	15.5	19.6	11.6	15.4	25.5	9.9	17.4	21.6	11.5	16.3	45+
<b>125.1</b>	<b>108.2</b>	<b>116.5</b>	<b>134.2</b>	<b>119.4</b>	<b>126.7</b>	<b>123.7</b>	<b>118.0</b>	<b>120.8</b>	<b>136.2</b>	<b>111.1</b>	<b>123.8</b>	<b>125.7</b>	<b>108.2</b>	<b>117.1</b>	<b>Total</b>

Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population

2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.  
<http://www.hpa.org.uk/STIannualdatatables>



**Table 5 c (i): East of England**

**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
<b>Chlamydia</b>	<15	0	19	19	0	26	26	-	-	-	-	-	-	-	-
	15-19	581	1,594	2,175	699	1,852	2,551	-	-	-	-	-	-	-	-
	20-24	1,602	1,751	3,353	1,934	2,035	3,969	-	-	-	-	-	-	-	-
	25-34	1,147	912	2,059	1,326	961	2,287	-	-	-	-	-	-	-	-
	35-44	295	200	495	374	229	603	-	-	-	-	-	-	-	-
	45+	99	44	143	161	69	230	-	-	-	-	-	-	-	-
<b>Total</b>	<b>3,724</b>	<b>4,520</b>	<b>8,244</b>	<b>4,494</b>	<b>5,172</b>	<b>9,666</b>	-	-	-	-	-	-	-	-	
% MSM	4%			3%											
<b>Gonorrhoea</b>	<15	1	4	5	0	3	3	0	4	4	1	2	3	1	1
	15-19	63	105	168	68	81	149	75	129	204	63	98	161	83	99
	20-24	157	106	263	145	104	249	154	101	255	179	101	280	168	98
	25-34	187	42	229	170	52	222	159	40	199	202	64	266	155	40
	35-44	92	11	103	90	11	101	68	17	85	89	22	111	95	14
	45+	57	9	66	63	7	70	56	14	70	70	10	80	75	11
<b>Total</b>	<b>557</b>	<b>277</b>	<b>834</b>	<b>536</b>	<b>258</b>	<b>794</b>	<b>512</b>	<b>305</b>	<b>817</b>	<b>605</b>	<b>298</b>	<b>903</b>	<b>579</b>	<b>266</b>	
% MSM	25%			22%			19%			21%			33%		
<b>Syphilis</b>	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	15-19	1	1	2	3	3	6	1	1	2	4	1	5	1	0
	20-24	6	0	6	5	2	7	10	2	12	3	3	6	7	5
	25-34	15	6	21	12	4	16	10	10	20	15	3	18	17	1
	35-44	30	2	32	18	0	18	17	4	21	16	0	16	11	0
	45+	19	0	19	21	1	22	16	0	16	10	1	11	14	2
<b>Total</b>	<b>71</b>	<b>9</b>	<b>80</b>	<b>59</b>	<b>10</b>	<b>69</b>	<b>54</b>	<b>17</b>	<b>71</b>	<b>49</b>	<b>8</b>	<b>57</b>	<b>50</b>	<b>8</b>	
% MSM	42%			41%			31%			53%			54%		
<b>Herpes</b>	<15	0	2	2	0	7	7	1	8	9	0	6	6	0	3
	15-19	55	237	292	51	257	308	55	273	328	55	310	365	62	322
	20-24	148	304	452	157	349	506	177	387	564	203	341	544	247	436
	25-34	215	300	515	207	351	558	251	379	630	294	405	699	328	426
	35-44	142	149	291	109	169	278	142	176	318	157	204	361	189	254
	45+	76	94	170	82	135	217	95	142	237	128	163	291	156	210
<b>Total</b>	<b>638</b>	<b>1,086</b>	<b>1,724</b>	<b>606</b>	<b>1,268</b>	<b>1,874</b>	<b>721</b>	<b>1,365</b>	<b>2,086</b>	<b>838</b>	<b>1,433</b>	<b>2,271</b>	<b>984</b>	<b>1,656</b>	
% MSM	3%			2%			5%			3%			4%		
<b>Warts</b>	<15	0	8	8	3	9	12	0	7	7	1	22	23	2	10
	15-19	330	997	1,327	387	1,016	1,403	363	987	1,350	416	1,070	1,486	327	935
	20-24	1,218	1,052	2,270	1,314	1,163	2,477	1,364	1,193	2,557	1,375	1,186	2,561	1,321	1,189
	25-34	1,157	718	1,875	1,205	740	1,945	1,296	838	2,134	1,279	744	2,023	1,250	732
	35-44	500	266	766	484	331	815	496	334	830	527	326	853	502	300
	45+	258	145	403	277	173	450	294	145	439	310	183	493	362	185
<b>Total</b>	<b>3,464</b>	<b>3,186</b>	<b>6,650</b>	<b>3,670</b>	<b>3,432</b>	<b>7,102</b>	<b>3,813</b>	<b>3,504</b>	<b>7,317</b>	<b>3,913</b>	<b>3,535</b>	<b>7,448</b>	<b>3,771</b>	<b>3,355</b>	
% MSM	3%			3%			3%			3%			4%		
<b>New STIs</b>	17,658	12,098	29,756	18,696	13,099	31,795	19,260	13,476	32,736	18,511	12,405	30,916	17,313	12,040	
<b>Other STIs</b>	9,189	9,498	18,687	8,828	9,760	18,588	9,043	9,947	18,990	9,126	9,858	18,984	9,226	9,363	
<b>Other GUM</b>	8,000	19,855	27,855	8,248	20,329	28,577	8,933	22,672	31,605	9,312	22,459	31,771	9,510	22,637	
<b>Services</b>	72,223	84,294	156,517	78,351	94,517	172,868	87,840	107,544	195,384	87,330	106,607	193,937	85,179	104,577	

Notes on using these tables

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 c (ii): East of England

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
0.0	27.3	13.4	0.0	37.7	18.4	-	-	-	-	-	-	-	-	-	<15
317.7	923.7	611.9	378.0	1055.2	707.8	-	-	-	-	-	-	-	-	-	15-19
952.3	1094.1	1021.4	1102.4	1235.1	1166.7	-	-	-	-	-	-	-	-	-	20-24
331.3	260.2	295.6	385.1	275.9	330.2	-	-	-	-	-	-	-	-	-	25-34
69.1	46.2	57.5	87.5	52.6	69.9	-	-	-	-	-	-	-	-	-	35-44
8.9	3.5	6.1	14.2	5.5	9.6	-	-	-	-	-	-	-	-	-	45+
<b>135.3</b>	<b>158.4</b>	<b>147.0</b>	<b>161.8</b>	<b>179.4</b>	<b>170.7</b>	-	-	-	-	-	-	-	-	-	<b>Total</b>
1.4	5.7	3.5	0.0	4.4	2.1	0.0	5.8	2.8	1.4	2.9	2.1	1.4	1.5	1.4	<15
34.4	60.8	47.3	36.8	46.2	41.3	40.6	73.5	56.6	34.3	56.4	45.0	45.2	57.0	50.9	15-19
93.3	66.2	80.1	82.6	63.1	73.2	84.1	59.3	72.2	99.5	59.8	80.3	93.4	58.0	76.3	20-24
54.0	12.0	32.9	49.4	14.9	32.1	45.1	11.6	28.5	56.6	18.5	37.8	43.4	11.6	27.7	25-34
21.5	2.5	12.0	21.1	2.5	11.7	15.9	3.9	9.9	21.1	5.1	13.1	22.6	3.3	12.8	35-44
5.1	0.7	2.8	5.6	0.6	2.9	4.9	1.1	2.9	5.9	0.8	3.2	6.4	0.8	3.5	45+
<b>20.2</b>	<b>9.7</b>	<b>14.9</b>	<b>19.3</b>	<b>8.9</b>	<b>14.0</b>	<b>18.2</b>	<b>10.5</b>	<b>14.3</b>	<b>21.3</b>	<b>10.2</b>	<b>15.7</b>	<b>20.4</b>	<b>9.1</b>	<b>14.7</b>	<b>Total</b>
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<15
0.5	0.6	0.6	1.6	1.7	1.7	0.5	0.6	0.6	2.2	0.6	1.4	0.5	0.0	0.3	15-19
3.6	0.0	1.8	2.8	1.2	2.1	5.5	1.2	3.4	1.7	1.8	1.7	3.9	3.0	3.4	20-24
4.3	1.7	3.0	3.5	1.1	2.3	2.8	2.9	2.9	4.2	0.9	2.6	4.8	0.3	2.6	25-34
7.0	0.5	3.7	4.2	0.0	2.1	4.0	0.9	2.4	3.8	0.0	1.9	2.6	0.0	1.3	35-44
1.7	0.0	0.8	1.9	0.1	0.9	1.4	0.0	0.7	0.8	0.1	0.4	1.2	0.2	0.6	45+
<b>2.6</b>	<b>0.3</b>	<b>1.4</b>	<b>2.1</b>	<b>0.3</b>	<b>1.2</b>	<b>1.9</b>	<b>0.6</b>	<b>1.2</b>	<b>1.7</b>	<b>0.3</b>	<b>1.0</b>	<b>1.8</b>	<b>0.3</b>	<b>1.0</b>	<b>Total</b>
0.0	2.9	1.4	0.0	10.2	5.0	1.4	11.6	6.4	0.0	8.8	4.3	0.0	4.4	2.1	<15
30.1	137.3	82.1	27.6	146.4	85.5	29.7	155.6	91.0	29.9	178.4	102.1	33.7	185.3	107.4	15-19
88.0	190.0	137.7	89.5	211.8	148.7	96.6	227.3	159.6	112.8	201.9	156.0	137.2	258.2	195.8	20-24
62.1	85.6	73.9	60.1	100.8	80.6	71.3	109.5	90.2	82.4	117.0	99.4	91.9	123.0	107.2	25-34
33.2	34.4	33.8	25.5	38.8	32.2	33.3	40.6	37.0	37.3	47.6	42.5	44.9	59.3	52.2	35-44
6.8	7.5	7.2	7.2	10.7	9.1	8.2	11.0	9.7	10.9	12.4	11.7	13.2	16.0	14.7	45+
<b>23.2</b>	<b>38.1</b>	<b>30.7</b>	<b>21.8</b>	<b>44.0</b>	<b>33.1</b>	<b>25.6</b>	<b>46.9</b>	<b>36.4</b>	<b>29.5</b>	<b>49.0</b>	<b>39.4</b>	<b>34.6</b>	<b>56.6</b>	<b>45.8</b>	<b>Total</b>
0.0	11.5	5.6	4.2	13.1	8.5	0.0	10.2	5.0	1.4	32.1	16.5	2.8	14.6	8.6	<15
180.4	577.8	373.3	209.3	578.9	389.3	196.3	562.5	374.6	226.3	615.8	415.6	177.9	538.1	352.9	15-19
724.0	657.4	691.5	749.0	705.9	728.1	744.8	700.6	723.5	764.0	702.3	734.2	734.0	704.1	719.6	20-24
334.2	204.9	269.1	350.0	212.5	280.8	368.0	242.1	305.6	358.4	214.9	287.7	350.3	211.4	281.9	25-34
117.1	61.4	89.0	113.3	76.0	94.4	116.3	77.0	96.5	125.2	76.1	100.5	119.3	70.1	94.5	35-44
23.2	11.6	17.1	24.5	13.7	18.8	25.5	11.3	18.0	26.3	14.0	19.8	30.7	14.1	22.0	45+
<b>125.8</b>	<b>111.6</b>	<b>118.6</b>	<b>132.1</b>	<b>119.1</b>	<b>125.5</b>	<b>135.2</b>	<b>120.5</b>	<b>127.7</b>	<b>137.7</b>	<b>120.8</b>	<b>129.2</b>	<b>132.7</b>	<b>114.7</b>	<b>123.6</b>	<b>Total</b>

Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population  
2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well as GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.  
<http://www.hpa.org.uk/STIannualdatatables>

**Table 5 d (i): London**
**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
<b>Chlamydia</b>	<15	5	59	64	5	58	63	-	-	-	-	-	-	-	-	
	15-19	1,182	2,913	4,095	1,433	3,450	4,883	-	-	-	-	-	-	-	-	
	20-24	3,091	3,535	6,626	3,371	3,799	7,170	-	-	-	-	-	-	-	-	
	25-34	4,050	2,551	6,601	4,293	2,570	6,863	-	-	-	-	-	-	-	-	
	35-44	1,489	401	1,890	1,613	473	2,086	-	-	-	-	-	-	-	-	
	45+	445	123	568	485	126	611	-	-	-	-	-	-	-	-	
<b>Total</b>	<b>10,262</b>	<b>9,582</b>	<b>19,844</b>	<b>11,297</b>	<b>10,587</b>	<b>21,884</b>	-	-	-	-	-	-	-	-		
<b>% MSM</b>	<b>12%</b>			<b>13%</b>												
<b>Gonorrhoea</b>	<15	4	15	19	4	17	21	2	15	17	0	15	15	1	9	10
	15-19	424	562	986	570	730	1,300	400	645	1,045	394	540	937	327	540	871
	20-24	977	449	1,426	1,079	542	1,621	886	510	1,396	1,026	539	1,570	1,109	541	1,655
	25-34	1,841	328	2,169	1,699	326	2,025	1,489	362	1,851	1,757	356	2,119	2,039	388	2,432
	35-44	1,068	98	1,166	935	94	1,029	755	83	838	886	85	978	1,021	99	1,128
	45+	373	37	410	309	35	344	324	49	373	384	45	430	468	48	523
<b>Total</b>	<b>4,700</b>	<b>1,489</b>	<b>6,189</b>	<b>4,681</b>	<b>1,767</b>	<b>6,448</b>	<b>3,905</b>	<b>1,666</b>	<b>5,571</b>	<b>4,450</b>	<b>1,580</b>	<b>6,052</b>	<b>4,973</b>	<b>1,630</b>	<b>6,632</b>	
<b>% MSM</b>	<b>45%</b>			<b>40%</b>			<b>33%</b>			<b>44%</b>			<b>49%</b>			
<b>Syphilis</b>	<15	0	1	1	0	2	2	0	2	2	0	0	0	0	0	0
	15-19	6	16	22	6	14	20	6	8	14	9	8	17	9	6	15
	20-24	44	15	59	57	13	70	56	11	67	69	8	78	57	14	72
	25-34	220	23	243	244	22	266	180	22	202	257	27	287	223	22	251
	35-44	264	11	275	276	11	287	214	5	219	259	5	267	255	16	276
	45+	122	6	128	143	10	153	138	3	141	170	4	176	190	3	196
<b>Total</b>	<b>667</b>	<b>72</b>	<b>739</b>	<b>790</b>	<b>77</b>	<b>867</b>	<b>594</b>	<b>52</b>	<b>646</b>	<b>765</b>	<b>52</b>	<b>826</b>	<b>735</b>	<b>61</b>	<b>811</b>	
<b>% MSM</b>	<b>67%</b>			<b>67%</b>			<b>56%</b>			<b>75%</b>			<b>68%</b>			
<b>Herpes</b>	<15	0	8	8	0	6	6	0	5	5	0	7	7	0	6	6
	15-19	104	467	571	111	501	612	116	510	626	101	447	548	105	470	575
	20-24	397	904	1,301	469	1,071	1,540	489	1,019	1,508	520	1,130	1,660	558	1,168	1,729
	25-34	863	1,118	1,981	967	1,335	2,302	1,020	1,441	2,461	1,184	1,531	2,730	1,217	1,670	2,898
	35-44	460	367	827	531	466	997	534	466	1,000	586	485	1,073	576	559	1,141
	45+	221	154	375	270	195	465	286	226	512	334	306	645	396	304	707
<b>Total</b>	<b>2,045</b>	<b>3,018</b>	<b>5,063</b>	<b>2,391</b>	<b>3,629</b>	<b>6,020</b>	<b>2,447</b>	<b>3,669</b>	<b>6,116</b>	<b>2,726</b>	<b>3,907</b>	<b>6,665</b>	<b>2,856</b>	<b>4,177</b>	<b>7,060</b>	
<b>% MSM</b>	<b>14%</b>			<b>15%</b>			<b>15%</b>			<b>17%</b>			<b>18%</b>			
<b>Warts</b>	<15	4	18	22	2	14	16	1	12	13	2	19	21	2	7	9
	15-19	375	1,035	1,410	420	1,147	1,567	462	1,102	1,564	416	1,059	1,478	392	994	1,390
	20-24	1,809	1,897	3,706	1,963	1,948	3,911	1,979	2,043	4,022	2,037	1,954	4,003	1,910	1,980	3,908
	25-34	3,186	2,008	5,194	3,366	2,183	5,549	3,483	2,180	5,663	3,517	2,198	5,735	3,558	2,045	5,635
	35-44	1,152	487	1,639	1,185	526	1,711	1,137	533	1,670	1,212	543	1,761	1,159	586	1,754
	45+	438	159	597	529	190	719	505	209	714	606	215	826	587	231	822
<b>Total</b>	<b>6,964</b>	<b>5,605</b>	<b>12,569</b>	<b>7,609</b>	<b>6,086</b>	<b>13,695</b>	<b>7,567</b>	<b>6,080</b>	<b>13,647</b>	<b>7,792</b>	<b>5,991</b>	<b>13,829</b>	<b>7,615</b>	<b>5,849</b>	<b>13,531</b>	
<b>% MSM</b>	<b>15%</b>			<b>15%</b>			<b>15%</b>			<b>14%</b>			<b>13%</b>			
<b>New STIs</b>	<b>55,970</b>	<b>30,243</b>	<b>86,213</b>	<b>58,335</b>	<b>34,072</b>	<b>92,407</b>	<b>52,310</b>	<b>32,795</b>	<b>85,105</b>	<b>52,805</b>	<b>32,105</b>	<b>85,228</b>	<b>53,543</b>	<b>31,626</b>	<b>85,555</b>	
<b>Other STIs</b>	<b>34,497</b>	<b>24,459</b>	<b>58,956</b>	<b>37,750</b>	<b>26,824</b>	<b>64,574</b>	<b>38,495</b>	<b>26,109</b>	<b>64,604</b>	<b>40,868</b>	<b>25,889</b>	<b>67,026</b>	<b>43,676</b>	<b>26,169</b>	<b>70,229</b>	
<b>Other GUM</b>	<b>29,739</b>	<b>70,017</b>	<b>99,756</b>	<b>36,576</b>	<b>82,158</b>	<b>118,734</b>	<b>39,497</b>	<b>85,050</b>	<b>124,547</b>	<b>44,888</b>	<b>96,578</b>	<b>142,125</b>	<b>48,926</b>	<b>99,237</b>	<b>148,853</b>	
<b>Services</b>	<b>232,237</b>	<b>262,384</b>	<b>494,621</b>	<b>248,998</b>	<b>290,827</b>	<b>539,825</b>	<b>261,967</b>	<b>297,681</b>	<b>559,648</b>	<b>287,021</b>	<b>328,422</b>	<b>617,890</b>	<b>326,342</b>	<b>360,359</b>	<b>689,424</b>	

**Notes on using these tables**

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 d (ii): London

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
5.8	71.9	38.1	6.0	72.5	38.4	-	-	-	-	-	-	-	-	-	<15
518.1	1366.9	928.0	635.7	1620.6	1114.1	-	-	-	-	-	-	-	-	-	15-19
1174.4	1284.6	1230.7	1236.4	1364.0	1300.9	-	-	-	-	-	-	-	-	-	20-24
544.9	349.9	448.3	584.3	354.2	470.0	-	-	-	-	-	-	-	-	-	25-34
226.9	64.7	148.2	242.9	75.9	162.0	-	-	-	-	-	-	-	-	-	35-44
39.4	9.5	23.4	42.5	9.6	25.0	-	-	-	-	-	-	-	-	-	45+
<b>276.3</b>	<b>252.3</b>	<b>264.2</b>	<b>302.2</b>	<b>277.2</b>	<b>289.6</b>	-	-	-	-	-	-	-	-	-	<b>Total</b>
4.7	18.3	11.3	4.8	21.2	12.8	2.4	19.2	10.6	0.0	19.2	9.3	1.2	11.5	6.2	<15
185.8	263.7	223.5	252.9	342.9	296.6	180.6	306.1	241.8	180.9	258.7	219.7	150.1	258.7	204.2	15-19
371.2	163.2	264.9	395.8	194.6	294.1	324.9	181.2	251.9	366.8	189.9	278.6	396.4	190.6	293.7	20-24
247.7	45.0	147.3	231.2	44.9	138.7	201.1	49.7	126.1	230.7	48.1	141.1	267.7	52.4	161.9	25-34
162.7	15.8	91.4	140.8	15.1	79.9	112.8	13.4	64.9	130.1	13.6	74.9	150.0	15.8	86.3	35-44
33.0	2.9	16.9	27.1	2.7	14.0	27.9	3.7	15.0	32.3	3.3	16.9	39.4	3.6	20.6	45+
<b>126.5</b>	<b>39.2</b>	<b>82.4</b>	<b>125.2</b>	<b>46.3</b>	<b>85.3</b>	<b>103.5</b>	<b>43.3</b>	<b>73.1</b>	<b>115.5</b>	<b>40.5</b>	<b>78.1</b>	<b>129.1</b>	<b>41.8</b>	<b>85.5</b>	<b>Total</b>
0.0	1.2	0.6	0.0	2.5	1.2	0.0	2.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	<15
2.6	7.5	5.0	2.7	6.6	4.6	2.7	3.8	3.2	4.1	3.8	4.0	4.1	2.9	3.5	15-19
16.7	5.5	11.0	20.9	4.7	12.7	20.5	3.9	12.1	24.7	2.8	13.8	20.4	4.9	12.8	20-24
29.6	3.2	16.5	33.2	3.0	18.2	24.3	3.0	13.8	33.7	3.6	19.1	29.3	3.0	16.7	25-34
40.2	1.8	21.6	41.6	1.8	22.3	32.0	0.8	17.0	38.0	0.8	20.4	37.5	2.6	21.1	35-44
10.8	0.5	5.3	12.5	0.8	6.2	11.9	0.2	5.7	14.3	0.3	6.9	16.0	0.2	7.7	45+
<b>18.0</b>	<b>1.9</b>	<b>9.8</b>	<b>21.1</b>	<b>2.0</b>	<b>11.5</b>	<b>15.7</b>	<b>1.4</b>	<b>8.5</b>	<b>19.9</b>	<b>1.3</b>	<b>10.7</b>	<b>19.1</b>	<b>1.6</b>	<b>10.5</b>	<b>Total</b>
0.0	9.7	4.8	0.0	7.5	3.7	0.0	6.4	3.1	0.0	9.0	4.4	0.0	7.7	3.7	<15
45.6	219.1	129.4	49.2	235.3	139.6	52.4	242.0	144.8	46.4	214.2	128.5	48.2	225.2	134.8	15-19
150.8	328.5	241.6	172.0	384.5	279.4	179.3	362.0	272.1	185.9	398.1	294.6	199.5	411.5	306.8	20-24
116.1	153.4	134.5	131.6	184.0	157.6	137.8	198.0	167.6	155.4	206.8	181.8	159.8	225.6	193.0	25-34
70.1	59.2	64.8	79.9	74.8	77.5	79.8	75.0	77.5	86.1	77.5	82.1	84.6	89.4	87.3	35-44
19.6	11.9	15.5	23.6	14.9	19.0	24.6	17.1	20.6	28.1	22.7	25.4	33.3	22.5	27.9	45+
<b>55.1</b>	<b>79.5</b>	<b>67.4</b>	<b>64.0</b>	<b>95.0</b>	<b>79.7</b>	<b>64.9</b>	<b>95.4</b>	<b>80.3</b>	<b>70.8</b>	<b>100.1</b>	<b>86.0</b>	<b>74.2</b>	<b>107.0</b>	<b>91.1</b>	<b>Total</b>
4.7	21.9	13.1	2.4	17.5	9.8	1.2	15.3	8.1	2.4	24.3	13.1	2.4	9.0	5.6	<15
164.4	485.7	319.5	186.3	538.8	357.5	208.6	522.9	361.9	191.0	507.4	346.5	179.9	476.2	325.8	15-19
687.3	689.4	688.4	720.0	699.4	709.6	725.6	725.9	725.7	728.2	688.5	710.3	682.8	697.6	693.4	20-24
428.6	275.4	352.8	458.1	300.9	380.0	470.4	299.5	385.7	461.8	297.0	381.9	467.1	276.3	375.2	25-34
175.5	78.6	128.5	178.4	84.4	132.9	169.8	85.8	129.4	178.0	86.8	134.8	170.2	93.7	134.3	35-44
38.8	12.3	24.6	46.3	14.5	29.4	43.5	15.8	28.7	51.0	15.9	32.6	49.4	17.1	32.4	45+
<b>187.5</b>	<b>147.6</b>	<b>167.3</b>	<b>203.6</b>	<b>159.4</b>	<b>181.2</b>	<b>200.5</b>	<b>158.1</b>	<b>179.1</b>	<b>202.3</b>	<b>153.5</b>	<b>178.4</b>	<b>197.7</b>	<b>149.9</b>	<b>174.5</b>	<b>Total</b>

Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population  
2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.  
<http://www.hpa.org.uk/STIannualdatatables>

**Table 5 e (i): North East**
**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
<b>Chlamydia</b>	<15	2	18	20	0	20	20	-	-	-	-	-	-	-	-
	15-19	563	1,107	1,670	630	1,153	1,783	-	-	-	-	-	-	-	-
	20-24	1,168	1,080	2,248	1,283	983	2,266	-	-	-	-	-	-	-	-
	25-34	683	355	1,038	733	359	1,092	-	-	-	-	-	-	-	-
	35-44	174	75	249	178	63	241	-	-	-	-	-	-	-	-
	45+	70	18	88	68	22	90	-	-	-	-	-	-	-	-
<b>Total</b>	<b>2,660</b>	<b>2,682</b>	<b>5,342</b>	<b>2,892</b>	<b>2,600</b>	<b>5,492</b>	-	-	-	-	-	-	-	-	
<b>% MSM</b>	<b>5%</b>			<b>4%</b>											
<b>Gonorrhoea</b>	<15	1	1	2	0	1	1	0	3	3	1	2	3	0	1
	15-19	63	49	112	65	64	129	62	69	131	67	81	148	71	112
	20-24	116	45	161	117	42	159	118	48	166	150	68	218	134	87
	25-34	93	25	118	82	13	95	95	20	115	103	32	135	103	37
	35-44	48	13	61	37	3	40	33	7	40	35	10	45	29	9
	45+	26	1	27	18	7	25	19	2	21	34	2	36	28	1
<b>Total</b>	<b>348</b>	<b>134</b>	<b>482</b>	<b>320</b>	<b>130</b>	<b>450</b>	<b>327</b>	<b>149</b>	<b>476</b>	<b>390</b>	<b>195</b>	<b>585</b>	<b>367</b>	<b>247</b>	
<b>% MSM</b>	<b>32%</b>			<b>23%</b>			<b>23%</b>			<b>25%</b>			<b>26%</b>		
<b>Syphilis</b>	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	
	15-19	4	5	9	4	2	6	2	1	3	4	12	16	5	3
	20-24	16	6	22	18	10	28	18	0	18	17	4	21	17	6
	25-34	25	2	27	37	1	38	17	1	18	19	2	21	18	1
	35-44	15	2	17	29	2	31	24	6	30	26	1	27	12	0
	45+	12	0	12	16	2	18	21	1	22	18	0	18	5	1
<b>Total</b>	<b>72</b>	<b>15</b>	<b>87</b>	<b>104</b>	<b>17</b>	<b>121</b>	<b>82</b>	<b>9</b>	<b>91</b>	<b>86</b>	<b>19</b>	<b>105</b>	<b>58</b>	<b>11</b>	
<b>% MSM</b>	<b>54%</b>			<b>63%</b>			<b>60%</b>			<b>70%</b>			<b>71%</b>		
<b>Herpes</b>	<15	0	1	1	0	2	2	0	3	3	0	5	5	0	4
	15-19	33	128	161	46	156	202	36	173	209	49	183	232	44	206
	20-24	82	148	230	104	229	333	112	183	295	138	246	384	150	236
	25-34	89	121	210	120	157	277	149	126	275	169	178	347	197	199
	35-44	41	45	86	55	62	117	59	70	129	76	75	151	78	79
	45+	23	22	45	45	26	71	44	44	88	52	48	100	55	59
<b>Total</b>	<b>268</b>	<b>465</b>	<b>733</b>	<b>370</b>	<b>632</b>	<b>1,002</b>	<b>400</b>	<b>599</b>	<b>999</b>	<b>484</b>	<b>735</b>	<b>1,219</b>	<b>524</b>	<b>783</b>	
<b>% MSM</b>	<b>3%</b>			<b>5%</b>			<b>6%</b>			<b>4%</b>			<b>4%</b>		
<b>Warts</b>	<15	0	6	6	1	11	12	0	14	14	1	14	15	0	9
	15-19	365	771	1,136	394	914	1,308	394	885	1,279	376	917	1,293	420	807
	20-24	873	660	1,533	1,006	765	1,771	947	741	1,688	1,001	686	1,687	1,059	732
	25-34	640	313	953	669	388	1,057	697	364	1,061	650	369	1,019	672	378
	35-44	237	134	371	234	154	388	225	166	391	236	134	370	207	125
	45+	105	75	180	128	61	189	147	85	232	144	85	229	161	81
<b>Total</b>	<b>2,220</b>	<b>1,959</b>	<b>4,179</b>	<b>2,432</b>	<b>2,293</b>	<b>4,725</b>	<b>2,410</b>	<b>2,255</b>	<b>4,665</b>	<b>2,408</b>	<b>2,206</b>	<b>4,614</b>	<b>2,520</b>	<b>2,134</b>	
<b>% MSM</b>	<b>5%</b>			<b>5%</b>			<b>5%</b>			<b>6%</b>			<b>6%</b>		
<b>New STIs</b>	<b>8,404</b>	<b>6,177</b>	<b>14,581</b>	<b>9,243</b>	<b>6,565</b>	<b>15,808</b>	<b>9,148</b>	<b>6,697</b>	<b>15,845</b>	<b>9,121</b>	<b>6,670</b>	<b>15,791</b>	<b>8,939</b>	<b>6,709</b>	
<b>Other STIs</b>	<b>3,538</b>	<b>2,696</b>	<b>6,234</b>	<b>3,857</b>	<b>3,053</b>	<b>6,910</b>	<b>4,260</b>	<b>3,219</b>	<b>7,479</b>	<b>3,914</b>	<b>3,011</b>	<b>6,925</b>	<b>3,847</b>	<b>2,918</b>	
<b>Other GUM</b>	<b>2,836</b>	<b>6,245</b>	<b>9,081</b>	<b>3,676</b>	<b>7,642</b>	<b>11,318</b>	<b>3,844</b>	<b>9,275</b>	<b>13,119</b>	<b>3,866</b>	<b>9,819</b>	<b>13,685</b>	<b>3,891</b>	<b>9,662</b>	
<b>Services</b>	<b>31,636</b>	<b>31,703</b>	<b>63,339</b>	<b>38,329</b>	<b>40,572</b>	<b>78,901</b>	<b>42,055</b>	<b>44,431</b>	<b>86,486</b>	<b>42,771</b>	<b>45,204</b>	<b>87,975</b>	<b>42,153</b>	<b>50,361</b>	

**Notes on using these tables**

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 f e (ii): North East

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
5.9	56.4	30.5	0.0	64.8	31.6	-	-	-	-	-	-	-	-	-	<15
628.3	1312.0	959.8	704.1	1367.7	1026.0	-	-	-	-	-	-	-	-	-	15-19
1249.2	1217.9	1234.0	1317.6	1086.1	1206.1	-	-	-	-	-	-	-	-	-	20-24
463.7	235.7	348.4	493.6	240.8	366.9	-	-	-	-	-	-	-	-	-	25-34
94.6	38.9	66.1	98.3	33.0	64.8	-	-	-	-	-	-	-	-	-	35-44
13.7	3.1	8.1	13.2	3.8	8.2	-	-	-	-	-	-	-	-	-	45+
<b>213.2</b>	<b>205.0</b>	<b>209.0</b>	<b>230.7</b>	<b>198.4</b>	<b>214.2</b>	-	-	-	-	-	-	-	-	-	<b>Total</b>
3.0	3.1	3.0	0.0	3.2	1.6	0.0	10.0	4.9	3.3	6.8	5.0	0.0	3.4	1.7	<15
70.3	58.1	64.4	72.6	75.9	74.2	70.2	82.4	76.2	75.9	97.3	86.3	80.4	134.6	106.7	15-19
124.1	50.7	88.4	120.2	46.4	84.6	119.4	51.6	86.5	150.5	72.6	112.8	134.5	92.9	114.3	20-24
63.1	16.6	39.6	55.2	8.7	31.9	62.6	13.3	38.1	66.6	20.9	43.9	66.6	24.2	45.6	25-34
26.1	6.7	16.2	20.4	1.6	10.8	18.6	3.8	11.0	20.3	5.5	12.7	16.9	5.0	10.8	35-44
5.1	0.2	2.5	3.5	1.2	2.3	3.6	0.3	1.9	6.4	0.3	3.2	5.3	0.2	2.6	45+
<b>27.9</b>	<b>10.2</b>	<b>18.9</b>	<b>25.5</b>	<b>9.9</b>	<b>17.5</b>	<b>26.0</b>	<b>11.3</b>	<b>18.5</b>	<b>30.8</b>	<b>14.8</b>	<b>22.6</b>	<b>29.0</b>	<b>18.7</b>	<b>23.8</b>	<b>Total</b>
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<15
4.5	5.9	5.2	4.5	2.4	3.5	2.3	1.2	1.7	4.5	14.4	9.3	5.7	3.6	4.7	15-19
17.1	6.8	12.1	18.5	11.0	14.9	18.2	0.0	9.4	17.1	4.3	10.9	17.1	6.4	11.9	20-24
17.0	1.3	9.1	24.9	0.7	12.8	11.2	0.7	6.0	12.3	1.3	6.8	11.6	0.7	6.2	25-34
8.2	1.0	4.5	16.0	1.0	8.3	13.6	3.2	8.3	15.1	0.6	7.6	7.0	0.0	3.4	35-44
2.4	0.0	1.1	3.1	0.3	1.6	4.0	0.2	2.0	3.4	0.0	1.6	0.9	0.2	0.5	45+
<b>5.8</b>	<b>1.1</b>	<b>3.4</b>	<b>8.3</b>	<b>1.3</b>	<b>4.7</b>	<b>6.5</b>	<b>0.7</b>	<b>3.5</b>	<b>6.8</b>	<b>1.4</b>	<b>4.1</b>	<b>4.6</b>	<b>0.8</b>	<b>2.7</b>	<b>Total</b>
0.0	3.1	1.5	0.0	6.5	3.2	0.0	10.0	4.9	0.0	17.1	8.3	0.0	13.7	6.7	<15
36.8	151.7	92.5	51.4	185.0	116.2	40.8	206.6	121.5	55.5	219.9	135.3	49.9	247.5	145.8	15-19
87.7	166.9	126.3	106.8	253.0	177.2	113.3	196.7	153.7	138.5	262.7	198.7	150.5	252.0	199.7	20-24
60.4	80.3	70.5	80.8	105.3	93.1	98.2	83.8	91.0	109.4	116.5	112.9	127.5	130.3	128.9	25-34
22.3	23.3	22.8	30.4	32.5	31.5	33.3	37.5	35.5	44.2	41.4	42.7	45.3	43.6	44.4	35-44
4.5	3.8	4.1	8.7	4.4	6.4	8.4	7.4	7.9	9.8	8.0	8.8	10.3	9.8	10.1	45+
<b>21.5</b>	<b>35.5</b>	<b>28.7</b>	<b>29.5</b>	<b>48.2</b>	<b>39.1</b>	<b>31.8</b>	<b>45.5</b>	<b>38.8</b>	<b>38.3</b>	<b>55.7</b>	<b>47.2</b>	<b>41.4</b>	<b>59.4</b>	<b>50.6</b>	<b>Total</b>
0.0	18.8	9.1	3.1	35.6	19.0	0.0	46.7	22.8	3.3	47.8	25.0	0.0	30.8	15.0	<15
407.3	913.8	652.9	440.3	1084.2	752.7	446.4	1057.1	743.7	426.0	1101.7	753.9	475.9	969.5	715.5	15-19
933.7	744.3	841.5	1033.1	845.2	942.6	957.9	796.5	879.7	1004.6	732.6	872.8	1062.8	781.7	926.6	20-24
434.5	207.8	319.9	450.5	260.2	355.2	459.3	242.1	351.2	420.6	241.5	331.6	434.8	247.4	341.7	25-34
128.9	69.5	98.5	129.2	80.8	104.4	127.1	89.0	107.6	137.2	73.9	104.7	120.3	68.9	94.0	35-44
20.6	12.9	16.5	24.8	10.4	17.1	28.0	14.3	20.8	27.1	14.2	20.2	30.3	13.5	21.4	45+
<b>178.0</b>	<b>149.7</b>	<b>163.5</b>	<b>194.0</b>	<b>174.9</b>	<b>184.2</b>	<b>191.3</b>	<b>171.4</b>	<b>181.1</b>	<b>190.3</b>	<b>167.2</b>	<b>178.5</b>	<b>199.2</b>	<b>161.8</b>	<b>180.1</b>	<b>Total</b>

Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population

2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

**Table 5 f (i): North West**

**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010			
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
<b>Chlamydia</b>	<15	10	66	76	9	45	54	-	-	-	-	-	-	-	-	
	15-19	1,437	3,192	4,629	1,444	3,075	4,519	-	-	-	-	-	-	-	-	
	20-24	3,243	2,974	6,217	3,419	3,064	6,483	-	-	-	-	-	-	-	-	
	25-34	2,246	1,313	3,559	2,329	1,344	3,673	-	-	-	-	-	-	-	-	
	35-44	624	243	867	588	236	824	-	-	-	-	-	-	-	-	
	45+	217	63	280	215	73	288	-	-	-	-	-	-	-	-	
<b>Total</b>	<b>7,777</b>	<b>7,851</b>	<b>15,628</b>	<b>8,004</b>	<b>7,837</b>	<b>15,841</b>	-	-	-	-	-	-	-	-		
<b>% MSM</b>	<b>5%</b>			<b>6%</b>												
<b>Gonorrhoea</b>	<15	0	7	7	0	8	8	2	7	9	2	5	7	2	2	4
	15-19	232	307	539	233	334	567	209	287	496	162	279	441	152	243	395
	20-24	498	279	777	518	274	792	397	258	655	356	233	589	423	214	637
	25-34	557	123	680	507	126	633	451	132	583	399	112	511	508	113	621
	35-44	277	44	321	241	40	281	218	38	256	181	35	216	207	29	236
	45+	151	22	173	141	19	160	112	16	128	122	15	137	130	22	152
<b>Total</b>	<b>1,715</b>	<b>782</b>	<b>2,497</b>	<b>1,640</b>	<b>801</b>	<b>2,441</b>	<b>1,389</b>	<b>738</b>	<b>2,127</b>	<b>1,225</b>	<b>679</b>	<b>1,904</b>	<b>1,427</b>	<b>623</b>	<b>2,050</b>	
<b>% MSM</b>	<b>32%</b>			<b>26%</b>			<b>32%</b>			<b>40%</b>			<b>50%</b>			
<b>Syphilis</b>	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	15-19	13	5	18	14	2	16	15	1	16	8	3	11	8	1	9
	20-24	58	5	63	53	3	56	48	6	54	46	8	54	38	7	45
	25-34	118	6	124	101	6	107	93	8	101	81	8	89	87	6	93
	35-44	109	4	113	83	3	86	94	3	97	70	5	75	65	1	66
	45+	55	3	58	50	4	54	60	3	63	47	2	49	49	1	50
<b>Total</b>	<b>353</b>	<b>23</b>	<b>376</b>	<b>301</b>	<b>18</b>	<b>319</b>	<b>310</b>	<b>21</b>	<b>331</b>	<b>252</b>	<b>26</b>	<b>278</b>	<b>249</b>	<b>16</b>	<b>265</b>	
<b>% MSM</b>	<b>70%</b>			<b>69%</b>			<b>72%</b>			<b>77%</b>			<b>77%</b>			
<b>Herpes</b>	<15	0	6	6	0	20	20	1	12	13	0	11	11	0	7	7
	15-19	85	453	538	99	524	623	134	652	786	127	586	713	126	535	661
	20-24	272	535	807	340	620	960	398	720	1,118	452	784	1,236	417	783	1,200
	25-34	327	373	700	426	509	935	491	619	1,110	545	624	1,169	569	665	1,234
	35-44	177	184	361	212	217	429	228	248	476	227	284	511	275	276	551
	45+	116	105	221	143	132	275	160	153	313	184	181	365	180	206	386
<b>Total</b>	<b>977</b>	<b>1,657</b>	<b>2,634</b>	<b>1,220</b>	<b>2,022</b>	<b>3,242</b>	<b>1,412</b>	<b>2,404</b>	<b>3,816</b>	<b>1,536</b>	<b>2,471</b>	<b>4,007</b>	<b>1,572</b>	<b>2,473</b>	<b>4,045</b>	
<b>% MSM</b>	<b>6%</b>			<b>5%</b>			<b>7%</b>			<b>6%</b>			<b>8%</b>			
<b>Warts</b>	<15	9	26	35	4	23	27	4	25	29	4	28	32	4	22	26
	15-19	824	1,900	2,724	882	1,884	2,766	922	2,087	3,009	852	1,904	2,756	770	1,723	2,493
	20-24	2,250	1,752	4,002	2,366	1,802	4,168	2,430	1,948	4,378	2,458	1,865	4,324	2,281	1,887	4,168
	25-34	1,759	959	2,718	1,853	1,039	2,892	1,921	1,019	2,940	2,090	1,006	3,096	1,905	1,052	2,957
	35-44	726	374	1,100	744	414	1,158	724	363	1,087	755	431	1,186	703	360	1,063
	45+	328	163	491	371	160	531	461	228	689	438	228	666	467	198	665
<b>Total</b>	<b>5,896</b>	<b>5,174</b>	<b>11,070</b>	<b>6,220</b>	<b>5,322</b>	<b>11,542</b>	<b>6,462</b>	<b>5,670</b>	<b>12,132</b>	<b>6,600</b>	<b>5,465</b>	<b>12,066</b>	<b>6,135</b>	<b>5,246</b>	<b>11,381</b>	
<b>% MSM</b>	<b>5%</b>			<b>5%</b>			<b>6%</b>			<b>6%</b>			<b>6%</b>			
<b>New STIs</b>	<b>24,851</b>	<b>18,251</b>	<b>43,102</b>	<b>25,353</b>	<b>18,968</b>	<b>44,321</b>	<b>26,359</b>	<b>20,165</b>	<b>46,524</b>	<b>25,964</b>	<b>19,060</b>	<b>45,027</b>	<b>23,800</b>	<b>17,937</b>	<b>41,737</b>	
<b>Other STIs</b>	<b>15,549</b>	<b>10,128</b>	<b>25,677</b>	<b>16,141</b>	<b>10,607</b>	<b>26,748</b>	<b>18,059</b>	<b>11,575</b>	<b>29,634</b>	<b>16,210</b>	<b>10,398</b>	<b>26,608</b>	<b>16,477</b>	<b>10,197</b>	<b>26,676</b>	
<b>Other GUM</b>	<b>9,426</b>	<b>19,855</b>	<b>29,281</b>	<b>10,109</b>	<b>22,018</b>	<b>32,127</b>	<b>11,654</b>	<b>24,698</b>	<b>36,352</b>	<b>11,267</b>	<b>23,860</b>	<b>35,127</b>	<b>10,355</b>	<b>21,708</b>	<b>32,064</b>	
<b>Services</b>	<b>106,726</b>	<b>105,300</b>	<b>212,026</b>	<b>119,663</b>	<b>122,613</b>	<b>242,276</b>	<b>131,569</b>	<b>137,373</b>	<b>268,942</b>	<b>133,198</b>	<b>139,241</b>	<b>272,445</b>	<b>128,519</b>	<b>139,078</b>	<b>267,603</b>	

**Notes on using these tables**

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 f (ii): North West

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
10.6	74.2	41.5	10.0	52.6	30.7	-	-	-	-	-	-	-	-	-	<15
592.1	1378.0	975.9	591.9	1328.9	950.7	-	-	-	-	-	-	-	-	-	15-19
1360.9	1280.0	1321.0	1383.1	1294.8	1339.9	-	-	-	-	-	-	-	-	-	20-24
541.1	315.3	428.0	563.4	328.7	446.7	-	-	-	-	-	-	-	-	-	25-34
122.9	46.6	84.2	116.8	45.6	80.7	-	-	-	-	-	-	-	-	-	35-44
16.4	4.2	9.9	16.1	4.8	10.1	-	-	-	-	-	-	-	-	-	45+
<b>231.8</b>	<b>224.4</b>	<b>228.0</b>	<b>237.8</b>	<b>224.0</b>	<b>230.8</b>	-	-	-	-	-	-	-	-	-	<b>Total</b>
0.0	7.9	3.8	0.0	9.3	4.5	2.3	8.5	5.3	2.3	6.2	4.2	2.3	2.5	2.4	<15
95.6	132.5	113.6	95.5	144.3	119.3	87.2	125.6	105.9	68.3	123.6	95.3	64.1	107.6	85.3	15-19
209.0	120.1	165.1	209.6	115.8	163.7	158.0	107.3	133.2	141.0	95.6	118.7	167.5	87.8	128.3	20-24
134.2	29.5	81.8	122.6	30.8	77.0	108.0	32.6	70.9	94.2	27.5	61.5	119.9	27.7	74.7	25-34
54.6	8.4	31.2	47.9	7.7	27.5	44.1	7.5	25.5	37.5	7.1	22.1	42.9	5.9	24.1	35-44
11.4	1.5	6.1	10.6	1.3	5.6	8.3	1.0	4.4	8.9	1.0	4.7	9.5	1.4	5.2	45+
<b>51.1</b>	<b>22.4</b>	<b>36.4</b>	<b>48.7</b>	<b>22.9</b>	<b>35.6</b>	<b>41.1</b>	<b>21.1</b>	<b>30.9</b>	<b>36.1</b>	<b>19.4</b>	<b>27.6</b>	<b>42.1</b>	<b>17.8</b>	<b>29.7</b>	<b>Total</b>
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<15
5.4	2.2	3.8	5.7	0.9	3.4	6.3	0.4	3.4	3.4	1.3	2.4	3.4	0.4	1.9	15-19
24.3	2.2	13.4	21.4	1.3	11.6	19.1	2.5	11.0	18.2	3.3	10.9	15.0	2.9	9.1	20-24
28.4	1.4	14.9	24.4	1.5	13.0	22.3	2.0	12.3	19.1	2.0	10.7	20.5	1.5	11.2	25-34
21.5	0.8	11.0	16.5	0.6	8.4	19.0	0.6	9.7	14.5	1.0	7.7	13.5	0.2	6.7	35-44
4.2	0.2	2.1	3.7	0.3	1.9	4.4	0.2	2.2	3.4	0.1	1.7	3.6	0.1	1.7	45+
<b>10.5</b>	<b>0.7</b>	<b>5.5</b>	<b>8.9</b>	<b>0.5</b>	<b>4.6</b>	<b>9.2</b>	<b>0.6</b>	<b>4.8</b>	<b>7.4</b>	<b>0.7</b>	<b>4.0</b>	<b>7.3</b>	<b>0.5</b>	<b>3.8</b>	<b>Total</b>
0.0	6.7	3.3	0.0	23.4	11.4	1.1	14.5	7.6	0.0	13.6	6.6	0.0	8.7	4.2	<15
35.0	195.6	113.4	40.6	226.5	131.1	55.9	285.3	167.9	53.6	259.6	154.0	53.1	237.0	142.8	15-19
114.1	230.3	171.5	137.5	262.0	198.4	158.4	299.4	227.3	179.0	321.6	249.0	165.1	321.2	241.8	20-24
78.8	89.6	84.2	103.1	124.5	113.7	117.6	152.8	135.0	128.7	153.1	140.6	134.3	163.1	148.5	25-34
34.9	35.3	35.1	42.1	42.0	42.0	46.1	48.8	47.5	47.0	57.3	52.2	57.0	55.7	56.3	35-44
8.8	7.0	7.8	10.7	8.7	9.7	11.8	10.0	10.9	13.4	11.7	12.5	13.1	13.3	13.2	45+
<b>29.1</b>	<b>47.4</b>	<b>38.4</b>	<b>36.2</b>	<b>57.8</b>	<b>47.2</b>	<b>41.8</b>	<b>68.7</b>	<b>55.5</b>	<b>45.3</b>	<b>70.5</b>	<b>58.1</b>	<b>46.3</b>	<b>70.5</b>	<b>58.6</b>	<b>Total</b>
9.5	29.2	19.1	4.4	26.9	15.3	4.6	30.3	17.0	4.7	34.7	19.2	4.7	27.3	15.6	<15
339.5	820.3	574.3	361.5	814.2	581.9	384.8	913.1	642.7	359.3	843.3	595.4	324.7	763.2	538.6	15-19
944.2	754.1	850.3	957.2	761.5	861.4	966.9	810.0	890.2	973.2	764.9	871.1	903.1	774.0	839.7	20-24
423.8	230.3	326.9	448.2	254.1	351.7	460.2	251.6	357.5	493.4	246.8	372.5	449.7	258.1	355.7	25-34
143.0	71.7	106.9	147.8	80.0	113.5	146.5	71.5	108.4	156.4	87.0	121.2	145.6	72.7	108.7	35-44
24.8	10.9	17.4	27.8	10.6	18.6	34.1	14.9	23.9	31.9	14.8	22.8	34.0	12.8	22.8	45+
<b>175.8</b>	<b>147.9</b>	<b>161.5</b>	<b>184.8</b>	<b>152.1</b>	<b>168.1</b>	<b>191.3</b>	<b>162.1</b>	<b>176.4</b>	<b>194.6</b>	<b>155.9</b>	<b>174.9</b>	<b>180.9</b>	<b>149.6</b>	<b>165.0</b>	<b>Total</b>

Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population

2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well as GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.  
<http://www.hpa.org.uk/STIannualdatatables>



**Table 5 g (i): South Central**

**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
<b>Chlamydia</b>	<15	1	25	26	2	19	21	-	-	-	-	-	-	-	-
	15-19	503	1,268	1,771	602	1,340	1,942	-	-	-	-	-	-	-	-
	20-24	1,331	1,428	2,759	1,486	1,400	2,886	-	-	-	-	-	-	-	-
	25-34	945	589	1,534	1,199	649	1,848	-	-	-	-	-	-	-	-
	35-44	251	137	388	283	129	412	-	-	-	-	-	-	-	-
	45+	108	26	134	121	33	154	-	-	-	-	-	-	-	-
<b>Total</b>	<b>3,139</b>	<b>3,473</b>	<b>6,612</b>	<b>3,697</b>	<b>3,599</b>	<b>7,296</b>	-	-	-	-	-	-	-	-	
<b>% MSM</b>	<b>3%</b>			<b>2%</b>											
<b>Gonorrhoea</b>	<15	0	0	0	0	4	4	0	0	0	0	2	2	0	2
	15-19	71	60	131	65	77	142	60	73	133	63	51	114	46	84
	20-24	159	78	237	114	73	187	129	63	192	115	75	190	132	78
	25-34	150	32	182	151	39	190	133	28	161	130	43	173	161	48
	35-44	65	19	84	53	16	69	63	6	69	84	13	97	69	17
	45+	42	6	48	44	9	53	51	10	61	59	8	67	70	10
<b>Total</b>	<b>487</b>	<b>195</b>	<b>682</b>	<b>430</b>	<b>218</b>	<b>648</b>	<b>438</b>	<b>180</b>	<b>618</b>	<b>452</b>	<b>193</b>	<b>645</b>	<b>479</b>	<b>239</b>	
<b>% MSM</b>	<b>27%</b>			<b>21%</b>			<b>19%</b>			<b>26%</b>			<b>28%</b>		
<b>Syphilis</b>	<15	0	0	0	0	0	0	0	1	1	0	0	0	0	0
	15-19	4	0	4	2	1	3	4	1	5	6	1	7	1	0
	20-24	12	1	13	9	2	11	11	1	12	10	0	10	5	2
	25-34	23	1	24	11	1	12	17	1	18	17	3	20	27	1
	35-44	45	2	47	26	0	26	31	2	33	17	1	18	21	2
	45+	17	0	17	21	1	22	15	1	16	14	2	16	12	0
<b>Total</b>	<b>101</b>	<b>4</b>	<b>105</b>	<b>69</b>	<b>5</b>	<b>74</b>	<b>78</b>	<b>7</b>	<b>85</b>	<b>64</b>	<b>7</b>	<b>71</b>	<b>67</b>	<b>5</b>	
<b>% MSM</b>	<b>53%</b>			<b>36%</b>			<b>44%</b>			<b>48%</b>			<b>60%</b>		
<b>Herpes</b>	<15	1	3	4	0	1	1	0	6	6	1	5	6	1	3
	15-19	29	186	215	37	250	287	44	245	289	43	233	276	62	270
	20-24	129	259	388	176	318	494	190	331	521	178	359	537	235	411
	25-34	196	289	485	240	264	504	288	328	616	230	319	549	286	367
	35-44	117	112	229	121	146	267	170	164	334	141	164	305	146	171
	45+	110	67	177	99	101	200	108	144	252	107	107	214	118	138
<b>Total</b>	<b>583</b>	<b>916</b>	<b>1,499</b>	<b>674</b>	<b>1,080</b>	<b>1,754</b>	<b>801</b>	<b>1,218</b>	<b>2,019</b>	<b>700</b>	<b>1,192</b>	<b>1,892</b>	<b>848</b>	<b>1,361</b>	
<b>% MSM</b>	<b>5%</b>			<b>3%</b>			<b>4%</b>			<b>4%</b>			<b>4%</b>		
<b>Warts</b>	<15	1	8	9	4	11	15	2	6	8	9	9	18	8	10
	15-19	285	764	1,049	284	911	1,195	327	832	1,159	317	826	1,143	313	725
	20-24	953	891	1,844	986	903	1,889	1,122	958	2,080	1,066	969	2,035	1,127	976
	25-34	929	503	1,432	923	576	1,499	933	609	1,542	1,019	540	1,560	944	521
	35-44	321	177	498	347	210	557	302	220	522	328	199	527	323	198
	45+	158	86	244	197	82	279	232	104	336	225	105	330	227	100
<b>Total</b>	<b>2,647</b>	<b>2,429</b>	<b>5,076</b>	<b>2,742</b>	<b>2,694</b>	<b>5,436</b>	<b>2,918</b>	<b>2,730</b>	<b>5,648</b>	<b>2,966</b>	<b>2,650</b>	<b>5,617</b>	<b>2,944</b>	<b>2,531</b>	
<b>% MSM</b>	<b>3%</b>			<b>3%</b>			<b>2%</b>			<b>4%</b>			<b>5%</b>		
<b>New STIs</b>	<b>13,819</b>	<b>9,417</b>	<b>23,236</b>	<b>14,258</b>	<b>10,082</b>	<b>24,340</b>	<b>14,728</b>	<b>10,135</b>	<b>24,863</b>	<b>13,704</b>	<b>9,653</b>	<b>23,363</b>	<b>13,063</b>	<b>9,490</b>	
<b>Other STIs</b>	<b>6,894</b>	<b>6,825</b>	<b>13,719</b>	<b>7,763</b>	<b>7,287</b>	<b>15,050</b>	<b>8,317</b>	<b>7,599</b>	<b>15,916</b>	<b>9,069</b>	<b>7,923</b>	<b>16,993</b>	<b>9,639</b>	<b>7,918</b>	
<b>Other GUM</b>	<b>5,487</b>	<b>14,829</b>	<b>20,316</b>	<b>5,643</b>	<b>15,440</b>	<b>21,083</b>	<b>7,014</b>	<b>18,094</b>	<b>25,108</b>	<b>7,301</b>	<b>17,531</b>	<b>24,843</b>	<b>7,284</b>	<b>17,668</b>	
<b>Services</b>	<b>55,836</b>	<b>64,290</b>	<b>120,126</b>	<b>61,379</b>	<b>73,773</b>	<b>135,152</b>	<b>66,883</b>	<b>85,639</b>	<b>152,522</b>	<b>65,968</b>	<b>86,345</b>	<b>152,385</b>	<b>69,879</b>	<b>92,987</b>	

Notes on using these tables

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 g (ii): South Central

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
1.9	50.7	25.3	3.8	38.9	20.7	-	-	-	-	-	-	-	-	-	<15
362.7	1002.4	667.9	427.3	1046.3	722.0	-	-	-	-	-	-	-	-	-	15-19
974.4	1104.6	1037.7	1051.8	1082.2	1066.3	-	-	-	-	-	-	-	-	-	20-24
359.2	224.8	292.1	455.3	251.3	354.3	-	-	-	-	-	-	-	-	-	25-34
82.0	43.6	62.6	92.1	40.9	66.2	-	-	-	-	-	-	-	-	-	35-44
14.3	3.1	8.4	15.7	3.9	9.5	-	-	-	-	-	-	-	-	-	45+
159.4	172.0	165.7	185.6	177.0	181.2	-	-	-	-	-	-	-	-	-	Total
0.0	0.0	0.0	0.0	8.2	3.9	0.0	0.0	0.0	0.0	4.2	2.0	0.0	4.2	2.0	<15
51.2	47.4	49.4	46.1	60.1	52.8	42.8	56.5	49.4	45.0	39.6	42.4	32.8	65.2	48.3	15-19
116.4	60.3	89.1	80.7	56.4	69.1	89.4	47.5	69.3	80.7	56.4	69.0	92.6	58.7	76.2	20-24
57.0	12.2	34.7	57.3	15.1	36.4	50.1	10.9	30.9	48.7	16.8	33.0	60.3	18.7	39.9	25-34
21.2	6.1	13.5	17.2	5.1	11.1	20.7	1.9	11.2	27.9	4.2	15.9	22.9	5.5	14.1	35-44
5.6	0.7	3.0	5.7	1.1	3.3	6.5	1.2	3.7	7.4	0.9	4.0	8.7	1.1	4.7	45+
24.7	9.7	17.1	21.6	10.7	16.1	21.8	8.8	15.2	22.3	9.3	15.7	23.7	11.5	17.5	Total
0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	<15
2.9	0.0	1.5	1.4	0.8	1.1	2.9	0.8	1.9	4.3	0.8	2.6	0.7	0.0	0.4	15-19
8.8	0.8	4.9	6.4	1.5	4.1	7.6	0.8	4.3	7.0	0.0	3.6	3.5	1.5	2.5	20-24
8.7	0.4	4.6	4.2	0.4	2.3	6.4	0.4	3.4	6.4	1.2	3.8	10.1	0.4	5.3	25-34
14.7	0.6	7.6	8.5	0.0	4.2	10.2	0.6	5.3	5.7	0.3	2.9	7.0	0.6	3.8	35-44
2.2	0.0	1.1	2.7	0.1	1.4	1.9	0.1	1.0	1.7	0.2	0.9	1.5	0.0	0.7	45+
5.1	0.2	2.6	3.5	0.2	1.8	3.9	0.3	2.1	3.2	0.3	1.7	3.3	0.2	1.8	Total
1.9	6.1	3.9	0.0	2.0	1.0	0.0	12.4	6.0	1.9	10.4	6.0	1.9	6.3	4.0	<15
20.9	147.0	81.1	26.3	195.2	106.7	31.4	189.6	107.3	30.7	180.9	102.6	44.3	209.6	123.5	15-19
94.4	200.3	145.9	124.6	245.8	182.5	131.7	249.5	188.2	124.9	270.0	194.9	164.8	309.1	234.5	20-24
74.5	110.3	92.4	91.1	102.2	96.6	108.5	127.9	118.0	86.1	124.3	104.8	107.1	143.0	124.7	25-34
38.2	35.7	36.9	39.4	46.3	42.9	55.8	52.4	54.1	46.9	52.8	49.9	48.5	55.1	51.9	35-44
14.5	8.0	11.1	12.9	11.8	12.3	13.8	16.6	15.3	13.4	12.1	12.7	14.7	15.6	15.2	45+
29.6	45.4	37.6	33.8	53.1	43.6	39.8	59.4	49.7	34.6	57.6	46.2	41.9	65.7	53.9	Total
1.9	16.2	8.8	7.6	22.5	14.8	3.8	12.4	7.9	17.5	18.8	18.1	15.5	20.8	18.1	<15
205.5	604.0	395.6	201.6	711.3	444.3	233.3	643.7	430.2	226.3	641.2	425.0	223.4	562.8	386.0	15-19
697.7	689.2	693.6	697.9	698.0	697.9	778.0	722.0	751.2	747.7	728.8	738.6	790.5	734.0	763.3	20-24
353.1	191.9	272.7	350.5	223.0	287.4	351.5	237.5	295.5	381.5	210.4	297.8	353.4	203.0	279.7	25-34
104.9	56.4	80.3	112.9	66.6	89.5	99.2	70.3	84.5	109.0	64.1	86.2	107.4	63.8	85.2	35-44
20.9	10.2	15.3	25.6	9.6	17.2	29.6	12.0	20.3	28.1	11.9	19.6	28.4	11.3	19.4	45+
134.4	120.3	127.2	137.7	132.5	135.0	145.2	133.0	139.0	146.4	128.0	137.2	145.4	122.3	133.7	Total

Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population  
2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.  
<http://www.hpa.org.uk/STIannualdatatables>



**Table 5 h (j): South East Coast**

**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
<b>Chlamydia</b>	<15	1	10	11	1	18	19	-	-	-	-	-	-	-	-
	15-19	410	1,067	1,477	545	1,117	1,662	-	-	-	-	-	-	-	-
	20-24	1,188	1,123	2,311	1,212	1,247	2,459	-	-	-	-	-	-	-	-
	25-34	919	528	1,447	1,036	576	1,612	-	-	-	-	-	-	-	-
	35-44	253	103	356	327	128	455	-	-	-	-	-	-	-	-
	45+	117	33	150	161	25	186	-	-	-	-	-	-	-	-
<b>Total</b>	<b>2,889</b>	<b>2,864</b>	<b>5,753</b>	<b>3,282</b>	<b>3,111</b>	<b>6,393</b>	-	-	-	-	-	-	-	-	
<b>% MSM</b>	<b>6%</b>			<b>5%</b>			-	-	-	-	-	-	-	-	
<b>Gonorrhoea</b>	<15	1	1	2	0	1	1	0	0	0	0	2	2	0	0
	15-19	59	64	123	65	56	121	47	61	108	36	60	96	45	35
	20-24	162	63	225	145	56	201	120	50	170	126	57	183	152	53
	25-34	216	31	247	205	28	233	139	23	162	168	35	203	176	35
	35-44	111	13	124	118	5	123	73	10	83	97	11	108	91	13
	45+	67	9	76	68	8	76	38	2	40	59	9	68	61	5
<b>Total</b>	<b>616</b>	<b>181</b>	<b>797</b>	<b>601</b>	<b>154</b>	<b>755</b>	<b>417</b>	<b>146</b>	<b>563</b>	<b>486</b>	<b>174</b>	<b>660</b>	<b>526</b>	<b>141</b>	<b>667</b>
<b>% MSM</b>	<b>50%</b>			<b>33%</b>			<b>40%</b>			<b>23%</b>			<b>34%</b>		
<b>Syphilis</b>	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	15-19	2	1	3	3	0	3	4	2	6	0	2	2	2	0
	20-24	8	3	11	7	4	11	12	4	16	14	2	16	5	0
	25-34	17	1	18	22	2	24	29	2	31	20	2	22	23	3
	35-44	34	3	37	33	2	35	31	1	32	35	0	35	26	2
	45+	32	0	32	37	0	37	23	3	26	25	1	26	29	0
<b>Total</b>	<b>93</b>	<b>8</b>	<b>101</b>	<b>102</b>	<b>8</b>	<b>110</b>	<b>99</b>	<b>12</b>	<b>111</b>	<b>94</b>	<b>7</b>	<b>101</b>	<b>85</b>	<b>5</b>	<b>90</b>
<b>% MSM</b>	<b>74%</b>			<b>48%</b>			<b>76%</b>			<b>48%</b>			<b>46%</b>		
<b>Herpes</b>	<15	0	4	4	0	3	3	0	5	5	0	7	7	0	4
	15-19	33	160	193	53	236	289	59	253	312	44	257	301	71	285
	20-24	111	245	356	142	281	423	172	329	501	205	357	562	226	424
	25-34	165	234	399	201	275	476	234	309	543	277	356	633	287	400
	35-44	117	126	243	153	159	312	164	176	340	166	188	354	175	214
	45+	80	69	149	104	93	197	140	137	277	129	155	284	152	171
<b>Total</b>	<b>506</b>	<b>838</b>	<b>1,344</b>	<b>653</b>	<b>1,047</b>	<b>1,700</b>	<b>769</b>	<b>1,209</b>	<b>1,978</b>	<b>821</b>	<b>1,321</b>	<b>2,142</b>	<b>912</b>	<b>1,498</b>	<b>2,410</b>
<b>% MSM</b>	<b>8%</b>			<b>6%</b>			<b>7%</b>			<b>7%</b>			<b>6%</b>		
<b>Warts</b>	<15	2	2	4	2	10	12	3	7	10	1	7	8	3	8
	15-19	268	766	1,034	323	882	1,205	359	909	1,268	372	916	1,288	336	829
	20-24	968	871	1,839	989	947	1,936	1,135	998	2,133	1,198	1,025	2,223	1,234	1,055
	25-34	953	569	1,522	977	642	1,619	982	671	1,653	1,062	614	1,676	1,023	590
	35-44	372	232	604	387	251	638	408	266	674	439	273	712	427	239
	45+	231	100	331	223	131	354	239	118	357	301	141	442	305	155
<b>Total</b>	<b>2,794</b>	<b>2,540</b>	<b>5,334</b>	<b>2,901</b>	<b>2,863</b>	<b>5,764</b>	<b>3,126</b>	<b>2,969</b>	<b>6,095</b>	<b>3,376</b>	<b>2,979</b>	<b>6,355</b>	<b>3,330</b>	<b>2,880</b>	<b>6,210</b>
<b>% MSM</b>	<b>6%</b>			<b>5%</b>			<b>6%</b>			<b>5%</b>			<b>4%</b>		
<b>New STIs</b>	<b>13,900</b>	<b>8,676</b>	<b>22,576</b>	<b>13,611</b>	<b>9,154</b>	<b>22,765</b>	<b>14,054</b>	<b>10,001</b>	<b>24,055</b>	<b>13,723</b>	<b>9,878</b>	<b>23,603</b>	<b>12,672</b>	<b>9,483</b>	<b>22,155</b>
<b>Other STIs</b>	<b>10,920</b>	<b>7,502</b>	<b>18,422</b>	<b>10,206</b>	<b>8,023</b>	<b>18,229</b>	<b>10,980</b>	<b>8,578</b>	<b>19,558</b>	<b>12,278</b>	<b>8,051</b>	<b>20,330</b>	<b>11,851</b>	<b>7,350</b>	<b>19,201</b>
<b>Other GUM</b>	<b>8,821</b>	<b>15,374</b>	<b>24,195</b>	<b>9,360</b>	<b>18,314</b>	<b>27,674</b>	<b>11,741</b>	<b>20,865</b>	<b>32,606</b>	<b>8,728</b>	<b>19,941</b>	<b>28,672</b>	<b>8,291</b>	<b>20,355</b>	<b>28,647</b>
<b>Services</b>	<b>55,103</b>	<b>60,596</b>	<b>115,699</b>	<b>63,076</b>	<b>70,356</b>	<b>133,432</b>	<b>70,502</b>	<b>81,975</b>	<b>152,477</b>	<b>70,974</b>	<b>82,366</b>	<b>153,352</b>	<b>75,506</b>	<b>88,433</b>	<b>163,946</b>

**Notes on using these tables**

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

**We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.**

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 h (ii): South East Coast

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
1.8	18.8	10.0	1.8	34.1	17.5	-	-	-	-	-	-	-	-	-	<15
296.6	808.0	546.4	385.1	831.8	602.6	-	-	-	-	-	-	-	-	-	15-19
1026.5	974.3	1000.4	1004.3	1070.3	1036.7	-	-	-	-	-	-	-	-	-	20-24
382.5	208.8	293.4	433.6	231.4	330.4	-	-	-	-	-	-	-	-	-	25-34
79.3	30.9	54.6	102.4	38.4	69.7	-	-	-	-	-	-	-	-	-	35-44
13.6	3.3	8.1	18.5	2.5	9.9	-	-	-	-	-	-	-	-	-	45+
140.4	130.8	135.4	157.8	141.2	149.3	-	-	-	-	-	-	-	-	-	Total
1.8	1.9	1.8	0.0	1.9	0.9	0.0	0.0	0.0	0.0	3.9	1.9	0.0	0.0	0.0	<15
42.7	48.5	45.5	45.9	41.7	43.9	33.2	45.1	39.0	25.4	44.3	34.7	31.8	25.9	28.9	15-19
140.0	54.7	97.4	120.2	48.1	84.7	96.0	41.4	69.2	101.6	47.1	74.7	122.6	43.8	83.7	20-24
89.9	12.3	50.1	85.8	11.2	47.8	58.3	9.4	33.4	69.8	14.3	41.9	73.1	14.3	43.5	25-34
34.8	3.9	19.0	37.0	1.5	18.9	23.1	3.0	12.8	31.4	3.4	17.0	29.4	4.0	16.4	35-44
7.8	0.9	4.1	7.8	0.8	4.1	4.3	0.2	2.1	6.5	0.9	3.5	6.7	0.5	3.4	45+
29.9	8.3	18.8	28.9	7.0	17.6	19.9	6.6	13.0	23.0	7.8	15.2	24.9	6.3	15.4	Total
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<15
1.4	0.8	1.1	2.1	0.0	1.1	2.8	1.5	2.2	0.0	1.5	0.7	1.4	0.0	0.7	15-19
6.9	2.6	4.8	5.8	3.4	4.6	9.6	3.3	6.5	11.3	1.7	6.5	4.0	0.0	2.0	20-24
7.1	0.4	3.6	9.2	0.8	4.9	12.2	0.8	6.4	8.3	0.8	4.5	9.6	1.2	5.4	25-34
10.7	0.9	5.7	10.3	0.6	5.4	9.8	0.3	4.9	11.3	0.0	5.5	8.4	0.6	4.4	35-44
3.7	0.0	1.7	4.2	0.0	2.0	2.6	0.3	1.4	2.8	0.1	1.3	3.2	0.0	1.5	45+
4.5	0.4	2.4	4.9	0.4	2.6	4.7	0.5	2.6	4.5	0.3	2.3	4.0	0.2	2.1	Total
0.0	7.5	3.6	0.0	5.7	2.8	0.0	9.6	4.6	0.0	13.5	6.6	0.0	7.7	3.8	<15
23.9	121.2	71.4	37.5	175.7	104.8	41.7	186.9	112.7	31.1	189.9	108.6	50.1	210.5	128.5	15-19
95.9	212.5	154.1	117.7	241.2	178.3	137.7	272.3	203.9	165.3	295.1	229.4	182.3	350.5	265.4	20-24
68.7	92.5	80.9	84.1	110.5	97.6	98.1	125.7	112.1	115.1	145.8	130.6	119.3	163.8	141.7	25-34
36.7	37.8	37.3	47.9	47.7	47.8	51.9	53.2	52.6	53.7	57.7	55.8	56.6	65.7	61.3	35-44
9.3	7.0	8.1	11.9	9.3	10.5	15.8	13.5	14.5	14.3	15.0	14.6	16.8	16.5	16.7	45+
24.6	38.3	31.6	31.4	47.5	39.7	36.7	54.5	45.8	38.9	59.2	49.4	43.2	67.2	55.5	Total
3.5	3.8	3.6	3.6	18.9	11.0	5.4	13.4	9.3	1.8	13.5	7.5	5.5	15.4	10.3	<15
193.9	580.1	382.6	228.3	656.8	436.9	253.6	671.5	457.9	262.6	676.7	464.9	237.2	612.4	420.5	15-19
836.4	755.6	796.1	819.5	812.8	816.2	908.4	826.1	867.9	966.2	847.4	907.5	995.3	872.2	934.5	20-24
396.6	225.0	308.6	408.9	257.9	331.8	411.6	272.9	341.2	441.3	251.5	345.7	425.1	241.7	332.7	25-34
116.7	69.7	92.7	121.2	75.3	97.8	129.1	80.5	104.2	142.0	83.8	112.2	138.2	73.4	104.9	35-44
26.9	10.1	17.9	25.6	13.1	18.9	26.9	11.6	18.7	33.3	13.6	22.8	33.7	15.0	23.7	45+
135.7	116.0	125.6	139.5	129.9	134.6	149.0	133.8	141.2	160.0	133.5	146.4	157.8	129.1	143.1	Total

## Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population

2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

**Table 5 i (i): South West**

**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
<b>Chlamydia</b>	<15	2	17	19	1	23	24	-	-	-	-	-	-	-	-
	15-19	710	1,616	2,326	812	1,588	2,400	-	-	-	-	-	-	-	-
	20-24	1,837	1,509	3,346	1,977	1,534	3,511	-	-	-	-	-	-	-	-
	25-34	1,254	630	1,884	1,301	659	1,960	-	-	-	-	-	-	-	-
	35-44	343	111	454	362	117	479	-	-	-	-	-	-	-	-
	45+	121	44	165	137	41	178	-	-	-	-	-	-	-	-
<b>Total</b>	<b>4,273</b>	<b>3,933</b>	<b>8,206</b>	<b>4,590</b>	<b>3,962</b>	<b>8,552</b>	-	-	-	-	-	-	-	-	
% MSM	2%			3%											
<b>Gonorrhoea</b>	<15	0	2	2	0	1	1	0	3	3	0	6	6	0	0
	15-19	80	111	191	56	84	140	60	97	157	71	78	149	34	55
	20-24	187	92	279	144	108	252	148	76	224	155	84	239	124	74
	25-34	185	62	247	148	46	194	143	44	187	157	50	207	158	30
	35-44	112	15	127	78	15	93	90	11	101	94	24	118	82	13
	45+	57	16	73	69	8	77	59	12	71	71	11	82	77	7
<b>Total</b>	<b>626</b>	<b>298</b>	<b>924</b>	<b>497</b>	<b>262</b>	<b>759</b>	<b>502</b>	<b>243</b>	<b>745</b>	<b>549</b>	<b>253</b>	<b>802</b>	<b>475</b>	<b>179</b>	
% MSM	22%			18%			29%			21%			38%		
<b>Syphilis</b>	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	
	15-19	5	2	7	5	1	6	3	3	6	4	0	4	2	0
	20-24	13	1	14	14	3	17	8	6	14	7	2	9	3	5
	25-34	25	1	26	39	4	43	31	11	42	23	4	27	29	4
	35-44	53	4	57	43	2	45	52	4	56	33	2	35	13	2
	45+	35	2	37	38	2	40	39	2	41	24	0	24	22	1
<b>Total</b>	<b>131</b>	<b>11</b>	<b>142</b>	<b>140</b>	<b>12</b>	<b>152</b>	<b>133</b>	<b>26</b>	<b>159</b>	<b>93</b>	<b>8</b>	<b>101</b>	<b>69</b>	<b>12</b>	
% MSM	47%			65%			55%			52%			61%		
<b>Herpes</b>	<15	0	0	0	0	2	2	1	7	8	0	3	3	1	5
	15-19	40	203	243	40	220	260	55	276	331	71	312	383	66	299
	20-24	145	222	367	195	304	499	248	386	634	252	399	652	243	436
	25-34	189	210	399	247	289	536	315	357	672	288	368	656	337	393
	35-44	102	126	228	156	132	288	152	174	326	170	179	349	174	204
	45+	63	72	135	78	95	173	127	126	253	132	165	297	145	158
<b>Total</b>	<b>540</b>	<b>835</b>	<b>1,375</b>	<b>716</b>	<b>1,042</b>	<b>1,758</b>	<b>898</b>	<b>1,326</b>	<b>2,224</b>	<b>913</b>	<b>1,426</b>	<b>2,340</b>	<b>966</b>	<b>1,495</b>	
% MSM	3%			4%			4%			3%			5%		
<b>Warts</b>	<15	3	11	14	3	11	14	2	13	15	1	14	15	2	17
	15-19	381	1,051	1,432	416	1,002	1,418	458	1,141	1,599	438	1,179	1,618	390	1,047
	20-24	1,294	1,063	2,357	1,314	1,153	2,467	1,450	1,241	2,691	1,432	1,167	2,599	1,452	1,192
	25-34	1,170	650	1,820	1,206	627	1,833	1,164	691	1,855	1,178	636	1,814	1,231	633
	35-44	421	236	657	420	249	669	457	248	705	395	300	695	411	256
	45+	245	106	351	228	130	358	277	147	424	270	128	398	316	136
<b>Total</b>	<b>3,514</b>	<b>3,117</b>	<b>6,631</b>	<b>3,588</b>	<b>3,173</b>	<b>6,761</b>	<b>3,808</b>	<b>3,481</b>	<b>7,289</b>	<b>3,714</b>	<b>3,424</b>	<b>7,139</b>	<b>3,803</b>	<b>3,281</b>	
% MSM	4%			3%			4%			3%			4%		
<b>New STIs</b>	16,130	11,505	27,635	16,424	11,940	28,364	17,006	12,924	29,930	14,570	11,862	26,437	14,480	11,377	
<b>Other STIs</b>	9,012	6,603	15,615	9,536	6,905	16,441	9,938	7,487	17,425	9,933	7,180	17,115	9,569	6,569	
<b>Other GUM</b>	6,711	15,410	22,121	7,376	17,178	24,554	8,329	18,966	27,295	9,088	19,873	28,966	9,086	20,102	
<b>Services</b>	64,536	70,513	135,049	72,387	82,357	154,744	78,245	95,157	173,402	76,222	96,120	172,387	76,524	98,819	

Notes on using these tables

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 i (ii): South West

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
3.0	27.5	14.9	1.5	37.4	19.0	-	-	-	-	-	-	-	-	-	<15
408.3	1004.6	694.8	462.1	976.2	709.2	-	-	-	-	-	-	-	-	-	15-19
1119.1	1026.7	1075.4	1151.6	1009.0	1084.6	-	-	-	-	-	-	-	-	-	20-24
430.6	219.8	326.0	441.1	231.6	338.3	-	-	-	-	-	-	-	-	-	25-34
93.7	29.2	60.8	98.7	30.7	64.1	-	-	-	-	-	-	-	-	-	35-44
11.3	3.6	7.2	12.6	3.3	7.6	-	-	-	-	-	-	-	-	-	45+
170.5	150.2	160.1	181.0	150.0	165.2	-	-	-	-	-	-	-	-	-	Total
0.0	3.2	1.6	0.0	1.6	0.8	0.0	4.9	2.4	0.0	9.9	4.9	0.0	0.0	0.0	<15
46.0	69.0	57.1	31.9	51.6	41.4	34.5	59.7	46.7	41.2	48.2	44.6	19.7	34.0	26.6	15-19
113.9	62.6	89.7	83.9	71.0	77.8	84.1	48.5	67.3	87.2	52.5	70.8	69.8	46.2	58.6	20-24
63.5	21.6	42.7	50.2	16.2	33.5	48.1	15.7	32.4	52.7	18.0	35.9	53.0	10.8	32.6	25-34
30.6	3.9	17.0	21.3	3.9	12.4	24.9	2.9	13.7	26.6	6.5	16.4	23.2	3.5	13.2	35-44
5.3	1.3	3.2	6.3	0.6	3.3	5.3	1.0	3.0	6.3	0.9	3.4	6.8	0.5	3.5	45+
25.0	11.4	18.0	19.6	9.9	14.7	19.7	9.2	14.3	21.4	9.5	15.3	18.5	6.7	12.5	Total
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<15
2.9	1.2	2.1	2.8	0.6	1.8	1.7	1.8	1.8	2.3	0.0	1.2	1.2	0.0	0.6	15-19
7.9	0.7	4.5	8.2	2.0	5.3	4.5	3.8	4.2	3.9	1.2	2.7	1.7	3.1	2.4	20-24
8.6	0.3	4.5	13.2	1.4	7.4	10.4	3.9	7.3	7.7	1.4	4.7	9.7	1.4	5.7	25-34
14.5	1.1	7.6	11.7	0.5	6.0	14.4	1.1	7.6	9.4	0.5	4.9	3.7	0.5	2.1	35-44
3.3	0.2	1.6	3.5	0.2	1.7	3.5	0.2	1.7	2.1	0.0	1.0	2.0	0.1	1.0	45+
5.2	0.4	2.8	5.5	0.5	2.9	5.2	1.0	3.1	3.6	0.3	1.9	2.7	0.5	1.5	Total
0.0	0.0	0.0	0.0	3.2	1.6	1.6	11.4	6.4	0.0	5.0	2.4	1.6	8.3	4.9	<15
23.0	126.2	72.6	22.8	135.2	76.8	31.6	169.9	98.4	41.2	192.8	114.6	38.3	184.8	109.2	15-19
88.3	151.0	118.0	113.6	200.0	154.2	140.9	246.1	190.5	141.8	249.3	193.0	136.7	272.5	201.0	20-24
64.9	73.3	69.0	83.7	101.6	92.5	105.9	127.6	116.4	96.6	132.3	113.8	113.0	141.3	126.7	25-34
27.9	33.1	30.6	42.5	34.7	38.5	42.1	46.3	44.3	48.2	48.7	48.4	49.3	55.5	52.5	35-44
5.9	5.9	5.9	7.2	7.6	7.4	11.5	10.0	10.7	11.7	12.9	12.4	12.9	12.4	12.6	45+
21.6	31.9	26.8	28.2	39.4	34.0	35.2	49.9	42.7	35.6	53.5	44.7	37.7	56.1	47.0	Total
4.6	17.8	11.0	4.6	17.9	11.1	3.1	21.2	12.0	1.6	23.2	12.2	3.2	28.2	15.4	<15
219.1	653.4	427.8	236.7	616.0	419.0	263.2	702.2	475.2	254.2	728.6	484.2	226.3	647.0	430.0	15-19
788.3	723.2	757.6	765.4	758.4	762.1	823.8	791.3	808.5	805.7	729.2	769.5	817.0	744.9	783.1	20-24
401.8	226.8	315.0	408.9	220.4	316.3	391.4	247.0	321.4	395.1	228.7	314.8	412.9	227.6	323.5	25-34
115.0	62.1	88.0	114.5	65.4	89.5	126.6	66.0	95.7	111.9	81.6	96.4	116.5	69.6	92.6	35-44
22.9	8.6	15.3	20.9	10.5	15.3	25.0	11.7	17.9	24.0	10.0	16.6	28.1	10.6	18.8	45+
140.2	119.0	129.4	141.5	120.1	130.6	149.1	131.1	139.9	144.8	128.4	136.5	148.3	123.1	135.4	Total

Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population

2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well as GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.  
<http://www.hpa.org.uk/STIannualdatatables>



**Table 5 j (i): West Midlands**

**Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010**

	2006			2007			2008			2009			2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
<b>Chlamydia</b>	<15	3	17	20	3	20	23	-	-	-	-	-	-	-	-
	15-19	704	1,646	2,350	750	1,729	2,479	-	-	-	-	-	-	-	-
	20-24	1,808	1,623	3,431	1,958	1,784	3,742	-	-	-	-	-	-	-	-
	25-34	1,353	799	2,152	1,442	867	2,309	-	-	-	-	-	-	-	-
	35-44	390	180	570	443	214	657	-	-	-	-	-	-	-	-
	45+	126	33	159	157	52	209	-	-	-	-	-	-	-	-
	<b>Total</b>	<b>4,384</b>	<b>4,298</b>	<b>8,682</b>	<b>4,755</b>	<b>4,667</b>	<b>9,422</b>	-	-	-	-	-	-	-	-
% MSM	3%			3%											
<b>Gonorrhoea</b>	<15	1	1	2	1	4	5	0	3	3	0	2	2	0	10
	15-19	173	230	403	132	226	358	137	242	379	146	281	427	130	331
	20-24	331	198	529	320	257	577	305	207	512	340	231	571	355	196
	25-34	343	114	457	362	130	492	300	136	436	268	111	379	345	108
	35-44	171	44	215	182	41	223	122	27	149	126	33	159	161	34
	45+	82	10	92	94	14	108	76	10	86	91	14	105	83	14
	<b>Total</b>	<b>1,101</b>	<b>597</b>	<b>1,698</b>	<b>1,093</b>	<b>673</b>	<b>1,766</b>	<b>940</b>	<b>625</b>	<b>1,565</b>	<b>972</b>	<b>673</b>	<b>1,645</b>	<b>1,080</b>	<b>563</b>
% MSM	14%			12%			12%			12%			20%		
<b>Syphilis</b>	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	15-19	10	13	23	5	13	18	8	6	14	7	3	10	2	3
	20-24	40	19	59	40	13	53	18	15	33	26	6	32	20	3
	25-34	99	25	124	84	27	111	61	16	77	48	13	61	39	4
	35-44	85	11	96	76	8	84	53	6	59	38	3	41	41	4
	45+	59	3	62	44	4	48	41	4	45	45	3	48	29	2
	<b>Total</b>	<b>293</b>	<b>71</b>	<b>364</b>	<b>249</b>	<b>65</b>	<b>314</b>	<b>181</b>	<b>47</b>	<b>228</b>	<b>164</b>	<b>28</b>	<b>192</b>	<b>132</b>	<b>16</b>
% MSM	35%			35%			44%			45%			46%		
<b>Herpes</b>	<15	0	3	3	0	4	4	0	3	3	1	5	6	0	1
	15-19	48	240	288	74	286	360	67	319	386	59	318	377	81	331
	20-24	156	298	454	218	358	576	227	422	649	261	468	729	257	488
	25-34	237	306	543	287	313	600	334	385	719	355	454	810	353	503
	35-44	128	129	257	156	162	318	167	233	400	202	181	383	199	212
	45+	47	61	108	92	89	181	129	140	269	119	112	231	139	161
	<b>Total</b>	<b>616</b>	<b>1,037</b>	<b>1,653</b>	<b>827</b>	<b>1,212</b>	<b>2,039</b>	<b>924</b>	<b>1,502</b>	<b>2,426</b>	<b>999</b>	<b>1,541</b>	<b>2,541</b>	<b>1,031</b>	<b>1,698</b>
% MSM	4%			4%			5%			4%			5%		
<b>Warts</b>	<15	5	12	17	1	8	9	0	13	13	2	11	13	1	11
	15-19	345	874	1,219	389	1,042	1,431	422	1,130	1,552	453	1,093	1,546	421	1,040
	20-24	1,146	979	2,125	1,272	1,063	2,335	1,353	1,178	2,531	1,325	1,143	2,468	1,386	1,171
	25-34	1,019	624	1,643	1,139	682	1,821	1,183	782	1,965	1,237	697	1,935	1,142	651
	35-44	404	267	671	429	274	703	522	310	832	477	297	774	511	314
	45+	255	122	377	244	144	388	332	157	489	334	143	477	335	150
	<b>Total</b>	<b>3,174</b>	<b>2,878</b>	<b>6,052</b>	<b>3,474</b>	<b>3,213</b>	<b>6,687</b>	<b>3,812</b>	<b>3,570</b>	<b>7,382</b>	<b>3,828</b>	<b>3,385</b>	<b>7,214</b>	<b>3,797</b>	<b>3,337</b>
% MSM	4%			3%			4%			3%			4%		
<b>New STIs</b>	15,611	11,713	27,324	16,512	12,957	29,469	17,664	14,471	32,135	16,989	14,401	31,394	16,008	13,491	29,501
<b>Other STIs</b>	7,351	6,500	13,851	7,552	6,537	14,089	8,807	7,965	16,772	8,582	7,748	16,331	8,557	7,854	16,411
<b>Other GUM</b>	5,613	15,276	20,889	6,543	17,889	24,432	7,714	21,159	28,873	7,996	21,823	29,820	7,894	22,340	30,234
<b>Services</b>	60,243	63,335	123,578	70,488	75,321	145,809	82,638	93,675	176,313	85,771	100,161	185,948	84,389	100,412	184,814

Notes on using these tables

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 j (ii): West Midlands

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
4.1	24.7	14.2	4.3	29.8	16.7	-	-	-	-	-	-	-	-	-	<15
372.0	922.3	639.1	395.8	966.9	673.1	-	-	-	-	-	-	-	-	-	15-19
995.2	933.9	965.2	1052.2	1013.6	1033.4	-	-	-	-	-	-	-	-	-	20-24
416.0	243.6	329.4	447.3	267.7	357.3	-	-	-	-	-	-	-	-	-	25-34
97.6	44.7	71.1	111.6	53.4	82.4	-	-	-	-	-	-	-	-	-	35-44
12.1	2.8	7.2	14.9	4.4	9.4	-	-	-	-	-	-	-	-	-	45+
166.1	157.6	161.8	179.6	170.7	175.1	-	-	-	-	-	-	-	-	-	Total
1.4	1.5	1.4	1.4	6.0	3.6	0.0	4.5	2.2	0.0	3.1	1.5	0.0	15.3	7.5	<15
91.4	128.9	109.6	69.7	126.4	97.2	73.1	136.3	103.9	78.7	158.7	117.7	70.0	113.5	91.3	15-19
182.2	113.9	148.8	172.0	146.0	159.4	161.0	115.4	138.8	180.5	127.3	154.4	188.5	108.0	149.0	20-24
105.5	34.8	70.0	112.3	40.1	76.1	92.3	41.9	67.1	82.1	34.0	58.0	105.7	33.0	69.3	25-34
42.8	10.9	26.8	45.9	10.2	28.0	31.1	6.8	18.9	32.8	8.5	20.6	41.9	8.8	25.2	35-44
7.9	0.9	4.2	8.9	1.2	4.8	7.1	0.8	3.8	8.4	1.2	4.6	7.7	1.2	4.2	45+
41.7	21.9	31.6	41.3	24.6	32.8	35.3	22.8	28.9	36.4	24.4	30.3	40.4	20.4	30.3	Total
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<15
5.3	7.3	6.3	2.6	7.3	4.9	4.3	3.4	3.8	3.8	1.7	2.8	1.1	1.7	1.4	15-19
22.0	10.9	16.6	21.5	7.4	14.6	9.5	8.4	8.9	13.8	3.3	8.7	10.6	1.7	6.2	20-24
30.4	7.6	19.0	26.1	8.3	17.2	18.8	4.9	11.9	14.7	4.0	9.3	12.0	1.2	6.6	25-34
21.3	2.7	12.0	19.2	2.0	10.5	13.5	1.5	7.5	9.9	0.8	5.3	10.7	1.0	5.8	35-44
5.7	0.3	2.8	4.2	0.3	2.2	3.8	0.3	2.0	4.2	0.2	2.1	2.7	0.2	1.4	45+
11.1	2.6	6.8	9.4	2.4	5.8	6.8	1.7	4.2	6.1	1.0	3.5	4.9	0.6	2.7	Total
0.0	4.4	2.1	0.0	6.0	2.9	0.0	4.5	2.2	1.5	7.7	4.5	0.0	1.5	0.7	<15
25.4	134.5	78.3	39.1	159.9	97.7	35.8	179.7	105.8	31.8	179.5	103.9	43.6	186.9	113.6	15-19
85.9	171.5	127.7	117.1	203.4	159.1	119.9	235.2	176.0	138.6	257.8	197.1	136.5	268.8	201.4	20-24
72.9	93.3	83.1	89.0	96.6	92.8	102.7	118.6	110.7	108.8	138.9	124.0	108.2	153.9	131.0	25-34
32.0	32.1	32.0	39.3	40.4	39.9	42.5	58.9	50.7	52.6	46.6	49.6	51.8	54.6	53.2	35-44
4.5	5.2	4.9	8.7	7.6	8.1	12.1	11.8	11.9	11.0	9.3	10.1	12.8	13.4	13.1	45+
23.3	38.0	30.8	31.2	44.3	37.9	34.7	54.7	44.8	37.4	55.8	46.8	38.6	61.5	50.2	Total
6.9	17.4	12.0	1.4	11.9	6.5	0.0	19.6	9.6	2.9	16.8	9.7	1.5	16.8	9.0	<15
182.3	489.7	331.5	205.3	582.7	388.5	225.3	636.4	425.3	244.1	617.1	426.2	226.8	587.2	402.8	15-19
630.8	563.3	597.8	683.5	604.0	644.9	714.4	656.5	686.2	703.5	629.7	667.3	735.9	645.1	691.3	20-24
313.3	190.2	251.5	353.3	210.6	281.8	363.9	240.9	302.4	379.1	213.2	296.2	350.0	199.1	274.5	25-34
101.1	66.3	83.7	108.1	68.4	88.1	133.0	78.3	105.5	124.1	76.4	100.1	133.0	80.8	106.7	35-44
24.5	10.5	17.1	23.2	12.2	17.4	31.1	13.2	21.7	30.8	11.9	20.8	30.9	12.4	21.2	45+
120.3	105.5	112.8	131.2	117.5	124.3	143.1	130.0	136.4	143.3	122.6	132.8	142.2	120.9	131.4	Total

Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population  
2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well as GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.  
<http://www.hpa.org.uk/STIannualdatatables>



Table 5 k (j): Yorkshire & the Humber

Number of new episodes of selected diagnoses by gender & age group, 2006 - 2010

	2006			2007			2008			2009			2010		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
<b>Chlamydia</b>	<15	5	42	47	5	31	36	-	-	-	-	-	-	-	-
	15-19	910	2,266	3,176	1,050	2,556	3,606	-	-	-	-	-	-	-	-
	20-24	2,289	2,114	4,403	2,481	2,273	4,754	-	-	-	-	-	-	-	-
	25-34	1,511	899	2,410	1,647	977	2,624	-	-	-	-	-	-	-	-
	35-44	405	191	596	392	210	602	-	-	-	-	-	-	-	-
	45+	127	36	163	151	54	205	-	-	-	-	-	-	-	-
	<b>Total</b>	<b>5,248</b>	<b>5,548</b>	<b>10,796</b>	<b>5,731</b>	<b>6,101</b>	<b>11,832</b>	-	-	-	-	-	-	-	-
% MSM	2%			3%			-	-	-	-	-	-	-	-	
<b>Gonorrhoea</b>	<15	0	4	4	0	6	6	0	5	5	0	2	2	0	10
	15-19	160	232	392	153	221	374	133	214	347	122	202	324	148	389
	20-24	352	186	538	323	198	521	267	174	441	275	186	461	257	426
	25-34	338	94	432	288	106	394	226	75	301	242	94	336	258	333
	35-44	148	28	176	115	17	132	85	20	105	107	17	124	95	112
	45+	75	7	82	70	12	82	44	9	53	66	15	81	60	65
	<b>Total</b>	<b>1,073</b>	<b>551</b>	<b>1,624</b>	<b>949</b>	<b>560</b>	<b>1,509</b>	<b>756</b>	<b>497</b>	<b>1,253</b>	<b>812</b>	<b>516</b>	<b>1,328</b>	<b>819</b>	<b>518</b>
% MSM	17%			16%			18%			21%			25%		
<b>Syphilis</b>	<15	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	15-19	5	1	6	0	1	1	1	2	3	3	1	4	1	3
	20-24	11	2	13	12	2	14	20	4	24	20	3	23	18	23
	25-34	46	4	50	33	8	41	39	2	41	45	1	46	30	36
	35-44	53	3	56	36	3	39	50	4	54	46	7	53	31	34
	45+	22	0	22	24	2	26	40	1	41	51	5	56	32	36
	<b>Total</b>	<b>137</b>	<b>10</b>	<b>147</b>	<b>105</b>	<b>16</b>	<b>121</b>	<b>150</b>	<b>13</b>	<b>163</b>	<b>168</b>	<b>19</b>	<b>187</b>	<b>112</b>	<b>132</b>
% MSM	50%			51%			44%			66%			55%		
<b>Herpes</b>	<15	0	2	2	0	4	4	1	11	12	0	4	4	0	9
	15-19	72	270	342	74	403	477	93	420	513	75	359	434	81	478
	20-24	187	386	573	270	410	680	307	461	768	333	510	843	327	902
	25-34	268	274	542	308	391	699	345	429	774	380	407	787	363	783
	35-44	147	146	293	160	153	313	182	230	412	171	185	356	180	368
	45+	72	77	149	108	104	212	120	104	224	101	109	210	136	247
	<b>Total</b>	<b>747</b>	<b>1,155</b>	<b>1,902</b>	<b>921</b>	<b>1,467</b>	<b>2,388</b>	<b>1,050</b>	<b>1,656</b>	<b>2,706</b>	<b>1,061</b>	<b>1,576</b>	<b>2,637</b>	<b>1,087</b>	<b>2,787</b>
% MSM	3%			3%			3%			4%			5%		
<b>Warts</b>	<15	1	12	13	3	18	21	2	30	32	3	20	23	2	21
	15-19	482	1,255	1,737	570	1,457	2,027	634	1,630	2,264	588	1,354	1,942	584	1,801
	20-24	1,378	1,193	2,571	1,596	1,285	2,881	1,662	1,449	3,111	1,681	1,327	3,008	1,672	2,921
	25-34	1,110	614	1,724	1,318	674	1,992	1,328	681	2,009	1,299	666	1,965	1,305	1,932
	35-44	447	224	671	451	261	712	500	248	748	499	277	776	450	732
	45+	228	106	334	231	119	350	332	120	452	265	122	387	256	396
	<b>Total</b>	<b>3,649</b>	<b>3,404</b>	<b>7,053</b>	<b>4,171</b>	<b>3,815</b>	<b>7,986</b>	<b>4,464</b>	<b>4,161</b>	<b>8,625</b>	<b>4,340</b>	<b>3,768</b>	<b>8,108</b>	<b>4,272</b>	<b>7,807</b>
% MSM	2%			2%			3%			4%			4%		
<b>New STIs</b>	<b>15,748</b>	<b>13,421</b>	<b>29,169</b>	<b>17,078</b>	<b>15,029</b>	<b>32,107</b>	<b>17,805</b>	<b>16,141</b>	<b>33,946</b>	<b>16,575</b>	<b>14,433</b>	<b>31,014</b>	<b>15,544</b>	<b>13,988</b>	<b>29,535</b>
<b>Other STIs</b>	<b>8,585</b>	<b>6,253</b>	<b>14,838</b>	<b>9,443</b>	<b>7,108</b>	<b>16,551</b>	<b>10,480</b>	<b>8,204</b>	<b>18,684</b>	<b>10,302</b>	<b>8,085</b>	<b>18,398</b>	<b>10,244</b>	<b>7,471</b>	<b>17,724</b>
<b>Other GUM</b>	<b>5,802</b>	<b>14,586</b>	<b>20,388</b>	<b>6,651</b>	<b>16,802</b>	<b>23,453</b>	<b>8,185</b>	<b>19,972</b>	<b>28,157</b>	<b>8,154</b>	<b>19,919</b>	<b>28,081</b>	<b>7,618</b>	<b>20,042</b>	<b>27,664</b>
<b>Services</b>	<b>63,516</b>	<b>61,784</b>	<b>125,300</b>	<b>75,881</b>	<b>79,365</b>	<b>155,246</b>	<b>88,802</b>	<b>95,487</b>	<b>184,289</b>	<b>86,092</b>	<b>90,558</b>	<b>176,691</b>	<b>83,364</b>	<b>87,746</b>	<b>171,143</b>

Notes on using these tables

'% MSM' represents the proportion of the total male diagnoses attributed to men who have sex with men (MSM)

Data on unknown age-groups are included in the Total row for each diagnosis

Data on unknown gender are included in the Total column for each diagnosis

Please refer to 'Title' page for definitions of selected conditions

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

Table 5 k (ii): Yorkshire &amp; the Humber

Rates of new episodes of selected diagnoses per 100,000 population, by gender &amp; age group, 2006 - 2010



2006			2007			2008			2009			2010			
Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	
7.3	64.8	35.3	7.5	49.0	27.8	-	-	-	-	-	-	-	-	-	<15
495.7	1312.8	891.7	573.3	1474.4	1011.5	-	-	-	-	-	-	-	-	-	15-19
1150.0	1147.2	1148.7	1193.4	1200.8	1196.9	-	-	-	-	-	-	-	-	-	20-24
473.6	283.1	378.6	508.5	308.8	409.8	-	-	-	-	-	-	-	-	-	25-34
107.5	49.5	78.2	104.4	54.6	79.2	-	-	-	-	-	-	-	-	-	35-44
12.9	3.2	7.8	15.2	4.8	9.7	-	-	-	-	-	-	-	-	-	45+
<b>207.7</b>	<b>212.1</b>	<b>209.9</b>	<b>224.8</b>	<b>232.2</b>	<b>228.5</b>	-	-	-	-	-	-	-	-	-	<b>Total</b>
0.0	6.2	3.0	0.0	9.5	4.6	0.0	8.1	3.9	0.0	3.3	1.6	0.0	16.3	8.0	<15
87.2	134.4	110.1	83.5	127.5	104.9	73.4	123.9	98.0	67.2	116.8	91.4	81.5	139.4	109.7	15-19
176.8	100.9	140.4	155.4	104.6	131.2	127.0	89.0	108.7	128.3	93.1	111.3	119.9	84.6	102.9	20-24
105.9	29.6	67.9	88.9	33.5	61.5	68.0	23.4	46.2	70.7	28.9	50.3	75.3	23.0	49.8	25-34
39.3	7.3	23.1	30.6	4.4	17.4	23.0	5.3	14.0	29.5	4.5	16.8	26.2	4.5	15.2	35-44
7.6	0.6	3.9	7.0	1.1	3.9	4.3	0.8	2.5	6.4	1.3	3.7	5.8	0.4	3.0	45+
<b>42.5</b>	<b>21.1</b>	<b>31.6</b>	<b>37.2</b>	<b>21.3</b>	<b>29.1</b>	<b>29.4</b>	<b>18.8</b>	<b>24.0</b>	<b>31.3</b>	<b>19.4</b>	<b>25.3</b>	<b>31.6</b>	<b>19.4</b>	<b>25.4</b>	<b>Total</b>
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<15
2.7	0.6	1.7	0.0	0.6	0.3	0.6	1.2	0.8	1.7	0.6	1.1	0.6	1.2	0.8	15-19
5.5	1.1	3.4	5.8	1.1	3.5	9.5	2.0	5.9	9.3	1.5	5.6	8.4	2.5	5.6	20-24
14.4	1.3	7.9	10.2	2.5	6.4	11.7	0.6	6.3	13.1	0.3	6.9	8.8	1.8	5.4	25-34
14.1	0.8	7.3	9.6	0.8	5.1	13.5	1.1	7.2	12.7	1.9	7.2	8.5	0.8	4.6	35-44
2.2	0.0	1.1	2.4	0.2	1.2	4.0	0.1	1.9	5.0	0.4	2.6	3.1	0.3	1.7	45+
<b>5.4</b>	<b>0.4</b>	<b>2.9</b>	<b>4.1</b>	<b>0.6</b>	<b>2.3</b>	<b>5.8</b>	<b>0.5</b>	<b>3.1</b>	<b>6.5</b>	<b>0.7</b>	<b>3.6</b>	<b>4.3</b>	<b>0.8</b>	<b>2.5</b>	<b>Total</b>
0.0	3.1	1.5	0.0	6.3	3.1	1.5	17.7	9.5	0.0	6.5	3.2	0.0	14.7	7.2	<15
39.2	156.4	96.0	40.4	232.5	133.8	51.3	243.1	144.9	41.3	207.6	122.4	44.6	229.6	134.8	15-19
93.9	209.5	149.5	129.9	216.6	171.2	146.0	235.8	189.3	155.4	255.2	203.5	152.6	287.8	217.8	20-24
84.0	86.3	85.1	95.1	123.6	109.2	103.9	134.1	118.7	110.9	124.9	117.8	106.0	128.9	117.2	25-34
39.0	37.9	38.4	42.6	39.8	41.2	49.2	60.5	54.9	47.1	49.5	48.3	49.6	50.3	49.9	35-44
7.3	6.9	7.1	10.8	9.3	10.0	11.9	9.2	10.4	9.8	9.5	9.6	13.2	9.7	11.3	45+
<b>29.6</b>	<b>44.2</b>	<b>37.0</b>	<b>36.1</b>	<b>55.8</b>	<b>46.1</b>	<b>40.9</b>	<b>62.6</b>	<b>51.9</b>	<b>40.9</b>	<b>59.2</b>	<b>50.2</b>	<b>41.9</b>	<b>63.8</b>	<b>53.0</b>	<b>Total</b>
1.5	18.5	9.8	4.5	28.5	16.2	3.1	48.4	25.3	4.7	32.6	18.4	3.1	30.9	16.8	<15
262.6	727.1	487.7	311.2	840.4	568.6	349.8	943.4	639.5	323.7	783.1	547.7	321.5	703.8	507.9	15-19
692.3	647.4	670.7	767.7	678.8	725.3	790.7	741.2	766.8	784.3	664.1	726.3	780.1	625.1	705.3	20-24
347.9	193.3	270.8	406.9	213.1	311.1	399.8	212.8	308.0	379.3	204.5	294.1	381.0	192.5	289.1	25-34
118.6	58.1	88.0	120.1	67.8	93.6	135.2	65.2	99.7	137.5	74.1	105.3	124.0	75.1	99.3	35-44
23.2	9.5	15.9	23.2	10.6	16.5	32.8	10.6	21.1	25.7	10.6	17.8	24.9	12.2	18.2	45+
<b>144.4</b>	<b>130.2</b>	<b>137.2</b>	<b>163.6</b>	<b>145.2</b>	<b>154.3</b>	<b>173.9</b>	<b>157.3</b>	<b>165.4</b>	<b>167.3</b>	<b>141.4</b>	<b>154.2</b>	<b>164.7</b>	<b>132.7</b>	<b>148.5</b>	<b>Total</b>

## Notes on using these tables:

Diagnoses are calculated based on GUM clinics in the region, rates are calculated for the region's resident population

2009 mid-year population estimates were used for 2010

We no longer present rates of chlamydia diagnoses using GUM clinic data alone. Chlamydia diagnoses/rates for 2008-2010 are calculated using diagnoses reported from community-based services as well GUM clinics and are available in a separate chlamydia table (Table 6). Please use the link below.

<http://www.hpa.org.uk/STIannualdatatables>

## Supplementary Tables of Sexually Transmitted Infections in the England



Code Groups
<b>New STI Diagnoses</b>
Chlamydial infection (uncomplicated and complicated)
Gonorrhoea (uncomplicated and complicated)
Infectious and early latent syphilis
Genital herpes simplex (first episode)
Genital warts (first episode)
New HIV diagnosis
Non-specific genital infection (uncomplicated and complicated)
Chancroid/lymphogranuloma venerum (LGV)/Donovanosis
Molluscum contagiosum
Trichomoniasis
Scabies
Pediculus pubis
<b>Other STI diagnoses</b>
Congenital and other acquired syphilis
Recurrent genital herpes simplex
Recurrent and re-registered genital warts
Subsequent HIV presentations (including AIDS)
Ophthalmia neonatorum (chlamydial or gonococcal)
Epidemiological treatment of suspected STIs (syphilis, chlamydia, gonorrhoea, non-specific genital infection)
<b>Other diagnoses made at GUM clinics</b>
Viral hepatitis B
Viral hepatitis C
Vaginitis and balanitis (including epidemiological treatment)
Anogenital candidiasis (including epidemiological treatment)
Urinary tract infection
Cervical abnormalities
Other conditions requiring treatment at a GUM clinic
<b>Services provided</b>
HIV antibody test
Sexual health screen
Hepatitis B vaccination
Contraception (excluding condom provision)
Other episode not requiring treatment