

Statutory Notifications of Infectious Diseases (Noids) England and Wales

Annual totals - 1982 to 1990 for diseases notifiable under Health Protection Regulations 2010.

Disease	1982	1983	1984	1985	1986	1987	1988	1989	1990
Acute encephalitis	71	56	37	39	51	57	65	40	39
Acute infectious hepatitis	-	-	-	-	-	-	-	-	-
Hepatitis A	-	-	-	-	-	-	-	-	-
Hepatitis B	-	-	-	-	-	-	-	-	-
Hepatitis C	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-
Acute Meningitis	1272	1226	1230	1530	2172	2542	2987	2722	2572
Haemophilus influenzae meningitis	177	173	217	206	268	354	436	470	431
Meningococcal meningitis	410	428	401	548	870	1080	1304	1133	1138
Other specified meningitis	132	106	141	186	209	234	295	270	227
Pneumococcal meningitis	87	74	78	82	143	136	209	174	156
Unspecified meningitis	145	137	149	185	232	245	253	278	267
Viral meningitis	321	308	244	323	450	493	490	397	353
Acute poliomyelitis	2	4	-	4	3	3	2	1	1
Anthrax	1	-	2	2	1	-	2	1	2
Botulism	-	-	-	-	-	-	-	-	-
Cholera	1	5	3	7	9	3	17	13	19
Diphtheria ‡	4	4	4	4	4	2	1	2	2
Dysentery	2850	5004	6844	5335	4774	3617	3692	3278	2756
Enteric fever (typhoid or paratyphoid fever)	235	261	222	253	240	203	354	252	271
Paratyphoid fever	69	78	70	75	84	63	180	88	93
Typhoid fever	166	183	152	178	156	140	174	164	178
Food poisoning	14253	17735	20702	19242	23948	29331	39713	52557	52145
FP-formally notified	9964	12273	13247	13143	16502	20363	27826	38086	36945
FP-otherwise ascertained	4289	5462	7455	6099	7446	8968	11887	14471	15200
Haemolytic uraemic syndrome (HUS)	-	-	-	-	-	-	-	-	-
Infectious bloody diarrhoea	-	-	-	-	-	-	-	-	-
Invasive group A streptococcal disease	-	-	-	-	-	-	-	-	-
Legionnaires' disease	-	-	-	-	-	-	-	-	-
Leprosy	-	-	-	-	-	-	-	-	-
Leptospirosis	14	23	19	31	22	25	36	32	20
Malaria	1183	1125	1398	1695	1663	1202	1271	1478	1493
Measles ‡	94200	103703	62080	97408	82061	42165	86001	26222	13302
Meningococcal septicaemia	-	-	-	-	-	-	-	229	277
Mumps ‡	-	-	-	-	-	-	-	20713	4277
Ophthalmia neonatorum	201	208	247	258	298	300	374	427	440
Rabies	-	-	-	-	1	1	1	-	-
Relapsing fever	-	-	1	1	-	-	-	-	2
Rubella ‡	-	-	-	-	-	-	-	24570	11491
Scarlet fever	7601	6539	6327	6438	6888	6439	5949	8295	7187
Tetanus	12	6	6	12	11	9	12	16	9
Tuberculosis	7410	6803	6141	5857	5993	5086	5164	5432	5204
Tuberculosis -non pulmonary	1944	1923	1606	1564	1648	1446	1489	1616	1586
Tuberculosis -pulmonary	5466	4880	4535	4293	4345	3640	3675	3816	3618
Typhus fever	1	6	3	2	6	8	1	7	4
Viral haemorrhagic fever	1	-	1	-	-	-	-	-	2
Viral hepatitis	10605	6316	5805	4382	3630	3379	5063	7071	9005
Hepatitis A	-	-	-	-	-	1836	3190	5278	7316
Hepatitis B	-	-	-	-	-	444	390	432	435
Hepatitis C	-	-	-	-	-	249	363	256	169
Hepatitis other /not further specified	10605	6316	5805	4382	3630	850	1120	1105	1085
Whooping cough	65815	19340	5517	22046	36506	15203	5117	11646	15286
Yellow Fever	-	-	-	-	-	-	-	-	-

No Cases of Brucellosis, Plague & SARS

‡ A substantial proportion of notified cases are shown subsequently not to be the implicated infection

Statutory Notifications of Infectious Diseases (Noids) England and Wales

Annual totals - 1991 to 2000 for diseases notifiable under Health Protection Regulations 2010.

Disease	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Acute encephalitis	35	34	18	30	37	25	33	26	20	14
Acute infectious hepatitis	-	-	-	-	-	-	-	-	-	-
Hepatitis A	-	-	-	-	-	-	-	-	-	-
Hepatitis B	-	-	-	-	-	-	-	-	-	-
Hepatitis C	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-
Acute Meningitis	2760	2571	2082	1800	2285	2686	2345	2072	2094	2432
Haemophilus influenzae meningitis	417	484	168	52	51	57	38	29	29	39
Meningococcal meningitis	1117	1067	1053	938	1146	1164	1220	1152	1145	1164
Other specified meningitis	224	227	229	176	205	247	216	178	194	189
Pneumococcal meningitis	196	248	239	220	241	297	300	243	237	218
Unspecified meningitis	236	265	197	200	327	412	311	256	278	275
Viral meningitis	570	280	196	214	315	509	260	214	211	547
Acute poliomyelitis	4	3	1	-	1	1	2	2	-	-
Anthrax	-	1	-	-	1	-	-	-	1	1
Botulism	-	-	-	-	-	-	-	-	-	-
Cholera	22	25	23	30	32	32	33	48	29	30
Diphtheria ‡	2	8	6	9	12	11	22	23	23	19
Dysentery	9935	16960	6841	6956	4651	2312	2274	1813	1538	1494
Enteric fever (typhoid or paratyphoid fever)	281	282	268	370	370	276	241	243	276	204
Paratyphoid fever	99	81	93	139	124	101	101	121	125	79
Typhoid fever	182	201	175	231	246	175	140	122	151	125
Food poisoning	52543	63347	68587	81833	82041	83233	93901	93932	86316	86528
FP-formally notified	35291	42551	44271	50412	50761	50718	54233	53764	48454	46481
FP-otherwise ascertained	17252	20796	24316	31421	31280	32515	39668	40168	37862	40047
Haemolytic uraemic syndrome (HUS)	-	-	-	-	-	-	-	-	-	-
Infectious bloody diarrhoea	-	-	-	-	-	-	-	-	-	-
Invasive group A streptococcal disease	-	-	-	-	-	-	-	-	-	-
Legionnaires' disease	-	-	-	-	-	-	-	-	-	-
Leprosy	-	-	-	-	-	-	-	-	-	-
Leptospirosis	18	28	18	25	13	15	23	32	23	32
Malaria	1553	1189	1198	1139	1300	1659	1476	1110	1005	1128
Measles ‡	9680	10268	9612	16375	7447	5614	3962	3728	2438	2378
Meningococcal septicaemia	273	277	398	430	707	1129	1440	1509	1822	1614
Mumps ‡	2924	2412	2153	2494	1936	1747	1914	1587	1691	2162
Ophthalmia neonatorum	433	424	340	268	245	246	224	198	163	176
Rabies	-	-	-	-	-	-	-	-	-	-
Relapsing fever	-	1	1	-	-	2	-	1	-	1
Rubella ‡	7174	6212	9724	6326	6196	9081	3260	3208	1954	1653
Scarlet fever	5217	4645	5855	6193	5296	4873	3569	3339	2086	1933
Tetanus	8	6	8	3	6	7	7	7	3	2
Tuberculosis	5436	5799	5921	5591	5608	5654	5859	6087	6144	6572
Tuberculosis -non pulmonary	1840	1983	1960	1897	1897	1964	1912	2161	2317	2340
Tuberculosis -pulmonary	3596	3816	3961	3694	3711	3690	3947	3926	3827	4232
Typhus fever	7	6	3	4	4	2	5	6	3	3
Viral haemorrhagic fever	1	4	9	3	-	10	1	4	1	1
Viral hepatitis	8860	8993	5557	3722	3296	2437	3186	3183	3424	3541
Hepatitis A	7430	7856	4457	2715	2120	1339	1837	1515	1676	1271
Hepatitis B	488	489	581	528	623	613	730	886	864	1035
Hepatitis C	157	164	138	162	217	194	333	616	743	1042
Hepatitis other /not further specified	785	484	381	317	336	291	286	166	141	193
Whooping cough	5201	2309	4091	3964	1869	2387	2989	1577	1139	712
Yellow Fever	-	-	1	-	-	-	-	1	-	-

No Cases of Brucellosis, Plague & SARS

‡ A substantial proportion of notified cases are shown subsequently not to be the implicated infection

Statutory Notifications of Infectious Diseases (Noids) England and Wales

Annual totals - 2001 to 2010 for diseases notifiable under Health Protection Regulations 2010.

Disease	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Acute encephalitis	17	18	15	20	19	19	18	24	16	16
Acute infectious hepatitis	-	-	-	-	-	-	-	-	-	472
Hepatitis A	-	-	-	-	-	-	-	-	-	105
Hepatitis B	-	-	-	-	-	-	-	-	-	221
Hepatitis C	-	-	-	-	-	-	-	-	-	99
Other	-	-	-	-	-	-	-	-	-	47
Acute Meningitis	2623	1545	1472	1267	1381	1494	1251	1181	1219	920
Haemophilus influenzae meningitis	74	62	63	45	44	57	32	24	31	11
Meningococcal meningitis	1020	706	646	554	579	618	557	499	467	371
Other specified meningitis	191	148	115	114	110	110	104	82	74	47
Pneumococcal meningitis	201	166	205	177	220	197	173	169	186	148
Unspecified meningitis	326	213	208	180	205	211	150	178	201	164
Viral meningitis	811	250	235	197	223	301	235	229	260	179
Acute poliomyelitis	-	-	-	-	-	-	-	-	1	-
Anthrax	1	1	-	-	-	1	-	1	-	5
Botulism	-	-	-	-	-	-	-	-	-	2
Cholera	28	17	26	31	34	37	41	40	35	35
Diphtheria ‡	13	20	13	10	9	10	9	6	11	9
Dysentery	1388	1087	1047	1203	1237	1122	1217	1166	1218	630
Enteric fever (typhoid or paratyphoid fever)	250	175	275	280	298	386	334	410	340	372
Paratyphoid fever	129	84	99	134	119	185	126	170	130	127
Typhoid fever	121	91	176	146	179	201	208	240	210	245
Food poisoning	85468	72649	70895	70311	70407	70603	72382	68962	74974	56991
FP-formally notified	46768	38541	35695	34376	34642	32800	32322	29023	31034	26802
FP-otherwise ascertained	38700	34108	35200	35935	35765	37803	40060	39939	43940	30189
Haemolytic uraemic syndrome (HUS)	-	-	-	-	-	-	-	-	-	1
Infectious bloody diarrhoea	-	-	-	-	-	-	-	-	-	385
Invasive group A streptococcal disease	-	-	-	-	-	-	-	-	-	215
Legionnaires' disease	-	-	-	-	-	-	-	-	-	102
Leprosy	-	-	-	-	-	-	-	-	-	1
Leptospirosis	25	24	24	14	31	24	37	44	29	9
Malaria	1081	847	791	609	679	613	426	386	381	325
Measles ‡	2250	3187	2488	2356	2089	3705	3670	5088	5191	2233
Meningococcal septicaemia	1238	842	732	691	721	657	673	528	495	365
Mumps ‡	2741	1997	4204	16367	56256	12841	7196	7827	18629	10396
Ophthalmia neonatorum	115	91	102	85	87	100	83	77	90	27
Rabies	1	-	-	-	-	-	-	-	-	-
Relapsing fever	-	-	-	-	-	-	-	-	-	-
Rubella ‡	1483	1660	1361	1287	1155	1221	1082	1096	1130	630
Scarlet fever	1756	2159	2553	2201	1678	2166	1948	2920	4176	2969
Tetanus	6	4	8	12	3	-	4	7	6	6
Tuberculosis	6714	6753	6518	6723	7628	7621	6989	7319	7240	8324
Tuberculosis -non pulmonary	2481	2593	2546	2800	3281	3187	3021	3059	2906	4110
Tuberculosis -pulmonary	4233	4160	3972	3923	4347	4434	3968	4260	4334	4214
Typhus fever	-	-	2	1	1	6	-	4	-	2
Viral haemorrhagic fever	2	3	1	-	-	5	1	3	5	3
Viral hepatitis	3388	3859	4004	3932	4109	4007	3857	4756	4979	1738
Hepatitis A	1138	1381	1194	784	513	433	333	378	377	80
Hepatitis B	1028	1073	1151	1215	1325	1165	1265	1592	1609	363
Hepatitis C	1061	1340	1574	1851	2120	2194	2040	2533	2696	534
Hepatitis other /not further specified	161	65	85	82	151	215	219	253	297	761
Whooping cough	888	883	409	504	594	550	1089	1512	1155	404
Yellow Fever	-	-	-	-	2	-	-	-	-	-

No Cases of Brucellosis, Plague & SARS

‡ A substantial proportion of notified cases are shown subsequently not to be the implicated infection